

ESPRIT COMFORT (Low Profile/A Class/Coachbuilt)

Standard specification

Chassis / Base vehicle

- New Fiat Ducato Facelift with Common-Rail-Turbo diesel technology, MultiJet direct injection and Euro 5+ engine
- Front wheel drive
- ABS/ EBD/ ASR
- ESP (for T/I 7150-2 + EB only available in conj. with the optional Maxi chassis)
- Hill Holder, Hill Descent Control
- Broad gauge chassis rear axle
- Chassis with stronger suspension springs for automotive driving comfort
- Large fuel tank (90l)
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- Wider tyres, anti-theft device and revolution counter
- Day-time-running lights integrated into the headlights
- Panoramic safety glass windscreen
- Central locking cab (Low Profile)
- Electrical window lift
- Break-down kit

Conversion

- **Dethleffs Lifetime Plus Technology Resistant to rot and long-life conversion concept**
- GRP roof (glass fibre reinforced plastic) for optimal protection
- Thickness for floor: 41 mm; sidewall: 34 mm; roof: 35mm
- Function double floor, heated and possible to load over the complete width of vehicle, double floor height 20 cm, Coachbuilt 40 cm
- Smooth sides in Aluminium White
- Modern rear moulding with energy saving LED rear lights
- Rear garage/ storage compartment (7150-2) or underfloor storage (7010-2, 7090-2)
- Access locker doors with catch locks
- Opening insulating windows with blinds and flyscreens
- Window for T-hood (Low Profile)
- Mini Heki with blind and flyscreen
- Electrical entrance step
- Rounded Coupé entrance with step
- Flyscreen door
- Convex entrance door with interior trim, pockets and waste bin
- High-quality Pilote seats with height/inclination adjustment, double armrest and comfortable seating position

- Swivel driver and passenger seats (not for Coachbuilt)
- Height-adjustment for headrests for seating lounge in car optic
- Pull-down bed (A Class)
- Overcab bed fold-away (Coachbuilt)
- Repair-friendly, two-piece A Class front with integrated LED day-time-running lights

On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Powerful 95 Ah AGM leisure battery
- Starter and leisure battery with automatic switch-over (also for fridge)
- Electrical charging device for leisure and starter batteries 12V/ 18A
- CEE 230V external socket with safety device
- Powerful pressure water pump
- Warm water supply with mixer tap
- Wardrobe illumination with LED light
- Illuminated plinth over the door
- Awning light
- ELCB (earth leakage circuit breaker)
- Insulated waste water tank

Kitchen

- Dethleffs Gourmet kitchen centre with variable 3-split glass lid over the sink, 3-burner hob cooker for optimal use of the working surface
- Sink and hob in stainless steel
- Fridge with freezer compartment, convex door and auto energy selection (AES)
- Spacious drawers on smooth steel runners
- Kitchen overhead locker with illuminated plinth
- Height-adjustable racks for kitchen overhead lockers
- Spice rack with noble Chrome alloy
- Waste bin integrated into the working surface
- Indirect illumination under the kitchen plate with LED lighting strip

Bathroom

- Cassette toilet with swivel seat or a fixed toilet (depending on layout). Each with electronic flush.
- High-gloss wash bowl with frame in dark Marble optic
- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- Intelligent washroom concept with 3-D bathroom (depending on layout)

Living area

- High-quality furniture finished in sturdy plywood and locker doors made of MDF (medium density fibreboard)
- Fixed beds with wooden bed frame and cold foam mattress
- Shoe bin in entrance area (depending on layout)
- AirPlus ventilation system - for an optimised ventilation of the interior to reduce condensation
- Living room without steps
- Wardrobe N/S and O/S next to the Kingsize bed

Interior

Wood décor: Noce Padano


Soft furnishing: ARUBA, MONDIAL or VERBIER

Standard UK specification which is above standard European specification

- Right hand drive chassis
- 2.3 MultiJet 96 (130 BHP)
- Cab air conditioning
- Cruise control
- Electrical and heated mirrors
- Driver and passenger airbags
- Radio pre-wiring with Sound package
- Wheel trims
- 2nd access locker door
- Cab door N/S for A Class
- Cab blinds
- Heki III
- On-board control panel "Luxus"
- Indirect illumination/ LED light package
- Full UK specification incl. UK gas and UK electrics
- TRUMA Combi 6 E gas heating with integrated 10 l boiler
- Smoke detector
- Oven with grill
- Large fridge/ TEC tower
- Illuminated kitchen plinth
- TV bracket
- Lounge convert to bed
- L-shaped seating lounge with free-standing table
- Safety package incl. additional safety belts against driving direction
- Carpets for the cab and living room


Please note: From technical point of view there are components which are not possible for some of model types and layouts.

Low Profile




ESPRIT COMFORT		T 7010-2	T 7090-2	T 7150-2	T 7150-2 EB
Length	cm	738	738	758	758
Width	cm	233	233	233	233
Height	cm	287	287	287	287
Internal height	cm	198	198	198	198
Towing weight 12 % braked/unbraked	kg	2000/750	2000/750	2000/750	2000/750
Tyres		215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C
Wheel base	cm	410	410	450	450
Beds	Pull-down bed	cm	-	-	-
	Mid	cm	210x115/85	210x125/90	210x115/100
	Alternative	cm	-	-	210x200
	Rear	cm	195x80/205x75	195x130/85	200x150
					2 x (200x80)
Basic engine		2.3 MJET	2.3 MJET	2.3 MJET	2.3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)
Chassis		AL-KO low platform	AL-KO low platform	AL-KO low platform	AL-KO low platform
Weight net	kg	2926	2919	2931	2931
Mass in running order (MIRO)	kg	3116	3109	3121	3121
Payload	kg	734	741	729	729
Maximum authorised weight	kg	3850	3850	3850	3850
Designated passenger seats (for standard total mass)		4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/thereof freezer compartment	l	190/35	190/35	190/35	190/35
Water tank incl. boiler (red. volume)	l	176 (20)	176 (20)	176 (20)	176 (20)
Waste water tank capacities	l	100	100	100	100
Storage space		G 1 + A	B 1 + H + A	F 2	D 2
Standard swivel seat for driver and passenger		Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Battery/charger	Ah/A	95/18	95/18	95/18	95/18
Power outlets	230 V/12 V	5/2	6/2	6/2	6/2

A Class



ESPRIT COMFORT		I 7010-2	I 7090-2	I 7150-2	I 7150-2 EB
Length	cm	735	735	755	755
Width	cm	233	233	233	233
Height	cm	287	287	287	287
Internal height	cm	198	198	198	198
Towing weight 12 % braked/unbraked	kg	2000/750	2000/750	2000/750	2000/750
Tyres		215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C
Wheel base	cm	410	410	450	450
Beds	Pull-down bed	cm	195x150	195x150	195x150
	Alternative	cm	-	-	-
	Rear	cm	195x80/205x75	195x130/85	200x150
					2 x (200x80)
Basic engine		2.3 MJET	2.3 MJET	2.3 MJET	2.3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)
Chassis		AL-KO low platform	AL-KO low platform	AL-KO low platform	AL-KO low platform
Weight net	kg	3032	3025	3042	3042
Mass in running order (MIRO)	kg	3222	3215	3232	3232
Payload	kg	628	635	618	618
Maximum authorised weight	kg	3850	3850	3850	3850
Designated passenger seats (for standard total mass)		4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/thereof freezer compartment	l	190/35	190/35	190/35	190/35
Water tank incl. boiler (red. volume)	l	176 (20)	176 (20)	176 (20)	176 (20)
Waste water tank capacities	l	100	100	100	100
Storage space		G 1 + A	B 1 + H + A	F 2	D 2
Standard swivel seat for driver and passenger		Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Battery/charger	Ah/A	95/18	95/18	95/18	95/18
Power outlets	230 V/12 V	5/2	6/2	6/2	6/2

Coachbuilt



ESPRIT COMFORT		A 6820-2	A 7870-2
Length	cm	733	858
Width	cm	233	233
Height	cm	323	323
Internal height	cm	209	209
Towing weight 12 % braked/unbraked	kg	1750/750	1800/750
Tyres		225/75R 16C	225/75R 16C
Wheel base	cm	407	460/80
Beds	Overcab	cm 205x75/190x75	210x150
	Mid	cm -	190x130
	Alternative	cm 210x205/155	-
	Rear	cm 210x170/145	210x150
Basic engine		2.3 MJET	2.3 MJET
kW (BHP)		96 (130)	96 (130)
Chassis		AL-KO low platform	AL-KO low platform
Weight net	kg	3381	3820
Mass in running order (MIRO)	kg	3591	4145
Payload	kg	909	855
Maximum authorised weight	kg	4500	5000
Designated passenger seats (for standard total mass)*		2 (4)	6
Designated passenger seats (max. weight upgrade)*		4	6
Heating		Combi 6 E	Combi 6 E
Fridge/thereof freezer compartment	l	190/35	190/35
Water tank incl. boiler (red. volume)	l	147 (20)	147 (20)
Waste water tank capacities	l	137	137
Storage space		G 2	C 2
Standard swivel seat for driver and passenger		-/-	-/-
Battery/charger	Ah/A	95/18	95/18
Power outlets	230 V/12 V	11/2	6/2

* only in conj. with the option "additional seat".

Package

ESPRIT COMFORT Style package	(ca. 15 kg)	(ca. 18 kg)	(ca. 15 kg)
Package components	Low Profile	A Class	Coachbuilt
Flush fitting windows	✓	✓	✓
High-level rear moulding with roof railing	✓	✓	✓
Styling package for Overcab	-	-	✓
Alternative headlights	-	✓	-

✓ Package ● Standard - Not possible

The Dethleffs world of colours

For ESPRIT COMFORT you can choose from the following colour combinations (some for extra charge):

Low Profile

Chassis colour		Conversion colour			
		White	Titansilver Metallic	Cacao Grey	Laguna Blue
White	Code	standard	5338	5334	5337
Imperialblue	Code	5426	6205	-	-
Dolphingrey Metallic	Code	-	6206	-	-

A Class

		Conversion colour			
		White	Titansilver Metallic	Cacao Grey	Laguna Blue
	Code	standard	1665	1669	498

Coachbuilt

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	Code	standard	5708
Imperialblau	Code	5426	5706

Please note that the roof as well as skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.



Optional Extras ESPRIT COMFORT

	Weight(kg)	Code	Low Profile	A Class	Coachbuilt
Chassis/ Base vehicle					
Fiat Ducato MultiJet 150 Light (2.3 l / 148 BHP) - (depending on layout)	-	-	○	○	-
Fiat Ducato MultiJet 180 Light (3.0 l / 177 BHP) - (depending on layout)	50	-	○	○	-
Fiat Ducato MultiJet 130 Maxi (2.3 l / 130 BHP) - (depending on layout), max.authorised weight 4250 kg	50	-	○	○	-
Fiat Ducato MultiJet 150 Maxi (2.3 l / 148 BHP) - (depending on layout), max.authorised weight 4250 kg	50	-	○	○	-
Fiat Ducato MultiJet 150 Maxi (2,3 l / 148 BHP) - (depending on layout), max.authorised weight 4250 kg	-	-	-	-	○
Fiat Ducato MultiJet 180 Maxi (3.0 l / 177 BHP) - (depending on layout), max.authorised weight 4250 kg	100	-	○	○	-
Fiat Ducato MultiJet 180 Maxi (3.0 l / 177 BHP) - (depending on layout), max.authorised weight 4250 kg	50	-	-	-	○
Weight upgrade to 4250 kg Fiat (only in conj. with Ducato Maxi)	-	1633	○	○	-
Alloy wheels 15" anthracite-silver polished	-	7483	○	○	○
Alloy wheels 15" anthracite-silver polished (3-axle)	-	7483	-	-	○
Tow bar	35	273	○	○	○
Automated gearbox (6 gears)	17	011	○	○	○
Cab dash in silver/black line optics	1	1881	○	○	○
Maximum authorised total weight 4500 kg (only in conj. with Ducato Maxi)	-	1585	○	○	⊙
Cab insulating mat large	13	427	○	○	○
Cab insulating mats for windscreen and side windows	9	934	○	○	○
Air suspension rear axle (ALKO)	35	1658	○	○	○
Air suspension front and rear axles (ALKO)	85	1796	○	○	○
Bi-Xenon headlights (only in conj. with Bi-Halogen integral headlights)	2	507	-	○	-
Seat heating and lumbar support/ pump for Pilote seat	2	6461/1659	○	○	○
Mud flaps front	2	298	○	○	○
Mud flaps rear	2	880	○	○	○
Static cornering light incl. fog lights	1	7138	-	○	○
Rear corner steadies (2 pieces)	6	390	○	○	○
Front corner steadies	6	941	-	-	○
Reinforced spring for front axle	-	1889	-	○	-
Exterior					
Access locker doors, different sizes. Your local dealer will assist you with more information.	7	331	○	○	○
ALPA application (for A 6820-2 only)	-	6795	-	-	○
Opening window in Overcab	2	622	-	-	○
Roof rails with high-level rear moulding (Please consider other roof equipment)	2 / 10	418/1755	○	○	○
Roof rails accessory: Cross elements and ladder for high-level rear moulding (Please consider other roof equipment) (not for A 6820-2)	16	1754	○	○	○
Midi Heki over pull-down bed (only in conj. with pull-down bed)	8	246	-	○	-
Midi Heki over single beds in overcab (for A 6820-2 only)	8	246	-	-	○
Bicycle rack for 3 cycles (rear installation) (not for A 6820-2)	8.7	938	○	○	○
Bicycle rack for 4 cycles (rear installation) (not for A 6820-2)	10.2	815	○	○	○
Bicycle rack lowerable for GRP rear	10	7482	○	○	○
Flush fitting windows	5	415	○	○	○
Additional window in bathroom (depending on layout)	5	372	-	-	○
Panorama window (with standard free standing table leg (for T/I 7090-2)	7	1664	○	○	-
Awning (different lengths available). Your local dealer will assist you with more information.	upon request	1646	○	○	○
Interior					
Installation of safe	12.5	323	○	○	○
Aluline shelving system (for A 7870-2 only)	5	1979	-	-	○
Bicycle rack for Aluline shelving system (for A 7870-2 only)	5	1930	-	-	○
Furniture/Layouts					
Laundry box (for 2-passengers' registration and for A 6820-2 only)	3	1606	-	-	○
Single seat with fold-away function rear (for A 6820-2 only)	41	1604/1605	-	-	○
Electrical operation for pull-down bed	5	1683	-	○	-
High-level bed (depending on layout)	5	652	○	○	-
Wood décor Noble Acacia	-	1541	○	○	○
LANACA (in conj. with Noble Acacia)	-	6750	○	○	○
NAMIB	-	7546	○	○	○
BENIDORM (real leather)	12	1529	○	○	○

	Weight (kg)	Code	Low Profile	A Class	Coachbuilt
Soft furnishing					
Cuddle package (bedspread, cuddle blanket, 2 pillows, table cloth)	3	1590	○	○	○
7-zones Premium cold foam mattress with visco elastic surface for double bed	5	1949	○	○	○
7-zones Premium cold foam mattress with visco elastic surface for single beds	5	1947/1948	○	○	○
Electrics/Installation					
2nd leisure battery 95 Ah	27	830	○	○	○
Alternative headlights	3	1763	-	○	-
Transformer 12/230 (for air conditioning Saphir Vario/ Compact)	3	1977	-	-	○
Solar system (2 Siemens M50 modules, 1 controller SR 13, 2x60W)	15	922	○	○	○
Inverter Waeco 1800W	8.4	1775	-	-	○
Gas installation					
Crash sensor for gas system	-	1902	○	○	○
Exterior socket for gas (30 mbar)	1	878	○	○	○
Switch over system Duo Control CS	13	1577	○	○	○
Water supply/Installation					
Exterior shower (cold water)	1	793	○	○	○
Switch for water pump	1	397	○	○	○
Heating/Air conditioning					
Heating: heat exchanger Sirocco Arizona 400	3	472	○	○	○
Heating: Webasto additional heating	7	517	○	○	○
Heating: ALDE warm water	30-50	761	○	○	○
ALDE warm water heating for cab (only in conj. with ALDE heating - not in conj. with cab carpets)	10	6709	○	○	○
Additional pump 230 V for ALDE heating	1	314	○	○	○
ALDE heat exchanger	7	565	○	○	○
Electrical and heated Overcab bed (not for A 6820-2)	3	1740	-	-	○
Air conditioning Telair Silent 7300H-230 V (Please consider other roof equipment)	34	609	○	○	○
Air conditioning Saphir Vario (for A 7870-2 only)	30	1986	-	-	○
Air conditioning Saphir Comfort (for A 6820-2 only)	26	1791	-	-	○
Kitchen					
Large fridge with separated freezer compartment and integrated oven with grill (TecTower)	40	290	○	○	-
Fridge vent	1	282	○	○	○
Extractor fan (circulating air)	2	344	○	○	-
Extendable kitchen (exterior) (for A 7870-2 only)	10	1943	-	-	○
Bathroom					
Shower wooden grid	1.5	1657	○	○	○
Multimedia systems					
Flatscreen 19"	3	1896	○	○	○
Flatscreen 22" (for A 6820-2 only)	3	1799	-	-	○
Pre-wiring (navigation to TV cabinet)	2	1945	○	○	○
Pre-wiring reversing cam	2	277	○	○	○
DVD radio Moniceiver	3	1644	○	○	○
RDS/CD Pioneer	2	1639	○	○	○
SAT system Flatsat Easy Classic 65	13	1741	○	○	○
SAT system Flatsat Easy Classic 65 Twin	13	7670	○	○	○
SAT system Flatsat Easy 85	21	7671	○	○	○
SAT system Flatsat Easy 85 Twin	15	1637	○	○	○
Navigation module Caratec (only in conj. with Moniceiver)	2	1643	○	○	○
Top View 360°	6	7173	○	○	○
Reversing cam CARATEC available in many different variants. Your local dealer will assist you with more information.	upon request	upon request	○	○	○
Misc					
Fire extinguisher 2 kg	3.5	1878	○	○	○
Registration documents	-	-	◆	◆	◆