

# GLOBETROTTER XL – Standard specification (A Class)

## Chassis / Base vehicle

- Fiat Ducato X/250 with Common-Rail-Turbo diesel technology and Multijet direct injection
- Newest Fiat technology with EURO 5 engine
- Front wheel drive
- Fuel tank 90l
- ABS/EBD
- Driver and passenger airbags
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- Front axle stabiliser
- AL-KO low platform/ broad gauge chassis
- Wider tyres, chassis with stronger suspension springs, anti-theft device and revolution counter
- Cruise control
- Alloy wheels 16" \*
- Special suspended wing mirrors for reduced vibration, electrical and heated
- Electrical window lift (only in conjunction with cab door)
- Radio pre-wiring with Sound package\*
- Cab air conditioning\*
- Safety package\*
- Cab carpets\*
- Warning triangle, First-Aid-Kit, warning light and wheel chock

## Construction

- Free of cold bridge (wood-free) conversion
- Extruded Polystyrol rigid foam insulation (XPS) for roof and side walls
- 41 mm floor thickness, 20 mm intermediate floor, 34 mm wall and roof thickness
- Sidewalls in White smooth Aluminium
- Fully-insulated GRP rear and roof (fibre-glass reinforced plastic) with clear glass lights and incorporated 3rd brake light
- GRP floor with underfloor sealing (GRP, PU-profiles and XPS sandwich construction) for optimal protection
- Double floor can be loaded from both sides (depending on layout), double floor height 30 cm
- Lowered rear garage
- External access locker doors with catch locks
- Flush fitting windows with flyscreen and blind
- Opening skylight made of clear Plexiglass with flyscreen and blind (Mini Heki)
- Midi Heki over the pull-down bed
- Cab blinds
- Entrance step electrical (one-step)
- Rounded Coupé entrance with one step
- Wide entrance door with window, interior trim and flyscreen door
- Pilote seat with 3-point inertia safety belt system and two upholstered arm rests
- Luxury headlights with integrated day-time-running lights
- Awning Omnistor 6 m\*
- Dynamic, repair-friendly, two-piece front

## On-board technology/ Installations

- Full UK specification including: UK gas, UK electrics
- Gas locker for up to 2 x 11 kg bottles
- Powerful AGM leisure battery 95 Ah
- Starter and leisure battery with automatic switch-over (also for fridge)
- Electrical charger for both starter and leisure battery 12V/18A
- CEE 230 V external socket with safety device
- Alde warm water heating/ heat exchanger incl. automated drain valve
- Pressure water pump with switch
- Warm water supply with mixer tap
- Fresh water/ waste water tanks installed in double floor (insulated area)
- On-board control panel in luxury design
- Illuminated plinth above the door
- Illuminated kitchen plinth
- Smoke detector\*

## On-board technology (continuation)

- Indirect illumination\*
- LED wardrobe illumination
- Awning light
- Earth leakage circuit breaker (ELCB)
- Reversing cam with monitor\*

## Kitchen

- Modern kitchen centre with 3 burner hob
- Ergonomically shaped kitchen block made of GRP with integrated waste bin and central lock
- Sink and hobs in stainless steel
- Spacious drawers on smooth steel runners
- Kitchen overhead locker with illuminated plinth
- Extractor fan (air circulation)
- Waste bin
- Oven with grill\*
- Large fridge with separated freezer compartment, automated energy switch-over and high-gloss door front

## Bathroom

- Cassette toilet (part-swivelled) with electronic flush
- Cabinets, storage compartments, hooks, big mirrors, Halogen spotlights and height-adjustable shower head
- Modern 3D bathrooms
- Bathroom doors in very robust finish with domestic door handle (depending on layout)
- XLI bathrooms always with fixed shower cubicles and waterproof plastic sidewalls and door

## Living area

- Furniture finished in sturdy plywood, locker doors partly in high-quality MDF (medium density fibreboard)
- Fixed beds with wooden bed laths and 7-zones Premium cold foam mattress with visco-elastic surface and 3D membrane
- Single beds with lift-up heading section
- Folding seat base extensions with storage space
- Pull-down bed access ladder and security net\*
- AirPlus ventilation system - for an optimised ventilation of the interior and reduced condensation
- L-shaped lounge with free-standing table leg (not for I 7870-2)
- Flat screen TV compartment with extendable bracket
- Newspaper holder with rubber and knobs (depending on layout)
- Fabric covered wardrobe
- Loose fitting carpets\*

## Interior

Wood décor: Cypress Villa with cream-coloured Plexiglass elements and soft furnishing designs **Lanaca** and **Esperanza**

Option: Overhead locker doors in Cypress Villa wood with backlit Acrylic glass inlays.

Option: The high-quality real leather **Benidorm**, **Saigon** or **Zambesi** can be chosen.


\* Standard UK specification which is above European standard specification.



Robust GRP roof is standard for the Globetrotter XL

# LOBETROTTER XL

## A Class



Type / Model	I 7110-2	I 7850-2	I 7850-2 EB	I 7870-2	I 7870-2 L
--------------	----------	----------	-------------	----------	------------

### Technical Data

Length/width/height	cm	817/233/293	842/233/293	842/233/293	862/233/293	862/233/293
Internal height	cm	195	195	195	195	195
Towing weight 12% braked <sup>1)</sup> /unbraked	kg	1800/750	1800/750	1800/750	1800/750	1800/750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	425/80	425/80	425/80	460/80	460/80
Beds						
Pull-down bed	cm	195x150	195x150	195x150	195x150	195x150
Mid	cm	-	-	-	190x105	-
Lengthwise	cm	-	-	-	-	-
Alternative	cm	210x210/175	-	210x195/165	-	-
Rear	cm	195x80 / 210x75	200x150	195x80 / 195x75	210x155	210x155
Basic engine		Maxi 2.3 JTD	Maxi 2.3 JTD	Maxi 2.3 JTD	Maxi 2.3 JTD	Maxi 2.3 JTD
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)	96 (130)
Chassis		ALKO low frame	ALKO low frame	ALKO low frame	ALKO low frame	ALKO low frame
Weight net	kg	3750	3860	3860	3900	3900
Mass in running order (MIRO) (approx.)	kg	4261	4371	4371	4419	4419
Payload (approx.)	kg	739	629	629	581	581
Maximum authorised weight (approx.)	kg	5000	5000	5000	5000	5000
Seats at standard weight		4	4	4	6	4
Seat at maximum weight upgrade		4	4	4	6	4
Heating		ALDE WW	ALDE WW	ALDE WW	ALDE WW	ALDE WW
Fridge / thereof freezer compartment	l	190 / 35	190 / 35	190 / 35	190 / 35	190 / 35
Water tank incl. boiler (red. vol.)/waste water tank capacities	l	166 / 156	166 / 156	166 / 156	166 / 156	166 / 156
Storage space		D 2	F 2	D 2	C 2	C 2
Standard swivel seat for driver and passenger		Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Battery / charger	Ah / A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230 V / 12 V	5 / 2	6 / 2	6 / 2	6 / 2	6 / 2

<sup>1)</sup> under consideration of total towing weight of 6000kg

## GLOBETROTTER XL Travel package

(75 kg)

Package components:	A Class
Rear corner steadies	✓
Wooden cab dash	✓
2nd leisure battery	✓
DVD radio, Moniceiver Pioneer AVIC-F 940 BT	✓
Air conditioning Saphir Vario	✓
2nd garage door	✓

✓ component

## The Dethleffs world of colours

For the Globetrotter XL range you can choose from the following colour combinations (some for extra charge).



GLOBETROTTER XL A Class	Conversion		
	White	Titansilver metallic	Polarblue metallic
Code	1999	511	512

Please note that the roof as well as skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

## GLOBETROTTER XL Optional Extras

	Weight (kg)	Code	XLU7110-2	XLU7850-2	XLU7850-2EB	XLU7870-2 / -L
<b>► Chassis/ Base vehicle</b>						
Fiat Ducato MultiJet 150 Maxi (2.3 l / 148 BHP)	–	–	○	○	○	○
Fiat Ducato MultiJet 180 Maxi (3.0 l / 177 BHP)	50	–	○	○	○	○
Tow bar	35	273	○	○	○	○
Automated gearbox (6 gears)	17	011	○	○	○	○
Wooden cab dash	–	806	○	○	○	○
Cab insulating mat large	2	427	○	○	○	○
Cab insulating mat for windscreen and side cab windows	1	934	○	○	○	○
Air suspension rear axle (ALKO)	35	1658	○	○	○	○
Air suspension front and rear axle (ALKO)	85	1796	○	○	○	○
Bi-Xenon headlights	2	507	○	○	○	○
Static cornering lights including fog lamps	1	7138	○	○	○	○
Seat heating and lumbar support/ pump for Pilote seat	8	1659	○	○	○	○
Mud flap front	2	298	○	○	○	○
Rear corner steadies (2 pieces)	6	390	○	○	○	○
Increased suspension spring for front axle Ducato Maxi	5	1889	○	○	○	○
<b>► Exterior</b>						
Access locker door rear garage N/S	7	331	○	○	○	○
Midi-Heki over pull-down bed	10	246	○	○	○	○
Lowerable cycle bracket for GRP rear	10	938	○	○	○	○
Panorama window	6	1664	○	○	○	–
Awning Omnistor 6m, electrical	61	1645	○	○	○	○
<b>► Interior</b>						
Aluline shelving system (not possible with lowered bed)	5	1979	–	○	○	○
Shelving system: cycle bracket (only in conjunction with Aluline)	5	1930	–	○	○	○
Safe	10	323	○	○	○	○
<b>► Furniture / Layouts</b>						
Overhead locker doors with backlit Acrylic glass inlets	–	1969	○	○	○	○
Overhead lockers throughout the rear	–	338	–	–	○	–
Electrical pull-down bed operation	5	1683	○	○	○	○
L-shaped lounge instead of dinette	–	683	–	–	–	○
Lowered bed	–	510	–	○	–	–
<b>► Soft furnishing</b>						
Massage mattress	10	1579	○	○	○	○
"Cuddle" package (bedspread, cuddle blanket, 2 pillows, table cloth)	1	1590	○	○	○	○
Zambesi (real leather)	5	1758	○	○	○	○
Saigon (real leather)	5	1757	○	○	○	○
Benidorm (real leather)	–	1529	○	○	○	○

## GLOBETROTTER XL Optional Extras

	Weight (kg)	Code	XLI 7110-2	XLI 7850-2	XLI 7850-2 EB	XLI 7870-2 / -L
<b>► Electric installation</b>						
2nd leisure battery 95 Ah	27	830	○	○	○	○
LED illumination package (interior illumination in LED)	–	1661	○	○	○	○
Saphir Vario inverter 12/230V (for air con Saphir)	3	1977	○	○	○	○
Solar system (2 Siemens M50 modules, 1 controller SR 13, 2 x 60 Watt)	15	922	○	○	○	○
Inverter Waeco 2000 W	8.5	1775	○	○	○	○
<b>► Gas installation</b>						
Crash sensor for gas system	–	1902	○	○	○	○
External BBQ point (30mbar)	1	878	○	○	○	○
Switch over system Duo Control CS (weight without gas bottle)	16	1577	○	○	○	○
<b>► Water supply / Installation</b>						
Exterior shower (cold water)	1	793	○	○	○	○
<b>► Heating / Air conditioning</b>						
Heat exchanger Sirocco Arizona 400	3	472	○	○	○	○
Webasto additional heating	7	517	○	○	○	○
ALDE warm water heating for cab (only in conj. with ALDE heating)	10	6709	○	○	○	○
Additional pump 230 V for ALDE heating	1	314	○	○	○	○
Air conditioning "Saphir Vario"	27	1986	○	○	○	○
<b>► Kitchen</b>						
Fridge vent cover	1	282	○	○	○	○
Microwave (not in conjunction with oven)	15	718	○	○	○	○
Extendable kitchen (exterior)	10	1943	–	–	–	○
<b>► Bathroom</b>						
Wooden grill for shower	2,5	1657	○	○	○	○
<b>► Multimedia systems</b>						
Flat screen 19"	6	1896	○	○	○	○
SAT Parabol system Flatsat Easy Classic 65	13	1741	○	○	○	○
SAT Parabol system Teleco Flatsat Easy 65 Twin	21,3	1813	○	○	○	○
SAT Parabol system Teleco Flatsat Easy 65 (without receiver)	21,3	1812	○	○	○	○
SAT Parabol system Teleco Flatsat Easy 65 (with receiver)	22,3	1814	○	○	○	○
Pre-wiring (Navi to TV locker)	2	1945	○	○	○	○
Navigation system	4	1822	○	○	○	○
Navigation module Caratec (only in conj. with Moniceiver)	2	1643	○	○	○	○
RDS / CD Pioneer (only on conjunction with radio pre-wiring)	2	1639	○	○	○	○
DVD - Tuner incl. Radio + CD (Pioneer) (only on conjunction with radio pre-wiring)	2	503	○	○	○	○
DVD - Radio Moniceiver Pioneer	3	1644	○	○	○	○
<b>► Misc</b>						
Fire extinguisher 2 kg	8	1878	○	○	○	○
Registration documents	–	–	◆	◆	◆	◆

● Standard

○ Option

– Not possible

◆ Obligatory