

# Alpa



A Class | Coachbuilt



## Alpa Plus factors

- + Huge Panoramic U-shaped lounge with a great space
- + Comfortable access to Overcab beds
- + Double floor with plenty storage space
- + Floor heating for winter holidays
- + Dethleffs Naviceiver incl. navigation, DAB+ radio reception and display of the on-board panel in the cockpit (option)

## Standard UK specification which is above standard European specification\*

### Alpa A 6820-2 and Grand Alpa A 7820-2 and I 7820-2

- Right hand drive chassis
- LED day-time-running lights (A)
- Leather steering wheel, gear knob with leather sleeve
- Dashboard with Chrome rings
- Electrical & heated mirrors (A)
- Autom. cab air conditioning
- Cruise control
- Passenger airbag
- Rear corner steadies
- Radio pre-wiring with Sound package
- Cab door left (I 7820-2)
- Cab blinds
- 2 x Skyroof 70x50 cm incl. plinth (A 6820-2)
- Skyroof 75x105 cm incl. plinth (A 7820-2 / I 7820-2)
- Habitation door with central locking
- Indirect illumination, indirect ambience illumination
- Full UK specification incl. UK Gas and UK electrics
- Smoke detector
- TecTower incl. oven
- Extractor fan
- TV bracket
- Additional folding seats (R/O/S) and (R/N/S) incl. 4.8 t weight upgrade (A 6820-2)
- 3-point inertia seat against driving direction (A 7820-2 / I 7820-2)
- Pre-wiring solar system
- Pre-wiring SAT system
- Lounge convert to bed
- Carpets for cab and living room

### Grand Alpa Plus A 9820-2

- Right hand drive chassis
- Wheel trims
- Multifunctional leather steering wheel
- Alternator 210 A
- Rear steadies (2 pieces)
- Radio pre-wiring with Sound package
- Dethleffs Naviceiver incl. DAB+, Truck Navigation and connection to the on-board control panel
- Twin reversing camera
- Skyroof 75x105 cm incl. plinth
- Habitation door with central locking
- Indirect illumination, indirect ambience illumination
- Full UK specification incl. UK gas and UK electrics
- Smoke detector
- TecTower incl. oven
- Extractor fan
- TV bracket
- 3-point inertia seat against driving direction and Air suspension for driving axle
- Pre-wiring solar system
- Pre-wiring SAT system
- Carpets for cab and living room

\* Please note: From technical point of view there are components which are noch possible for some of model types and layouts.



(not for A 9820-2)



(for A 9820-2)



# Standard specification

## Chassis (in addition to the basis equipment, see p. 3)

### • For Fiat chassis only:

- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (only for Coachbuilt)
- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)
- Cup holder in cab dashboard (only for A Class)
- Multi-functional steering wheel with leather cover, gear knob with leather sleeve (only for A Class)

## Conversion

- Floor thickness 43 mm, intermediate floor 20 mm, sidewalls 44 mm, roof 45 mm (only for A Class)
- Floor thickness 43 mm, intermediate floor 20 mm, sidewall thickness 34 mm, roof thickness 35 (not for A 9820-2)
- Floor thickness: 43mm; intermediate floor: 30mm, sidewall/ roof thickness: 34mm (only for A 9820-2)
- Cab blinds for best insulation and privacy protection (only for A Class)
- Pilote seats: integrated head rest, two upholstered arm rests, rotating, height-adjustable with inclination adjustment
- High-quality Pilote seats with height/ inclination adjustment, integrated head rest, wider back rest, improved lateral support, double arm rest and comfortable seat position (only for Coachbuilt)
- Window for Overcab O/S (only for Coachbuilt)
- Double floor storage, to be loaded almost through the complete vehicle width, double floor height: 40cm (only for Coachbuilt)
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP Antislip floor cover, one-hand operation, non-woven fabric covered walls

- Stable, double glazed flush fitting windows with integrated blinds and flyscreens
- Living door: 70 cm, flyscreen door, window
- Panoramic skylight 75 x 105 cm over the seating lounge
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator which is part of the fully-insulated GRP rear (only for A Class)
- Automotive roof skirts optionally available with integrated awning (only for A Class)
- Blind in the windscreen (horizontally adjustable) (only for A Class)
- Electric pull-down bed (only for A Class)
- Panorama skylight 70x50 cm with flyscreen and blind over the pull-down bed (only for A Class)

## On-board technology/ Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter and leisure battery with automatic switch-over (also for fridge)
- LED illumination for the interior
- Illuminated plinth over the door
- Fresh water/ waste water tank installed in double floor (insulated area)
- Warm water heating ALDE with automated drain valve, stop valve for sleeping room

## Kitchen

- Fridge with freezer compartment, convex door and auto energy selection (AES)
- Kitchen overhead locker with illuminated plinth
- Gourmet kitchen: 3-flame cooker, spacious drawers with Softclose function, cutting board, apothecary pull-out, waste bin and central locking
- MultiFlex rail system

## Bathroom

- Shower grid
- All of our bathrooms are equipped with cabinets, storage compartments, large mirrors, tooth brush tumbler and toilet paper holder

- Cassette toilet with swivel seat or a fixed toilet (depending on layout). Each with electronic flush (only for Coachbuilt)


## Living area

- Overhead locker doors with Softclose function
- AirPlus ventilation system - for an optimised ventilation of the interior
- Tall wardrobe with practical laundry boards in upper area (not for A 6820-2)
- Overhead lockers throughout with doors in the rear

## Interior

- Wood décor Virginia Oak with soft furnishing Amaro or Goa


# Alpa A Class



ALPA		I 7820-2
Chassis type		Fiat AL-KO low platform 3 axis
Length	cm	854
Width	cm	233
Height	cm	304
Internal height	cm	208
Towing weight 12% braked/ unbraked	kg	1800 / 750
Tyres		225/75R 16C
Wheel base	cm	460/80
Beds pull-down/ overcab	cm	2x(210x75)
	Bed mid	cm -
	Bed rear	cm 210x150
	Alternative	cm -
Sleeping berths		4
Basic engine		2,3 MJET MAXI
kw (BHP)		96 (130)
Weight net	kg	3935
Mass in running order (MIRO)	kg	4260
Payload	kg	740
Maximum authorised weight	kg	5000
Designated passenger seats (standard weight)		2
Designated passenger seats (max. weight upgrade)		4 <sup>1</sup>
Heating		ALDE WW
Fridge/ thereof freezer compartment	l	190 / 15
Water tank incl. boiler (red. volume)	l	166 (20)
Waste water tank volume	l	156
Awning size	m	6,0
Garage sizes O/S standard/ option	cm	105x85 / -
Garage sizes N/S standard/ option	cm	105x85 / -
Battery/ charging device	Ah/A	95 / 18
Power outlets	230V/12V/USB	8 / 2 / 2

<sup>1</sup> only in conj. with the options "additional belted seats against driving direction" and "lounge convert to bed"

# Alpa Coachbuilt



ALPA		A 6820-2	A 7820-2	A 9820-2	
Chassis type		Fiat AL-KO low platform	Fiat AL-KO low platform 3 axis	Iveco Daily ladderframe	
Length	cm	733	858	886	
Width	cm	233	233	235	
Height	cm	327	327	345	
Internal height	cm	209	209	211	
Towing weight 12% braked/ unbraked	kg	1750 <sup>1</sup> / 750	1800 <sup>1</sup> / 750	3500 <sup>2</sup> / 750	
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	
Wheel base	cm	407	460 / 80	475	
Beds pull-down/ overcab	cm	205x80/ 195x80	205x80/195x80	2x(210x80)	
	Bed mid	cm	-	-	
	Bed rear	cm	210x170	210x150	
	Alternative	cm	210x155	210x150	
Sleeping berths		4	4	4	
Basic engine		2,3 MJET MAXI	2,3 MJET MAXI	3,0 JTD	
kW (BHP)		96 (130)	96 (130)	132 (180)	
Weight net		kg	3368	4680	
Mass in running order (MIRO)		kg	3578	5050	
Payload		kg	1222	815	1650
Maximum authorised weight		kg	4800	5000	6700
Designated passenger seats (standard weight)		4	2	2	
Designated passenger seats (max. weight upgrade)		4	4 <sup>3</sup>	4 <sup>3</sup>	
Heating		ALDE WW	ALDE WW	ALDE WW	
Fridge/ thereof freezer compartment		l	190 / 35	190 / 35	
Water tank incl. boiler (red. volume)		l	140 (20)	140 (20)	230 (20)
Waste water tank volume		l	140	140	222
Awning size		m	5,0	6,0	6,0
Garage sizes O/S standard/ option		cm	95x105 / -	105x105 / -	105x105 / -
Garage sizes N/S standard/ option		cm	95x105 / -	105x105 / -	105x105 / -
Battery/ charging device		Ah/A	95 / 18	95 / 18	150 / 18
Power outlets		230V/12V/USB	6 / 2 / 2	7 / 2 / 2	7 / 2 / 2

<sup>1</sup> under consideration of towing weight of 6 t

<sup>2</sup> under consideration of total towing weight of 10.2 t

<sup>3</sup> 3-point inertia seat belts against driving direction and air suspension are necessary

# Packages

Style Package	ca. 29 kg	ca. 29 kg	ca. 29 kg
Package components	Alpa	Grand Alpa (A)	Grand Alpa Plus
Panorama skylight 70x50 in Overcab with illuminated plinth	✓	✓	-
Rear moulding high-level incl. roof rails	✓	✓	✓
Styling pack (Overcab)	✓	✓	✓

Electric package II	ca. 114 kg	ca. 114 kg	ca. 114 kg
Package components	Alpa	Grand Alpa (A/I)	Grand Alpa Plus
Electric package (2x 150 Ah battery instead 1x 95 Ah battery (A6820, A7820) or 1x 150 Ah battery (A9820) as per standard spec, Victron Energy MultiPlus charging/ inverter combination 3000/120, Victron PowerAssist and PowerControl, Victron operation panel over entrance door, EBL 111, Schaudt HighCurrent electro unit)	✓	✓	✓

## Dethleffs world of colours

For the ALPA range you can choose from the following colour combinations (some at extra charge).

### Coachbuilt

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	<b>Code</b>	<b>standard</b>	-
Silver	<b>Code</b>	-	<b>option</b> 9580

### A Class

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	<b>Code</b>	<b>standard</b>	<b>option</b> 1665

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

# Options

	Additional weight (kg)	Code	I 7820-2	A 6820-2	A 7820-2	A 9820-2
<b>Chassis/ Base</b>						
Fiat Ducato Multijet 150 / 2.3 l / 150 BHP	u.r.	0	○	○	○	-
Fiat Ducato Multijet 180 / 2.3 l / 180 BHP	u.r.	0	○	○	○	-
Iveco Daily 3.0 l JTD / 205 BHP	u.r.	0	-	-	-	○
Alloy wheels 16"	0	8045	-	○	○	○
Weight upgrade to 5.4 t	25	7497	○	-	○	-
Weight upgrade to 7.2 t	u.r.	1636	-	-	-	○
Weight upgrade 4800 kg (incl. re-inforced spring VA, air suspension, 16" tyre set (Goldschmitt))	u.r.	8460	-	○	-	-
Tow bar (please consider the total towing weight)	35	273	○	○	○	○
Mud flaps front	2	298	-	○	-	-
Rear corner steadies (2 pieces)	6	390	○	○	○	○
Automated gearbox (6 gears)	17	11	○	○	○	-
Converter automated gearbox (ZF)	17	7706	-	-	-	○
Air suspension front and rear axles	85	1796	○	○	○	-
Air suspension front axle	35	1658	○	○	○	○
Air suspension for driving axle (original Iveco)	30	41	-	-	-	○
3-point inertia belts against driving direction	u.r.	9116	○	-	○	○
Telma-brake Iveco 8653 (retarder)	125	1400	-	-	-	○
Hydraulic steadies with automated leveling system	u.r.	9663	○	-	-	-
<b>Bodywork exterior</b>						
High-level rear moulding incl. roof rails	12	418	○	○	○	○
Alarm system for doors with central locking	4	322	○	○	○	○
Flush fitting windows	5	415	○	⊙	⊙	⊙
Cassette awning Omnistor 5.0 m	54	697	-	○	-	-
Cassette awning Omnistor 6.0 m	61	560	-	-	○	○
Skylight Omni-Vent	1	7507	○	-	○	○
Opening window in overcab	2	622	-	○	○	○
Storage access in the rear	17	1732	○	○	○	○
Sky Roof	26	7069	○	○	○	○
Cassette awning Omnistor 6 m (electr.)	64	519	-	-	○	○
<b>Bodywork interior</b>						
Fire extinguisher 2 kg	4	1878	○	○	○	○
Safe mounted	13	323	○	○	○	○
<b>Furniture layouts</b>						
Alternative overhead locker doors	0	1969	○	○	○	○
<b>Soft furnishing</b>						
Cab carpets	3	936	○	-	-	-
Real leather Skylight	12	8032	○	○	○	○
<b>Electrics / installation</b>						
2nd leisure battery 95 Ah	27	830	○	○	○	-
Solar system (2 x 60 W)	15	922	○	○	○	○
2nd leisure battery 150 Ah	u.r.	830	-	-	-	○
<b>Gas / installation</b>						
Exterior socket for gas 30mbar	1	878	○	○	○	○
Automated gas bottle switch over system incl. Crash Sensor (weight incl. 11kg gas bottle)	13	1577	○	○	○	○
<b>Water supply / installation</b>						
Switch for water pump	1	397	○	⊙	⊙	⊙
Exterior shower (cold water)	1	793	-	○	○	○
<b>Heating/ Air conditioning</b>						
Roof air conditioning	34	609	○	○	○	○
Electrical and heated Overcab bed	3	1740	-	○	○	○
Cab warm water heating (only in conj. with warm water heating - cab carpets not possible)	10	6709	○	○	○	-
Operation warm water heating by Smartphone App	0	7512	○	○	○	○
Heat exchanger	7	565	○	○	○	○

	Additional weight (kg)	Code	I 7820-2	A 6820-2	A 7820-2	A 9820-2
<b>Heating/ Air conditioning</b>						
Heat exchanger	7	565	○	○	○	○
<b>Kitchen</b>						
Fridge vent	1	282	-	○	○	○
Extractor fan (circulating air)	2	344	○	-	-	-
<b>Bathroom</b>						
Toilet vacuum ventilation	2	1681	○	○	○	○
<b>Multimedia systems</b>						
SAT system Flatsat Classic 65	13	1741	○	○	○	○
SAT system Flatsat Classic 65 Twin	13	7670	○	○	○	○
SAT system Flatsat 85	21	7671	○	○	○	○
SAT system Flatsat 85 Twin	15	1637	○	○	○	○
Reversing cam (single cam) (only in conj. with the option 9582 "Dethleffs Naviceiver")	2	1642	○	○	○	○
Reversing cam (double cam) (only in conj. with the option 9582 "Dethleffs Naviceiver")	2	1641	○	○	○	○
Flatscreen 22" (incl. bracket, DVB-T, DVB-S receiver, DVD) with Sound pack	4	1799	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and link to the on-board control	u.r.	9582	○	○	○	⊙
Top View 360° camera (only in conj. with # 9582 "Dethleffs Naviceiver")	6	7173	○	○	○	○
Additional flatscreen 22"	4	7490	○	○	○	○
32" flatscreen (incl. bracket, DVB-T, DVB-S receiver, DVD) with Sound pack	15	9127	○	○	○	○
<b>Misc</b>						
Registration documents	u.r.	0	◆	◆	◆	◆

# Alpa Plus factors interior



» Spacious, illuminated wardrobes with drawers (pic. Coachbuilt).



» Feel like at home: modern vitrine (not for A 6820-2)



» Much elbow room provided by the separate shower cubicle with Plexiglass doors.



» Large 32" TV (option)



» Leather steering wheel and gear knob in dashboard with Chrome rings (multi-functional steering wheel is optionally available).



» Dethleffs Naviceiver incl. motorhome navigation, DAB+ radio reception and display of the on-board panel in the cockpit (option).



» 3-flame gas cooker with powerful burners.



» Your spa with daylight and great comfort.



# Alpa

## Plus factors exterior



» Roomy: large rear garage for transportation of bulky holiday luggage.



» The window in Overcab N/S is standard, O/S is optionally available.



» Frost-protection: high, heated double floor with a lot of storage space.



» Well-insulating and safe: automotive frame windows.



» Automotive roof skirt with integrated awning (option for A Class).



» Garage door in the rear (option) for transportation of long items.



» Long-lasting Lifetime Plus conversion technology



» Robust: A 9820-2 based on Iveco chassis.