

Globebus



Low Profile | A Class



Globebus Plus factors

- + Rot-free Lifetime Smart floor construction
- + Much space in the interior
- + 198 cm internal height
- + Large L-shaped lounge with modern and stylish cushion elements
- + Robust working surface extension for the kitchen (not for T/I 7)
- + Large rear garage (incl. drop chassis extension) with second access locker door
- + Sporty, prominent GT equipment package (option)

Standard UK specification which is above standard European specification*

- Right hand drive chassis
- LED day-time-running light (T)
- Leather steering wheel, gear knob with leather sleeve
- Dashboard with Chrome rings
- Electrical & heated mirrors (T)
- Autom. cab air conditioning
- Cruise control
- Passenger airbag
- Radio pre-wiring with Sound package
- Cab door left (I)
- Cab blinds (T)
- Panorama skylight 70x50 cm above seating lounge (T)
- Panorama skylight 75x105 cm above seating lounge (I)
- Habitation door with window and central locking
- On-board control panel luxus
- Insulated waste water tank
- Indirect illumination
- Full UK specification incl. UK gas and UK electrics
- Combi 6 E heating with integrated 10 l boiler
- Smoke detector
- Oven with grill
- Large fridge (T/I 1)
- TV bracket
- Pre-wiring solar system
- Pre-wiring SAT system
- Lounge convert to bed (T)
- Bed convert single beds to double bed (T/I 6)
- Carpets for cab and living room

*Please note: From technical point of view there are components which are not possible for some of model types and layouts.



not T/I 1



T/I 7



A Class



T/I 7

Standard specification

Chassis (in addition to the basis equipment, see p. 3)

- Radiator grille with additional protection (only for A Class)
- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (only for Low Profile)
- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)

Conversion

- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Automotive rear moulding with Integral rear lights and integrated LED light bar and 3rd brake light
- Rear garage: two garage doors with one-hand operation, drop chassis extension (150 kg loading capacity), heated, with fixing loops, illuminated, 1x 230 V power outlet
- Skylight 40 x 40 cm over the lounge
- Cab blinds for best insulation and privacy protection (only for A Class)
- Pilote seats: integrated head rest, two upholstered arm rests, rotating, height-adjustable with inclination adjustment
- Pull-down bed (manual) (only for A Class)
- Living door: 70 cm, flyscreen door (not for T/I 1)
- Height-adjustable Queens bed (only for T/I 7)
- Window for T-hood (only for Low Profile)

On-board technology/ Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter and leisure battery with automatic switch-over (also for fridge)
- LED illumination for the interior
- Illuminated plinth over the door
- Awning light

Kitchen

- Gourmet kitchen with 3-flame cooker, spacious drawers with Softclose function and large working surface
- Working surface extension: extendable or fold-away (not for T/I 7)

- Fridge with freezer compartment, convex door and auto energy selection (AES)

Bathroom

- Rotating bathroom for optimal use of space (only for T/I 1)
- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- Shower grid (not for T/I 1)


Living area

- Overhead locker doors with Softclose function
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system - for an optimised ventilation of the interior
- Tall wardrobe with practical laundry boards in upper area (not for T/I 6)
- Multi-functional storage space under the double bed incl. wardrobe, accessible from inside and out, illuminated, bed frame with adjustable shock absorbers (only for T/I 1)
- Shoe bin in entrance area (only for T/I 7)
- Wardrobe N/S and O/S next to the Kingsize bed (only for T/I 7)
- Multi-functional storage compartment under the bed feet area, accessible from inside and out, illuminated, bed frame with dampers, extendable with option "high bed" (only for T/I 1)
- Large mirror

Interior


- Wood décor Rosario Cherry with soft furnishings Quadro or Atomic

Globebus Low Profile



GLOBEBUS		T 1	T 6	T 7
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform
Length	cm	599	698	698
Width	cm	220	220	220
Height	cm	281	281	281
Internal height	cm	198	198	198
Towing weight 12% braked/ unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	380	380
Beds pull-down/ overcab	cm	-	-	-
Bed mid	cm	155x95/90	175x95/90	155x95/90
Bed rear	cm	200x145	195x80 / 195x75	190 / 180x140
Alternative	cm	-	200x155	-
Sleeping berths		3	3	3
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)
Weight net	kg	2578	2732	2723
Mass in running order (MIRO)	kg	2768	2922	2913
Payload	kg	731	577	586
Maximum authorised weight	kg	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	114 (20)	114 (20)	114 (20)
Waste water tank volume	l	90	90	90
Awning size	m	3,0	4,0	4,0
Garage sizes O/S standard/ option	cm	75x100 / -	95x105 / -	95x100 / -
Garage sizes N/S standard/ option	cm	95x80 / -	95x105 / -	75x100 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	6 / 2 / 2	6 / 2 / 2	6 / 2 / 2

Globebus A Class



GLOBEBUS		I 1	I 6	I 7
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform
Length	cm	599	695	695
Width	cm	220	220	220
Height	cm	281	281	281
Internal height	cm	198	198	198
Towing weight 12% braked/ unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	380	380
Beds pull-down/ overcab	cm	185x150	185x150	185x150
Bed mid	cm	-	-	-
Bed rear	cm	200x145	195x80 / 195x75	190 / 180x140
Alternative	cm	-	200x155	-
Sleeping berths		4	4	4
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)
Weight net	kg	2639	2793	2784
Mass in running order (MIRO)	kg	2829	2983	2974
Payload	kg	670	516	525
Maximum authorised weight	kg	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	114 (20)	114 (20)	114 (20)
Waste water tank volume	l	90	90	90
Awning size	m	4,0	5,0	5,0
Garage sizes O/S standard/ option	cm	75x100 / -	95x105 / -	95x100 / -
Garage sizes N/S standard/ option	cm	95x80 / -	95x105 / -	75x100 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	6 / 2 / 2	6 / 2 / 2	6 / 2 / 2

Gran Turismo package	white		silver		black	
	Low Profile	A Class	Low Profile	A Class	Low Profile	A Class
Package components						
Chassis colour Silver	-	-	✓	-	-	-
Chassis colour Black, radiator grill Silver	-	-	-	-	✓	-
Exterior design Gran Turismo White (T)	✓	-	-	-	-	-
Exterior design Gran Turismo White (I)	-	✓	-	-	-	-
Exterior design Gran Turismo Silver/ Black (T)	-	-	✓	-	✓	-
Exterior design Gran Turismo Silver/ Black (I)	-	-	-	✓	-	✓
Interior design Gran Turismo (dark kitchen splash wall, sockets and switches in Chrome)	✓	✓	✓	✓	✓	✓
Cab entrance step	✓	-	✓	-	✓	-
High-level characteristic rear moulding incl. roof rails	✓	✓	✓	✓	✓	✓
Flush fitting windows	✓	✓	✓	✓	✓	✓
Alloy wheels 16" Fiat	✓	✓	✓	✓	✓	✓
Cab dash with Aluminium applications	✓	✓	✓	✓	✓	✓

Options

	Additional weight (kg)	Code	T1	T6	T7	I1	I6	I7
Chassis/ Base								
Fiat Ducato Multijet 150 / 2.3 l / 150 BHP	u.r.	0	○	○	○	○	○	○
Fiat Ducato Multijet 180 / 2.3 l / 180 BHP	u.r.	0	○	○	○	○	○	○
Fiat Ducato Maxi chassis (4.250 kg)	40	0	-	-	-	-	○	○
Alloy wheels 16"	0	8045	○	○	○	○	○	○
Weight upgrade to 3850 kg	0	808	○	○	○	○	○	○
Tow bar (please consider the total towing weight)	35	273	○	○	○	○	○	○
Cab dash in silver/black line optics	1	1881	○	○	○	○	○	○
Luxury Pilote seat including seat heating and lateral support	2	1659	-	-	-	○	○	○
Mud flaps front	2	298	○	○	○	○	○	○
Rear corner steadies (2 pieces)	6	390	○	○	○	○	○	○
Reinforced spring for front axle	0	1889	-	-	-	○	○	○
Automated gearbox (6 gears)	17	11	○	○	○	○	○	○
Bodywork exterior								
High-level rear moulding incl. roof rails	12	418	○	○	○	○	○	○
Bicycle rack for 3 cycles	9	938	○	○	○	○	○	○
Bicycle rack for 4 cycles	10	815	○	○	○	○	○	○
Bicycle rack lowerable for GRP rear	10	7482	○	○	○	○	○	○
Alarm system for doors with central locking	4	322	○	○	○	○	○	○
Flush fitting windows	5	415	○	○	○	○	○	○
Panorama skylight 75x105 cm in living room	12	849	-	-	-	○	○	-
Cassette awning Omnistor 3.0 m	23	932	○	-	-	-	-	-
Cassette awning Omnistor 4.0 m	33	859	-	○	○	○	-	-
Cassette awning Omnistor 5.0 m	54	697	-	-	-	-	○	-
Panorama skylight 70x50 cm incl. plinth in living room	8	246	○	○	○	-	-	-
Bodywork interior								
Fire extinguisher 2 kg	4	1878	○	○	○	○	○	○
Safe mounted	13	323	○	○	○	○	○	○
Furniture layouts								
Electrical operation for pull-down bed	5	1683	-	-	-	○	○	○
Rear bed with manual height-adjustment	u.r.	9435	-	-	●	-	-	○
Soft furnishing								
7-zone mattress with WATERGEL surface	4	8223	○	-	○	○	-	○
Electrics / installation								
2nd leisure battery 95 Ah	27	830	○	○	○	○	○	○
Solar system (2 x 60 W)	15	922	○	○	○	○	○	○
Gas / installation								
Exterior socket for gas 30mbar	1	878	○	○	○	○	○	○
Automated gas bottle switch over system incl. Crash Sensor (weight incl. 11kg gas bottle)	13	1577	○	○	○	○	○	○
Water supply / installation								
Switch for water pump	1	397	○	○	○	○	○	○
Exterior shower (cold water)	1	793	○	○	○	○	○	○
Heating/ Air conditioning								
Alternative heating operation panel	1	6622	○	○	○	○	○	○
App operation for warm air system (only in conj. with #6622)	1	9659	○	○	○	○	○	○
Floor heating (electrical)	9	763	○	○	○	○	○	○
Roof air conditioning	34	609	○	○	○	○	○	○
Kitchen								
Fridge vent	1	282	○	○	○	○	○	○
Extractor fan (circulating air)	2	344	○	○	○	○	○	○
Multimedia systems								
SAT system Flatsat Classic 65	13	1741	○	○	○	○	○	○
SAT system Flatsat Classic 65 Twin	13	7670	○	○	○	○	○	○
SAT system Flatsat 85	21	7671	○	○	○	○	○	○

	Additional weight (kg)	Code	T1	T6	T7	I1	I6	I7
Multimedia systems								
SAT system Flatsat 85 Twin	15	1637	○	○	○	○	○	○
Top View 360° camera (only in conj. with Dethleffs Naviceiver)	6	7173	○	○	○	○	○	○
Reversing cam (single cam) (only in conj. with the option 9582 "Dethleffs Naviceiver")	2	1642	○	○	○	○	○	○
Reversing cam (double cam) (only in conj. with the option 9582 "Dethleffs Naviceiver")	2	1641	○	○	○	○	○	○
Flatscreen 22" (incl. bracket, DVB-T, DVB-S receiver, DVD) with Sound pack	4	1799	○	○	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and link to the on-board control	u.r.	9582	○	○	○	○	○	○
Misc								
Registration documents	u.r.	0	◆	◆	◆	◆	◆	◆

Globebus Plus factors interior



» Beautiful corner racks for comfort and decoration (T/I 7).



» The lounge can be converted to a comfortable bed.



» Useful: The extendable step for bed access with a storage box (T/I 1).



» The LED illumination with indirect light elements provides atmospheric ambience. The overhead lockers are equipped with Softclose function.



» Spacious L-shaped lounge with telescopic table for plenty legroom.



» Large L-shaped seating lounge with wide passage way to the cab - for more elbow room.



» T/I 1: Multi-functional storage compartment under the fold-away bed frame, also accessible from outside.



» Cab blinds protect from heat, cold and prying eyes.



» Comfortable Pilot seats with height / inclination adjustment and upholstered arm rests.



» The standard pull-down bed has a sleeping area of up to 150 cm in width.



» Wrap-around windscreen with unique panoramic view.

Globebus Plus factors exterior



» Extra-wide entrance door (70 cm) (not for T/I 1) with flyscreen door.



» Well-protected against hail: durable GRP roof.



» Wood-free and rot-free Lifetime Smart floor construction (covered with GRP).



» T: Large opening skylight in T-hood.



» High garage with 150 kg loading capacity



» T: Stylish safety feature: LED daytime running lights.



» Prominent and safe: Integral rear lights with LED night-time-running lights.



» I: Coach-style mirrors for an unobstructed field of view.



» I: Prominent headlights, elegantly integrated in the new design.



» I: Easy to service: large engine bay opening for servicing all relevant parts.