


Globetrotter XL and XL Premium



A Class



Globetrotter XL Plus factors

- + Winter-proof: Heated double floor with freeze-protected water installations
- + Premium broad gauge low platform chassis
- + Ergonomic SKA Pilote seats (optional air-driven seats)
- + Large seating lounge with Panoramic window
- + Extra-wide entrance door (70 cm) with electrical closing aid and 2-point-locking mechanism
- + Warm water heating with heat exchanger for engine pre-heating

Standard UK specification which is above standard European specification*

- Right hand drive chassis
- Radio pre-wiring with Sound package
- Cab door left
- Multifunctional steering wheel
- Reversing cam
- Dethleffs Naviceiver incl. DAB+, Truck Navigation and connection to the on-board control panel
- Central locking for habitation door, cab door, garage doors
- Automatic switch over system for gas bottles
- Panorama skylight 75x105 cm
- Indirect illumination
- Full UK specification incl. UK gas and UK electrics
- Smoke detector
- TecTower incl. oven
- Pre-wiring solar system
- Pre-wiring SAT system
- Carpets for cab and living room

* Please note: From technical point of view there are components which are not possible for some of model types and layouts.



Standard specification

Chassis (in addition to the basis equipment, see p. 3)

- Radiator grille with additional protection
- Low-vibration, electric and heated cab mirrors in bus style (two-piece)
- Driver and passenger airbags
- Cab air conditioning (automatic)
- Cup holder in cab dashboard
- Multi-functional steering wheel with leather cover, gear knob with leather sleeve
- Cruise control
- Dashboard with Chrome rings

Conversion

- Skylight 40 x 40 cm over the lounge
- Cab blinds for best insulation and privacy protection
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens
- Floor thickness: 43mm; intermediate floor: 20mm, sidewall/ roof thickness: 45mm
- Double floor with storage possibilities throughout the vehicle width, double floor height 300 mm
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator which is part of the fully-insulated GRP rear
- Automotive roof skirts optionally available with integrated awning
- Blind in the windscreen (horizontally adjustable)
- Living door: 70 cm, flyscreen, awning light, window, electric closing aid
- Electric pull-down bed
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP Antislip floor cover, one-hand operation, non-woven fabric covered walls
- Pilote seats: headrest, two upholstered arm rests, height-inclination adjustment, hydraulic
- Panorama skylight 70x50 cm with flyscreen and blind over the pull-down bed

On-board technology/ Installations

- Gas bottle locker for 2 x 11kg bottles
- Powerful 95 Ah AGM leisure battery
- Starter and leisure battery with automatic switch-over (also for fridge)
- LED illumination for the interior
- Illuminated plinth over the door
- Awning light
- Fresh water/ waste water tank installed in double floor (insulated area)
- Warm water heating ALDE with automated drain valve, stop valve for sleeping room and engine heat exchanger

Kitchen

- Fridge with freezer compartment, convex door and auto energy selection
- Kitchen overhead locker with illuminated plinth
- Gourmet kitchen: 3-flame cooker, spacious drawers with SoftClose function, cutting board, apothecary pull-out, waste bin and central locking
- MultiFlex rail system
- Extractor fan (exhaust air)

Bathroom

- Shower grid
- All of our bathrooms are equipped with cabinets, storage compartments, large mirrors, tooth brush tumbler and toilet paper holder

Living area


- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system - for an optimised ventilation of the interior
- Tall wardrobe with practical laundry boards in upper area
- Wardrobe N/S and O/S next to the Kingsize bed (only for I 7850-2 DBM)
- Living room without steps
- Overhead lockers throughout with doors in the rear (only for I 7850-2 EB)
- Single beds can be converted to a large double bed
- Seat chest enlargement, fold-away with storage space

- Tall wardrobes (N/S and O/S) with height-adjustable shelves (only for I 7850-2 EB)
- Large mirror

Interior

- Wood décor Almeria Ash White with soft furnishings Platinum or Bozen

Globetrotter XL A Class



Extended standard equipment Globetrotter XL Premium

- Alloy wheels 16" anthracite polished (3-axle)
- Weight upgrade to 5400 kg
- Headlights alternative (LED low beam)
- Air-driven SKA seats
- Exterior design in Premium White
- Panorama skylight 75x105 (sleeping room)
- Sun shades for side windows in cab
- Rear steadies (2 pieces)
- Front blind electrical
- Air-conditioning "Truma Aventa Comfort"

The additional standard equipment of the GLOBETROTTER XL Premium of ca. 127 kg must be added to the mass in running order (MIRO).

GLOBETROTTER XL		I 7850-2 DBM	I 7850-2 EB
Chassis type		Fiat AL-KO low platform 3 axis	Fiat AL-KO low platform 3 axis
Length	cm	872	872
Width	cm	233	233
Height	cm	304	304
Internal height	cm	208	208
Towing weight 12% braked/ unbraked	kg	1800 ¹ / 750	1800 ¹ / 750
Tyres		225/75R 16C	225/75R 16C
Wheel base	cm	445/80	445/80
Beds pull-down/ overcab	cm	200x150	200x150
Bed mid	cm	-	-
Bed rear	cm	-	2x 200x82
Alternative	cm	200x150	210x200/145
Sleeping berths		4	4
Basic engine		2,3 MJET MAXI	2,3 MJET MAXI
kW (BHP)		96 (130)	96 (130)
Weight net	kg	3880	3880
Mass in running order (MIRO)	kg	4215	4215
Payload	kg	785	785
Maximum authorised weight	kg	5000	5000
Designated passenger seats (standard weight)		4	4
Designated passenger seats (max. weight upgrade)		4	4
Heating		ALDE WW	ALDE WW
Fridge/ thereof freezer compartment	l	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	l	166 (20)	166 (20)
Waste water tank volume	l	156	156
Awning size	m	6,0	6,0
Garage sizes O/S standard/ option	cm	105x120 / 105x85	105x120 / -
Garage sizes N/S standard/ option	cm	105x120 / 105x85	105x120 / 103x120
Battery/ charging device	Ah/A	95 / 18	95 / 18
Power outlets	230V/12V/USB	9 / 3 / 2	9 / 3 / 2

¹ under consideration of towing weight of 6 t

Packages

Electric Package I	ca. 64 kg
Package components	A Class

2x 95 Ah battery, Victron Energy MultiPlus charging/ inverter combination 1600/70, Victron Power Assist and PowerControl, Victron operation panel over entrance door, EBL 111, Schaudt HighCurrent electro unit

✓

Electric Package II	ca. 114 kg
Package components	A Class

2x 150 Ah battery, Victron Energy MultiPlus charging/ inverter combination 3000/120, Victron Power Assist and PowerControl, Victron operation panel over entrance door, EBL 111, Schaudt HighCurrent electro unit

✓

Dog-on-board package	ca. 5 kg
----------------------	----------

Package components A Class

Lead holder in the outdoor area ✓

Bowl holder incl. 2 stainless steel food bowls ✓

Height-adjustable attachment for the bowl holder ✓

Lashing ring for securing on the vehicle interior ✓

Dog cushion ✓

✓ included ⊙ Standard specification – not included

Dethleffs world of colours

For the GLOBETROTTER XL range you can choose from the following colour combinations (some at extra charge).

A Class

Chassis colour		Conversion colour		
		White	Titansilver Metallic	Travertin Metallic
Globetrotter XL White	Code	standard	option 511	option 1612
Globetrotter Premium XL White	Code	standard	option 511	option 1612

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

Options

	Additional weight (kg)	Code	I 7850-2 DBM	I 7850-2 EB
Chassis/ Base				
Fiat Ducato Multijet 150 / 2.3 l / 150 BHP	u.r.	0	<input type="radio"/>	<input type="radio"/>
Fiat Ducato Multijet 180 / 2.3 l / 180 BHP	u.r.	0	<input type="radio"/>	<input type="radio"/>
Tow bar (please consider the total towing weight)	35	273	<input type="radio"/>	<input type="radio"/>
Mud flaps front	2	298	<input type="radio"/>	<input type="radio"/>
Rear corner steadies (2 pieces)	6	390	<input type="radio"/>	<input type="radio"/>
Automated gearbox (6 gears)	17	11	<input type="radio"/>	<input type="radio"/>
Air suspension front axle	35	1658	<input type="radio"/>	<input type="radio"/>
Air suspension front and rear axles	85	1796	<input type="radio"/>	<input type="radio"/>
Weight upgrade to 5.4 t	25	7497	<input type="radio"/>	<input type="radio"/>
Hydraulic steadies with automated leveling system	u.r.	9663	<input type="radio"/>	<input type="radio"/>
Diesel tank 120 l	28	1316	<input type="radio"/>	<input type="radio"/>
Bodywork exterior				
Alarm system for doors with central locking	4	322	<input type="radio"/>	<input type="radio"/>
Skylight Omni-Vent	1	7507	<input type="radio"/>	<input type="radio"/>
Cassette awning Omnistor 6 m (electr.)	64	519	<input type="radio"/>	<input type="radio"/>
Bodywork interior				
Fire extinguisher 2 kg	4	1878	<input type="radio"/>	<input type="radio"/>
Safe mounted	13	323	<input type="radio"/>	<input type="radio"/>
Furniture layouts				
Overhead lockers in cab	u.r.	679	<input type="radio"/>	<input type="radio"/>
Alternative overhead locker doors	0	1969	<input type="radio"/>	<input type="radio"/>
Soft furnishing				
Water gel mattress for double bed	4	8223	<input type="radio"/>	<input type="radio"/>
Real leather Meran	12	9543	<input type="radio"/>	<input type="radio"/>
Electrics / installation				
2nd leisure battery 95 Ah	27	830	<input type="radio"/>	<input type="radio"/>
Solar system (2 x 60 W)	15	922	<input type="radio"/>	<input type="radio"/>
Gas / installation				
Exterior socket for gas 30mbar	1	878	<input type="radio"/>	<input type="radio"/>
Water supply / installation				
Installed exterior shower (cold/hot water)	u.r.	1574	<input type="radio"/>	<input type="radio"/>
Heating/ Air conditioning				
Roof air conditioning	34	609	<input type="radio"/>	<input type="radio"/>
Cab warm water heating (only in conj. with warm water heating - cab carpets not possible)	10	6709	<input type="radio"/>	<input type="radio"/>
Operation warm water heating by Smartphone App	0	7512	<input type="radio"/>	<input type="radio"/>
Kitchen				
Fridge vent	1	282	<input type="radio"/>	<input type="radio"/>
Bathroom				
Ceramic toilet	25	7243	<input type="radio"/>	<input type="radio"/>
Toilet vacuum ventilation	2	1681	<input type="radio"/>	<input type="radio"/>
Macerator toilet with waste-holding tank	22	1625	<input type="radio"/>	<input type="radio"/>
Multimedia systems				
SAT system Flatsat Classic 65	13	1741	<input type="radio"/>	<input type="radio"/>
SAT system Flatsat Classic 65 Twin	13	7670	<input type="radio"/>	<input type="radio"/>
SAT system Flatsat 85	21	7671	<input type="radio"/>	<input type="radio"/>
SAT system Flatsat 85 Twin	15	1637	<input type="radio"/>	<input type="radio"/>
Flatscreen 22" (incl. bracket, DVB-T, DVB-S receiver, DVD) with Sound pack	4	1799	<input type="radio"/>	<input type="radio"/>
Dethleffs Naviceiver incl. DAB+, truck navigation and link to the on-board control	u.r.	9582	<input type="radio"/>	<input type="radio"/>
Top View 360° Kamera (nur in Verbindung mit SA 9582 "Dethleffs Naviceiver")	6	7173	<input type="radio"/>	<input type="radio"/>
Sound package Plus	8	8082	<input type="radio"/>	<input type="radio"/>
Misc				
Registration documents	u.r.	0	<input type="radio"/>	<input type="radio"/>

– not available u.r. upon request option Standard specification mandatory