


# Globetrotter XXL



Coachbuilt

## Globetrotter XXL Plus factors



- + Strong vehicle with 3.5 t towing capacity
- + IVECO chassis with rear wheel drive, twin tyres, different driving assistance systems, upgraded cockpit and heated cab seats
- + Heated double floor with 36 cm of height for freeze-protected installation of hoses, pipes and water tanks. The radiant heat is used as floor heating
- + Warm water heating with heat exchanger for engine pre-heating
- + Long-lasting Lifetime Plus conversion technology with 45 mm thick sidewall and roof construction
- + Master of autarky with powerful 150 Ah battery and 230 l water boiler

## Standard UK specification which is above standard European specification\*

- Right hand drive chassis
- Radio pre-wiring with Sound package
- Multifunctional leather steering wheel
- Wheel trims
- Alternator 210 Ah
- Twin reversing cam
- Dethleffs Naviceiver incl. DAB+, Truck Navigation and connection to the on-board control panel
- Central locking for habitation door, cab door, garage doors
- Panorama skylight 75x105 cm incl. plinth
- Indirect illumination
- Full UK specification incl. UK gas and UK electrics
- Smoke detector
- TecTower incl. oven
- Pre-wiring solar system
- Pre-wiring SAT system
- Safety package incl. additional safety belts against driving direction
- Carpets for cab and living room

\* Please note: From technical point of view there are components which are not possible for some of model types and layouts.



# Standard specification

## Conversion

- Skylight 40 x 40 cm over the lounge
- Windows for Overcab O/S and N/S
- Floor thickness: 43mm; intermediate floor: 20mm, sidewall/ roof thickness: 45mm
- Living door: 70 cm, flyscreen, awning light, window, electric closing aid
- Double floor storage, to be loaded almost through the complete vehicle width, double floor height: 360 mm
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator, high-level moulding
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP Antislip floor cover, one-hand operation, non-woven fabric covered walls
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens (Privacy Black)
- Pilote seats: headrest, two upholstered arm rests, height-inclination adjustment, hydraulic
- Overcab bed fold-away

## On-board technology/ Installations

- Starter and leisure battery with automatic switch-over (also for fridge)
- LED illumination for the interior
- Illuminated plinth over the door
- Fresh water/ waste water tank installed in double floor (insulated area)
- Gas bottle locker with easy pull-out function for quick change of the gas bottles (2 x 11 kg)
- Powerful 150 Ah AGM leisure battery
- Warm water heating ALDE with automated drain valve, stop valve for sleeping room and engine heat exchanger

## Kitchen

- Fridge with freezer compartment, convex door and auto energy selection
- Kitchen overhead locker with illuminated plinth

- Gourmet kitchen: 3-flame cooker, spacious drawers with SoftClose function, cutting board, apothecary pull-out, waste bin and central locking
- MultiFlex rail system
- Extractor fan (exhaust air)

## Bathroom

- Shower grid
- All of our bathrooms are equipped with cabinets, storage compartments, large mirrors, tooth brush tumbler and toilet paper holder


## Living area

- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system - for an optimised ventilation of the interior
- Tall wardrobe with practical laundry boards in upper area (only for A 9000-2 EB)
- Wardrobe N/S and O/S next to the Kingsize bed (only for A 9050-2 DBM)
- Living room without steps
- Overhead lockers throughout with doors in the rear
- Single beds with adjustable head section can be converted to a large double bed
- Seat chest enlargement, fold-away with storage space
- Large mirror

## Interior

- Wood décor Almeria Ash White with soft furnishings Platinum or Bozen

# Globetrotter XXL Coachbuilt



GLOBETROTTER XXL		A 9000-2 EB	A 9050-2 DBM
Chassis type		Iveco Daily ladderframe	Iveco Daily ladderframe
Length	cm	886	886
Width	cm	235	235
Height	cm	345	345
Internal height	cm	211	211
Towing weight 12% braked/ unbraked	kg	3500 <sup>1</sup> / 750	3500 <sup>1</sup> / 750
Tyres		225/75R 16C	225/75R 16C
Wheel base	cm	475	475
Beds pull-down/ overcab		215x150	215x150
	Bed mid	210/130x195/130	210/130x195/130
	Bed rear	200x80 / 195x80	200x150
	Alternative	210x200/160	-
Sleeping berths		6	6
Basic engine		3,0 JTD	3,0 JTD
kW (BHP)		132 (180)	132 (180)
Weight net	kg	4703	4703
Mass in running order (MIRO)	kg	5073	5073
Payload	kg	1627	1627
Maximum authorised weight		6700	6700
Designated passenger seats (standard weight)		4 (6)	4 (6)
Designated passenger seats (max. weight upgrade)		6	6
Heating		ALDE WW	ALDE WW
Fridge/ thereof freezer compartment	l	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	l	230 (20)	230 (20)
Waste water tank volume	l	222	222
Awning size	m	6,0	6,0
Garage sizes O/S standard/ option	cm	105x120 / -	105x120 / -
Garage sizes N/S standard/ option	cm	105x120 / -	- / 105x120
Battery/ charging device	Ah/A	150 / 18	150 / 18
Power outlets	230V/12V/USB	7 / 3 / 3	7 / 3 / 3

<sup>1</sup> under consideration of towing weight of 6 t

# Packages

Electric Package II	ca. 114 kg
Package components	Coachbuilt

2x 150 Ah battery, Victron Energy MultiPlus charging/ inverter combination 3000/120, Victron Power Assist and PowerControl, Victron operation panel over entrance door, EBL 111, Schaudt HighCurrent electro unit	✓
---	---

Dog-on-board package	ca. 5 kg
Package components	Coachbuilt

Lead holder in the outdoor area	✓
Bowl holder incl. 2 stainless steel food bowls	✓
Height-adjustable attachment for the bowl holder	✓
Lashing ring for securing on the vehicle interior	✓
Dog cushion	✓

✓ included    ● Standard specification    – not included

## Dethleffs world of colours

For the GLOBETROTTER XXL range you can choose from the following colour combinations (some at extra charge).

### Coachbuilt

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	<b>Code</b>	<b>standard</b>	–
Silver	<b>Code</b>	–	<b>option</b> 9580

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

# Options

	Additional weight (kg)	Code	A 9000-2 EB	A 9050-2 DBM
<b>Chassis/ Base</b>				
Weight upgrade to 7.2 t	u.r.	1636	○	○
Iveco Daily 3.0 I JTD / 205 BHP	u.r.	0	○	○
Air suspension for driving axle (original Iveco)	30	41	○	○
Converter automated gearbox (ZF)	17	7706	○	○
Telma-brake Iveco 8653 (retarder)	125	1400	○	○
Rear corner steadies (Iveco)	6	390	○	○
Tow bar	35	273	○	○
<b>Bodywork exterior</b>				
Alarm system for doors with central locking	4	322	○	○
Cassette awning Omnistor 6.0 m	61	560	○	○
Roof ladder + cross elements for railing	16	1754	○	○
Skylight Omni-Vent	1	7507	○	○
Storage access in the rear	17	1732	○	○
Cassette awning Omnistor 6 m (electr.)	64	519	○	○
Panoramic skylight 75 x 105 without illuminated plinth in the sleeping area	12	849	○	○
Panorama skylight 75x105 cm incl.illuminated plinth in sleeping room	12	442	○	○
<b>Bodywork interior</b>				
Fire extinguisher 2 kg	4	1878	○	○
Double floor for rear garage	5	1890	○	○
Safe mounted	13	323	○	○
<b>Furniture layouts</b>				
Isofix - child seat bracket	5	8125	○	○
U-shaped lounge	5	1870	○	○
Alternative overhead locker doors	0	1969	○	○
<b>Soft furnishing</b>				
Water gel mattress for double bed	4	8223	-	○
Real leather Meran	12	9543	○	○
<b>Electrics / installation</b>				
Solar system (2 x 60 W)	15	922	○	○
2nd leisure battery 150 Ah	u.r.	830	○	○
Indirect curtain/ ambient illumination	3	9119	○	○
<b>Gas / installation</b>				
Exterior socket for gas 30mbar	1	878	○	○
Automated gas bottle switch over system incl. Crash Sensor (weight incl. 11kg gas bottle)	13	1577	○	○
Gas tank (80 l)	u.r.	0	-	○
<b>Water supply / installation</b>				
Exterior shower (cold water)	1	793	-	○
Installed exterior shower (cold/hot water)	u.r.	1574	○	○
<b>Heating/ Air conditioning</b>				
Roof air conditioning	34	609	○	○
Electrical and heated Overcab bed	3	1740	○	○
Operation warm water heating by Smartphone App	0	7512	○	○
<b>Kitchen</b>				
Fridge vent	1	282	○	○
Pre-wiring Compressor fridge (no standard fridge installation)	u.r.	9598	○	○
<b>Bathroom</b>				
Ceramic toilet	25	7243	○	○
Toilet vacuum ventilation	2	1681	○	○
Macerator toilet with waste-holding tank	22	1625	○	○
<b>Multimedia systems</b>				
SAT system Flatsat Classic 65	13	1741	○	○
SAT system Flatsat Classic 65 Twin	13	7670	○	○
SAT system Flatsat 85	21	7671	○	○

	Additional weight (kg)	Code	A 9000-2 EB	A 9050-2 DBM
<b>Multimedia systems</b>				
SAT system Flatsat 85 Twin	15	1637	○	○
Reversing cam (single cam) (only in conj. with the option 9582 "Dethleffs Naviceiver")	2	1642	○	○
Flatscreen 22" (incl. bracket, DVB-T, DVB-S receiver, DVD) with Sound pack	4	1799	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and link to the on-board control	u.r.	9582	○	○
Top View 360° Kamera (nur in Verbindung mit SA 9582 "Dethleffs Naviceiver")	6	7173	○	○
32" flatscreen (incl. bracket, DVB-T, DVB-S receiver, DVD) with Sound pack	15	9127	○	○
<b>Misc</b>				
Registration documents	u.r.	0	◆	◆