



# Globebus



## Globebus plus factors

- + Plenty of space in the interior despite a width of only 2,2m
- + Large L-shaped lounge with modern upholstery
- + Robust work surface extension in the kitchen area (not in T/I 7)
- + Exclusive Gran Turismo (GT) Package (optional)
- + Compact and agile



### Standard UK specification which is above standard European specification\*\*

- Right hand drive chassis
- LED day-time-running light (T)
- Leather steering wheel and shift knob with leather sleeve
- Instruments in chrome
- Electrical & heated mirrors
- Autom. cab air conditioning
- Cruise control
- Passenger airbag
- Radio pre-wiring with Sound Package
- Cab door left (I)
- Cab blinds (T)
- Panoramic skylight 70x50 cm incl. roof lining in living area (T)
- Panoramic skylight 75x105 cm incl. illuminated roof lining in living area (I)
- Habitation door with window and central locking
- On-board control panel luxus
- Insulated waste water tank
- Ambience illumination
- Full UK specification incl. UK gas and UK electrics
- Combi 6 E heating with integrated 10 l boiler
- Smoke detector
- Oven with grill
- Large fridge (T/I 1)
- TV bracket
- Pre-wiring solar system
- Pre-wiring SAT system
- Lounge convert to bed (T)
- Bed convert single beds to double bed (T/I 6)
- Carpets for cab and living room

\*\*Please note: From technical point of view there are components which are not possible for some model types and layouts.

# Standard specification

## Chassis (in addition to standard equipment, see p. 3)

- Radiator grill offers additional protection (only for A Class)
- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)
- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (only for Low Profile)

## Conversion

- Automotive rear moulding with integral rear lights and integrated LED light bar and 3rd brake light
- Skylight 40 x 40cm above the lounge
- Cab blinds for best insulation and privacy protection (only for A Class)
- Captain seats: integrated headrest, two upholstered arm rests, rotating (only for T 1)
- Pull-down bed (only for A Class)
- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Rear garage: two garage doors, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1x 230 V socket
- Habitation door: 70cm, flyscreen door, awning light (not for T/I 1)
- Height adjustable queen bed (only for T/I 7)
- Window for T-hood (only for Low Profile)
- Captain seats: integrated headrests, two armrests, rotating function

## On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- LED illumination for the interior
- Illuminated roof lining above the habitation door
- EBL with overvoltage protection

## Kitchen

- Gourmet kitchen with 3-flames hob, spacious drawers with softclose function and generous worktop
- Worktop extension: extendable or fold-away (not for T/I 7)
- Large fridge with freezer compartment and auto energy selection (AES)

## Bathroom

- Rotating bathroom for optimal use of space (only for T/I 1)
- Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head
- Shower grid (not for T/I 1)


## Living area

- Large mirror
- Overhead locker doors with softclose function
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system - for an optimised ventilation of the interior
- High wardrobe with convenient laundry shelves in upper area
- Multi-functional storage space underneath the double bed incl. wardrobe, accessible from inside and out, illuminated, bed frame with adjustable shock absorbers (only for T/I 1)
- Shoe cabinet in entrance area (only for T/I 7)
- Wardrobe left and right of the King bed

## Interior


- Wood décor Rosario Cherry with upholstery Quadro or Atomic

# Globebus Low Profile



GLOBEBUS		T 1	T 6	T 7	
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform	
Diesel tank/AdBlue tank	l	75 / 19	75 / 19	75 / 19	
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp	
Length	cm	599	698	698	
Width	cm	220	220	220	
Height	cm	281	281	281	
Internal height	cm	198	198	198	
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	
Wheel base	cm	345	380	380	
Beds pull-down/ overcab	cm	-	-	-	
	Bed mid	cm	155x95/90	175x95/90	155x95/90
	Bed rear	cm	200x145	195x80 / 195x75	190 / 180x140
	Alternative	cm	-	200x155	-
Sleeping berths		3	3	3	
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	
kW (BHP)		88 (120)	88 (120)	88 (120)	
Weight net	kg	2615	2750	2740	
Mass in running order (MIRO)	kg	2795	2930	2920	
Payload	kg	704	569	579	
Maximum authorised weight	kg	3499	3499	3499	
Designated passenger seats (standard weight)		4	4	4	
Designated passenger seats (max. weight upgrade)		4	4	4	
Heating		Combi 6 E	Combi 6 E	Combi 6 E	
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15	
Water tank incl. boiler (red. volume)	l	114 (20)	114 (20)	114 (20)	
Waste water tank volume	l	90	90	90	
Awning size	m	3,0	4,0	4,0	
Dimensions through-opening right stand./opt.	cm	75x100 / -	95x105 / -	95x100 / -	
Dimensions through-opening left stand./opt.	cm	95x80 / -	95x105 / -	75x100 / -	
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	
Power outlets	230V/12V/USB	6 / 1 / 2	6 / 1 / 2	6 / 1 / 2	

# Globebus A Class



GLOBEBUS		I 1	I 6	I 7
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	l	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	599	695	695
Width	cm	220	220	220
Height	cm	281	281	281
Internal height	cm	198	198	198
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	380	380
Beds pull-down/ overcab	cm	185x150	185x150	185x150
	Bed mid	cm	-	-
	Bed rear	cm	200x145	195x80 / 195x75
	Alternative	cm	-	200x155
Sleeping berths		4	4	4
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)
Weight net	kg	2675	2830	2820
Mass in running order (MIRO)	kg	2855	3010	3000
Payload	kg	644	489	499
Maximum authorised weight	kg	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	114 (20)	114 (20)	114 (20)
Waste water tank volume	l	90	90	90
Awning size	m	4,0	5,0	5,0
Dimensions through-opening right stand./opt.	cm	75x100 / -	95x105 / -	95x100 / -
Dimensions through-opening left stand./opt.	cm	95x80 / -	95x105 / -	75x100 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	6 / 1 / 2	6 / 1 / 2	6 / 1 / 2

# Packages

## Assistance Package Fiat (Code 9973)

Package components	Low Profile
Lane Keep Assist	✓
Light Assist	✓
Full Brake Control	✓
Rain sensor	✓
High Beam Assist	✓
Traffic Sign Assist	✓

✓ included    ● Standard specification    – not included

GT-Package	white		black	
	ca. 25 kg	ca. 23 kg	ca. 25 kg	ca. 23 kg
	Low Profile	A Class	Low Profile	A Class
Package components				
Chassis colour Black, radiator grill Silver	-	-	✓	-
Exterior design GT White T (various stickers, red skid plate)	✓	-	-	-
Exterior design GT White I (various stickers, red skid plate, black A Class front)	-	✓	-	-
Exterior design GT Black T (various stickers, red skid plate)	-	-	✓	-
Exterior design GT Black I (various stickers, red skid plate, black A Class front)	-	-	-	✓
Interior design GT (kitchen back wall black, switches and power outlets in bicolor)	✓	✓	✓	✓
Cab entrance step	✓	-	✓	-
High-level rear moulding incl. roof rails	✓	✓	✓	✓
Flush-fitting windows	✓	✓	✓	✓
Alloy wheels 16" Fiat	✓	✓	✓	✓
Cab dashboard with aluminium applications	✓	✓	✓	✓

✓ included    ⊙ Standard specification    - not included

# Options

	Additional weight (kg)	Code	T1	T6	T7	T1	T6	T7
<b>Chassis/Base</b>								
Fiat Ducato Multijet 140 (2,3 l / 140 hp)	u.r.	0	○	○	○	○	○	○
Fiat Ducato Multijet 160 (2,3 l / 160 hp) incl. start-stop function	u.r.	0	○	○	○	○	○	○
Fiat Ducato Multijet 180 (2,3 l / 180 hp) incl. start-stop function	u.r.	0	○	○	○	○	○	○
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	18	10736	○	○	○	○	○	○
Weight upgrade 3.650kg	0	10769	○	○	○	○	○	○
Alloy wheels 16"	0	8045	○	○	○	○	○	○
Tow bar (please consider the total towing weight)	49	273	○	○	○	○	○	○
Captain seat including seat heating and lateral support	2	1659	-	-	-	○	○	○
Rear corner steadies (2 pieces)	6	390	○	○	○	○	○	○
Reinforced spring for front axle	0	1889	-	-	-	○	○	○
<b>Bodywork exterior</b>								
Bike rack for 3 bikes (rear)	9	938	○	○	○	○	○	○
Bike rack for 3 bikes (lowerable)	10	7482	○	○	○	○	○	○
Flush fitting windows	5	415	○	○	○	○	○	○
Cassette awning Omnistor 3.0 m	23	932	○	-	-	-	-	-
Cassette awning Omnistor 4.0 m	33	859	-	○	○	○	-	-
Cassette awning Omnistor 5.0 m (manual)	54	697	-	-	-	-	○	○
Alarm system for doors with central locking	4	322	○	○	○	○	○	○
Panoramic skylight 70x50 cm above the pull-down bed	8	246	-	-	-	○	○	○
<b>Bodywork interior</b>								
Fire extinguisher 2 kg	4	1878	○	○	○	○	○	○
Safe mounted	13	323	○	○	○	○	○	○
Double floor for rear garage	5	1890	○	○	○	○	○	○
<b>Furniture layouts</b>								
Isofix - child seat bracket	5	8125	○	○	○	○	○	○
<b>Electrics/Installation</b>								
Solar system (2 x 60 W)	15	922	○	○	○	○	○	○
2nd leisure battery 95 Ah	27	830	○	○	○	○	○	○
<b>Gas/Installation</b>								
Exterior socket for gas 30mbar	1	878	○	○	○	○	○	○
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	○	○	○	○	○	○
<b>Water supply/Installation</b>								
Switch for water pump	1	397	○	○	○	○	○	○
<b>Heating/Air-conditioning</b>								
Alternative heating operation panel	1	6622	○	○	○	○	○	○
App operation for warm air heating (only in comb. with option 6622)	1	9659	○	○	○	○	○	○
Floor heating (electrical)	9	763	○	○	○	○	○	○
Roof A/C	34	609	○	○	○	○	○	○
<b>Kitchen</b>								
Extractor fan	2	344	○	○	○	○	○	○
<b>Bathroom</b>								
Shower grid	1,5	1657	○	⊙	⊙	○	⊙	⊙
<b>Multimedia systems</b>								
SAT system Flatsat Classic 65 Twin	13	7670	○	○	○	○	○	○
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	○	○	○	○	○	○
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	○	○	○	○	○	○
Rear view camera (single camera) (only in comb. with option 9582 Dethleffs Naviceiver)	2	1642	○	○	○	○	○	○
Reversing camera (double camera) (only in comb. with option 9582 Dethleffs Naviceiver)	2	1641	○	○	○	○	○	○
Second rear view camera in the rear light moulding (only in comb. with option 9582 "Dethleffs Naviceiver")	1	11541	○	○	○	○	○	○
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	○	○	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and bord control panel linking	u.r.	9582	○	○	○	○	○	○

	Additional weight (kg)	Code	T1	T6	T7	I1	I6	I7
<b>Miscellaneous</b>								
Registration documents	u.r.	0	◆	◆	◆	◆	◆	◆



# Globebus Plus factors interior



» The lounge can be converted to a comfortable bed.



» I: The standard pull-down bed has a sleeping area of up to 150 cm in width.



» Useful: The extendable step for bed access with a storage box (T/I 1).



» The LED illumination with indirect light elements provides atmospheric ambience. The overhead lockers are equipped with Softclose function.



» Comfortable kitchen worktop extension and rail system. Optionally with kitchen backwall (GT Package)



» Childproof: Isofix bracket for child seats (option)



» T/I 1: Multi-functional storage compartment under the fold-away bed frame, also accessible from outside.



» T/I: Cab blinds protect from heat, cold and prying eyes



» T/I: Large L-shaped seating lounge with wide passage way to the cab - for more elbow room



» Wrap-around windscreen with unique panoramic view.



» T/I: Comfortable captain seats with height/inclination adjustment and upholstered arm rests



» Dethleffs Fiat chassis 9 gear automatic transmission optionally available

# Globebus Plus factors exterior



» Extra-wide entrance door (70 cm) (not for T/I 1) with flyscreen door.



» Well-protected against hail: durable GRP roof.



» I: Easy to service: large engine bay opening for servicing all relevant parts.



» T: Large opening skylight in T-hood.



» High garage with 150 kg loading capacity. Two garage doors are standard.



» T: Standard black radiator grill. Stylish safety feature: LED day-time-running lights



» T/I: Prominent and safe: Integral rear lights with LED night-time-running lights.



» I: Coach-style mirrors for an unobstructed field of view.



» I: Prominent headlights, elegantly integrated in the new design.



» **Comprehensive assistance systems optionally available for all Dethleffs Low Profile and Coachbuilt vehicles with Fiat chassis with the following systems:** Hydraulic Brake Assist, Lane Keep Assist, Light Assist, Traffic sign Assist and rain sensor.