


# Globetrotter XXL



## Globetrotter XXL Pluspunkte

- + Modern 3,0 l Euro VI D engine (132 kW/ 180 bhp)
- + IVECO chassis with rear wheel drive, twin tyres, different driving assistance systems, upgraded cockpit and heated cab seats
- + Heated double floor with 360 mm of height for freeze-protected installation of hoses, pipes and water tanks. The radiant heat is used as floor heating
- + Warm water heating with heat exchanger for engine pre-heating
- + Long-lasting Lifetime Plus conversion technology with 45 mm thick body construction
- + Master of autarky with powerful 150 Ah battery and 230 l water tank



### Standard UK specification which is above standard European specification\*

- Right hand drive chassis
- Radio pre-wiring with Sound Package
- Multifunctional leather steering wheel
- Wheel trims in chrome
- Twin reversing cam
- Dethleffs Naviceiver incl. DAB+, Truck Navigation and connection to the on-board control panel
- Central locking for habitation door, cab door, garage doors
- Panoramic skylight 75x105 cm incl. illuminated roof lining in living area
- Ambience illumination

- Full UK specification incl. UK gas and UK electrics
- Smoke detector
- TecTower incl. oven
- Pre-wiring solar system
- Pre-wiring SAT system
- Safety package: 3-point seatbelt for seat opposite driving direction
- Carpets for cab and living room

\* Please note: From technical point of view there are components which are not possible for some of model types and layouts.

# Standard specification

## Conversion

- Skylight 40 x 40cm above the lounge
- Floor thickness 43 mm, intermediate floor 20 mm, sidewalls 44 mm, roof 45 mm
- Habitation door: 70 cm, flyscreen, awning light, window, electric closing aid
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP antislip floor cover, one-hand operation, non-woven covered walls
- Double floor storage, to be loaded almost through the complete vehicle width, double floor height: 360 mm
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator, high-level moulding
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens (Privacy Black)
- Captain seats: headrest, two upholstered arm rests, height-inclination adjustment, hydraulic
- Overcab bed fold-away
- Windows for overcab left and right side

## On-board technology / Installations

- Starter battery and leisure battery with automatic switch-over (also for fridge)
- LED illumination for the interior
- Illuminated roof lining above the habitation door
- EBL with overvoltage protection
- Fresh water/waste water tank installed in double floor (insulated area)
- Warm water heating with automatic drain valve, shut-off valve for the sleeping area and engine heat exchange
- Gas bottle locker with easy pull-out function for quick change of the gas bottles (2 x 11 kg)

## Kitchen

- Large fridge with freezer compartment and auto energy selection (AES)
- MultiFlex rail system

- Gourmet kitchen: 3-flame cooker, spacious drawers with softclose function, cutting board, apothecary pull-out, waste bin and central locking
- Kitchen overhead locker with illuminated roof lining
- Extractor fan (exhaust air)

## Bathroom

- Shower grid
- Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder


## Living area

- Large mirror (only for A 9050-2 DBM)
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system - for an optimised ventilation of the interior
- Wardrobe left and right of the King bed
- No steps in living room
- Seat chest enlargement, fold-away with storage space
- Overhead lockers with doors in the rear
- Single beds can be converted to a large double bed

## Interior

- Wood décor Almeria Ash White with upholsteries Bozen or Platinum

# Globetrotter XXL Coachbuilt



GLOBETROTTER XXL		A 9050-2 DBM	A 9000-2 EB
Chassis type		Iveco Daily ladderframe	Iveco Daily ladderframe
Diesel tank/AdBlue tank	l	90 / 20	90 / 20
Emission class		Euro VI D	Euro VI D
Length	cm	886	886
Width	cm	235	235
Height	cm	345	345
Internal height	cm	211	211
Towing weight braked/unbraked	kg	3500 <sup>1</sup> / 750	3500 <sup>1</sup> / 750
Tyres		225/75R 16C	225/75R 16C
Wheel base	cm	475	475
Beds pull-down/ overcab		215x150	215x150
	Bed mid	cm 210/130x195/130	210/130x195/130
	Bed rear	cm 200x150	200x80 / 195x80
	Alternative	cm -	210x200/160
Sleeping berths		6	6
Basic engine		3,0 JTD	3,0 JTD
kW (BHP)		132 (180)	132 (180)
Weight net	kg	4700	4700
Mass in running order (MIRO)	kg	5070	5070
Payload	kg	1630	1630
Maximum authorised weight		kg 6700	6700
Designated passenger seats (standard weight)		6	6
Designated passenger seats (max. weight upgrade)		6	6
Heating		ALDE WW	ALDE WW
Frige/ thereof freezer compartment	l	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	l	230 (20)	230 (20)
Waste water tank volume	l	222	222
Awning size	m	6,0	6,0
Dimensions through-opening right stand./opt.	cm	105x120 / -	105x120 / -
Dimensions through-opening left stand./opt.	cm	105x120 / -	105x120 / -
Battery/ charging device	Ah/A	150 / 18	150 / 18
Power outlets	230V/12V/USB	7 / 2 / 3	7 / 2 / 3

<sup>1</sup> Considering the total towing weight of 10.2 t

# Packages

## Assistance Package Iveco (Code 9972)

Package components	Coachbuilt
Light Assist	✓
Crosswind Assist	✓
Hill Descent Control	✓
Active Brake Assist with City Emergency Brake Function	✓
Tire pressure sensors	✓
Adaptive cruise control	✓
Electric handbrake	✓
Active Lane Keep Assist	✓
High Beam Assist	✓
Rain sensor	✓

✓ included    ● Standard specification    – not included

## Elektric Package II (Code 9997)

ca. 50 kg

Package components	Coachbuilt
Electric package 2 (2x 150 Ah battery instead of 1x 95 Ah battery. Victron Energy MultiPlus charging/inverter combination 3000/120, Victron PowerAssist and Power Control, Victron operation above habitation door, EBL 111, high current module)	✓

# Dethleffs world of colours

For the GLOBETROTTER XXL smooth side variants you can choose from the following colour combinations (some at extra charge).

## Coachbuilt

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	<b>Code</b>	<b>standard</b>	-
Silver	<b>Code</b>	-	<b>option</b> 9580

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

# Options

	Additional weight (kg)	Code	A 9050-Z DBM	A 9000-Z EB
<b>Chassis/Base</b>				
Iveco Daily 3,0 I JTD (210 bhp)(only in comb. with option "Torque converter automatic gearbox")	u.r.	0	○	○
Weight upgrade 7.200kg	u.r.	1636	○	○
Tow bar	35	273	○	○
LED headlights (Iveco)	2	10626	○	○
Air suspension for driving axle (original Iveco)	30	41	○	○
Converter automatic gearbox (ZF)	17	7706	○	○
Retarder (also available in comb. with converter; tank reduced to 70l)	125	1400	○	○
<b>Bodywork exterior</b>				
Cassette awning Omnistor 6.0 m (manual)	61	560	○	○
Cassette awning Omnistor 6.0 m (electr.)	64	519	○	○
Alarm system for doors with central locking	4	322	○	○
Panoramic skylight 75x105 cm incl.illuminated roof lining in sleeping area	12	442	○	○
Skylight (above large bathroom)	1	7507	○	○
Storage access in the rear	17	1732	○	○
Roof ladder and cross elements for railing	16	1754	○	○
<b>Bodywork interior</b>				
Fire extinguisher 2 kg	4	1878	○	○
Safe mounted	13	323	○	○
Double floor for rear garage	5	1890	○	○
<b>Furniture layouts</b>				
Isofix - child seat bracket	5	8125	○	○
Alternative overhead locker doors	0	1969	○	○
U-shaped lounge	5	1870	○	○
<b>Upholstery</b>				
Real leather Meran	12	9543	○	○
<b>Electrics/Installation</b>				
Solar system (2 x 60 W)	15	922	○	○
Indirect illumination behind the curtains	3	9119	○	○
2nd leisure battery 150 Ah	27	830	○	○
<b>Gas/Installation</b>				
Exterior socket for gas 30mbar	1	878	○	○
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	○	○
<b>Water supply/Installation</b>				
Installed exterior shower (cold/hot water)	u.r.	1574	○	○
<b>Heating/Air-conditioning</b>				
Roof A/C	34	609	○	○
Electrically heated overcab bed	3	1740	○	○
Warm water heating by smartphone app	0	7512	○	○
<b>Kitchen</b>				
Pre-wiring compressor fridge (no standard fridge installation)	u.r.	9598	○	○
<b>Bathroom</b>				
Toilet ventilation	2	1681	○	○
Macerator toilet with waste-holding tank	22	1625	○	○
Ceramic toilet	25	7243	○	○
<b>Multimedia systems</b>				
SAT system Flatsat Classic 65 Twin	13	7670	○	-
SAT system Flatsat 85 Twin	15	1637	○	○
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	○	○
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	○	○
32" TV (incl. bracket, DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) and Soundboard	15	9127	○	○

Miscellaneous	Additional weight (kg)	Code	A 9050-Z DBM	A 9000-Z EB
Registration documents	u.r.	0	◆	◆

# Globetrotter XXLA Plus factors interior



» Quick seating group conversion to an additional sleeping place



» Driver's cab separable by wooden sliding door



» Anti-theft safe



» Extensively equipped driver's cab



» Multimedia: Dethleffs Naviceiver incl. DAB+



» Large kitchen worktop with extra space for the coffee machine



» Table top extension



» Sound system (option)

# Globetrotter XXLA Plus factors exterior



» Sturdy habitation door with large window



» Huge rear garage accessible from three sides on request



» Large overcab with 200 x 155 cm lying surface



» Powerful roof air conditioner (option)



» GRP covered underfloor



» Comfortable gas bottle drawer



» Storage space in the double floor