

Globetrotter XLI A Class

This lifestyle luxury motorhome combines spacious living, modern design and genuine driving dynamics. The sporty design language translates a premium wide-track low-platform chassis into real driving experiences. With the Globetrotter XLI, you are just as good on the road as it looks: sporty, dynamic and safe - and thanks to the winterproof double floor construction, 365 days a year.

Technical info*

| | |
|------------------------------------|----------------|
| Technically permissible total mass | 5000 / 5400 kg |
| Overall length, approx. | 865 cm |
| Overall width, approx. | 233 cm |
| Overall height, approx. | 304 cm |

* Maximum values partly not possible for all models or only in connection with certain options.


Upholstery



+ Samir upholstery



+ Melia upholstery *



+ Collin real leather upholstery *



+ Individual genuine leather *

Wood décor




+ Amber Oak wood décor


*optionally available

Plus factors

- + Dynamic and safe handling due to premium wide-gauge low platform chassis
- + Lifetime Plus body technology with absolutely rot-proof and durable wall construction
- + Winter-proof: heated double floor with frost-protected water installation and standard hot water heating system
- + Dethleffs Connect - digital control unit for networking the entire vehicle incl. control via digital display and own app
- + Ergonomic captain seats, optionally available as air-swing seats with heating and ventilation
- + Fully equipped kitchen with solid surface worktop and automatic central locking for the drawers
- + Light Moments 4-level illumination as harmonious light composition for an emotional and atmospheric ambiance



Globetrotter XLI A Class



| Globetrotter XLI A Class | | I 7850-2 DBM | I 7850-2 EB |
|---|----|--|--|
| Standard chassis | | Fiat Ducato Maxi AL-KO low platform 3 axis | Fiat Ducato Maxi AL-KO low platform 3 axis |
| Emission standards | | Euro VI-E | Euro VI-E |
| Overall length, approx. | cm | 865 | 865 |
| Overall width, approx. | cm | 233 | 233 |
| Overall height, approx. | cm | 304 | 304 |
| Headroom in living area, approx. | cm | 208 | 208 |
| Insulation floor / side walls / roof | mm | 43 / 34 / 35 | 43 / 34 / 35 |
| Towable load braked/unbraked | kg | 1600 (750) | 1600 (750) |
| Tyre size | | 225/75R 16C | 225/75R 16C |
| Wheelbase, approx. mm | mm | 4500 | 4500 |
| Bed dimension: Front bed, L x W, approx. | cm | 200 x 150 | 200 x 150 |
| Bed dimension: Central / middle bed, L X W, approx. | cm | 206 x 150 - 90 ○ | 206 x 150 - 95 ○ |
| Bed dimension: Rear bed, L x W, approx. | cm | 200 x 150 | 210 x 200 - 145 / 2x 200 x 82 |
| Sleeping berths standard / max. | | 4 / 5 ○ | 4 / 5 ○ |
| Standard engine | | 140 Multijet 3 | 140 Multijet 3 |
| kW (hp) | | 103 (140) | 103 (140) |
| Unladen weight, approx. | kg | 3840 | 3840 |
| Mass in running order, approx. | kg | 4122.5 | 4122.5 |
| Maximum load, approx. | kg | 877.5 / 1252.5 ○ | 877.5 / 1252.5 ○ |
| Technically permissible total mass | kg | 5000 / 5400 ○ | 5000 / 5400 ○ |
| Permitted number of persons | | 4 - 5 ○ | 4 - 5 ○ |
| Heating | | Hot Water, 6 kW Gas-Electric | Hot Water, 6 kW Gas-Electric |
| Refrigerator volume incl. freezer, approx. | l | 177 (35) | 177 (35) |
| Waste water tank, approx. | l | 156 | 156 |
| Water supply incl. boiler (reduced volume) ca. | l | 166 (20) | 166 (20) |
| Measurement storage opening left | cm | 105 x 120 | 105 x 120 |
| Measurement storage opening right | cm | 105 x 120 | 105 x 120 |
| Sockets: 12 V / 230 V / USB | | 2 / 9 / 2 | 2 / 9 / 2 |

Standard equipment

17850-2 DBM

17850-2 EB

| Fiat chassis | | |
|---|---|---|
| 16-inch steel wheels incl. full wheel trims | ⊙ | ⊙ |
| Right-hand drive chassis | ⊙ | ⊙ |
| Fiat Ducato Maxi AL-KO low platform chassis with wide track rear axle, 3 axles (5.000 kg maximum authorised weight) | ⊙ | ⊙ |
| Fiat Ducato Multijet 140 (2.2 l / 140 HP) heavy duty | ⊙ | ⊙ |
| Fiat chassis features | | |
| 6-gear manual transmission | ⊙ | ⊙ |
| ABS (anti-lock braking system) / EBD (electronic brakeforce distribution) | ⊙ | ⊙ |
| Additional protection for radiator through grille at front of vehicle | ⊙ | ⊙ |
| Anti-theft device | ⊙ | ⊙ |
| Crosswind Assist | ⊙ | ⊙ |
| Cruise control | ⊙ | ⊙ |
| DAB+ radio antenna integrated into right exterior mirror | ⊙ | ⊙ |
| Dashboard with aluminium application | ⊙ | ⊙ |
| Diesel tank 90 litre incl. 19L AdBlue tank | ⊙ | ⊙ |
| Driver and passenger detection | ⊙ | ⊙ |
| ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control | ⊙ | ⊙ |
| Electric parking brake | ⊙ | ⊙ |
| Electric windscreen blinds | ⊙ | ⊙ |
| Front-wheel drive | ⊙ | ⊙ |
| Leather steering wheel and gear knob with leather sleeve | ⊙ | ⊙ |
| Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece) | ⊙ | ⊙ |
| Rear corner steadies (2 pieces) | ⊙ | ⊙ |
| 7" DAB+ moniceiver incl. wireless Apple CarPlay & Android Auto and steering wheel control panel | ⊙ | ⊙ |
| Automatic Brake Assist after a collision | ⊙ | ⊙ |
| Captain's chair with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests | ⊙ | ⊙ |
| Chassis in right-hand drive version | ⊙ | ⊙ |
| Cup holder in the centre of the dashboard | ⊙ | ⊙ |
| Driver's cab automatic A/C | ⊙ | ⊙ |
| Fix&Go kit | ⊙ | ⊙ |
| Trailer Stability Assist | ⊙ | ⊙ |
| Exterior features | | |
| 70 cm wide habitation door with window and blind | ⊙ | ⊙ |
| Bedroom window right and left | ⊙ | ⊙ |
| Electric closing aid for habitation door | ⊙ | ⊙ |
| Flyscreen habitation door | ⊙ | ⊙ |
| GRP rear in modern coach look with third brake light, LED tail lights with dynamic indicators | ⊙ | ⊙ |
| GRP roof | ⊙ | ⊙ |
| Garage door and all access locker door with push-to-open function | ⊙ | ⊙ |
| Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed | ⊙ | ⊙ |
| Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge | ⊙ | ⊙ |
| Side panels and rear panel in smooth aluminium sheets | ⊙ | ⊙ |
| Skylight 40 x 40 cm above the lounge | ⊙ | ⊙ |
| Central locking for the drive's cab, habitation and garage door | ⊙ | ⊙ |
| Coupe entrance | ⊙ | ⊙ |
| Double floor storage, some of which can be loaded across almost the entire vehicle width | ⊙ | ⊙ |
| Driver's cab door left | ⊙ | ⊙ |
| Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof | ⊙ | ⊙ |
| Lounge access via convenient electric step | ⊙ | ⊙ |
| Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove | ⊙ | ⊙ |
| Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens | ⊙ | ⊙ |
| Exterior design | | |
| Exterior body painted in white | ⊙ | ⊙ |

Standard equipment

17850-2 DBM

17850-2 EB

| Interior design | | 17850-2 DBM | 17850-2 EB |
|---|--|-------------|------------|
| Amber Oak wood décor | | ⊙ | ⊙ |
| Samir upholstery | | ⊙ | ⊙ |
| Textile equipment | | | |
| Loose carpets | | ⊙ | ⊙ |
| Fixed beds with ergonomic wooden frame and 150mm thick 7-zone premium mattresses made of heat-regulating material | | ⊙ | ⊙ |
| Furniture layouts | | | |
| AirPlus ventilation system in the back of the overhead lockers to avoid condensation | | ⊙ | ⊙ |
| Full-length mirror | | ⊙ | ⊙ |
| High-level double bed | | ⊙ | — |
| Low single-beds for comfortable access and high headroom | | — | ⊙ |
| No steps in living room | | ⊙ | ⊙ |
| Option to convert single beds to double bed | | — | ⊙ |
| Overhead locker doors with soft-close function | | ⊙ | ⊙ |
| Wardrobe floor-to-ceiling with convenient linen drawers in upper area | | ⊙ | ⊙ |
| Wardrobe to the left and right of the queen-size bed | | ⊙ | — |
| Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts | | ⊙ | ⊙ |
| Electric pull-down bed in the driver's cab | | ⊙ | ⊙ |
| Floor-to-ceiling wooden sliding door to the bedroom | | ⊙ | ⊙ |
| Sideboard incl. pull-out leg support, drawers and illuminated wall panels | | ⊙ | ⊙ |
| Kitchen | | | |
| Fridge (177 l), can be opened on both sides, with integrated oven | | ⊙ | ⊙ |
| Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking | | ⊙ | ⊙ |
| Worktop made of solid surface material | | ⊙ | ⊙ |
| Extractor fan (extracted air) with draught stopper | | ⊙ | ⊙ |
| Bathroom | | | |
| Additional window in bathroom | | ⊙ | ⊙ |
| Shower grid | | ⊙ | ⊙ |
| Shower panel and bathroom accessories in black | | ⊙ | ⊙ |
| Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head | | ⊙ | ⊙ |
| Large bathroom with separate shower and toilet with locking door to the lounge | | ⊙ | ⊙ |
| Multimedia | | | |
| DAB+ radio antenna mounted on the roof | | ⊙ | ⊙ |
| Flat-screen TV bracket | | ⊙ | ⊙ |
| Pre-wiring for satellite system | | ⊙ | ⊙ |
| Integrated single-lens reversing camera | | ⊙ | ⊙ |
| Radio system incl. Sound Package in the driver's cab | | ⊙ | ⊙ |
| Second reversing camera in rear moulding | | ⊙ | ⊙ |
| Heating | | | |
| Heat exchanger for hot-water heating | | ⊙ | ⊙ |
| Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area | | ⊙ | ⊙ |
| Electrical installation | | | |
| Awning light 12 V | | ⊙ | ⊙ |
| Dimmable, indirect ambient lighting on the walls | | ⊙ | ⊙ |
| Indirect lighting in the bathroom with illuminated shower panel | | ⊙ | ⊙ |
| Indirect lighting in the sideboard/side seating on the right and in the entrance module and tall kitchen cupboard | | ⊙ | ⊙ |
| Kitchen back panel illuminated | | ⊙ | ⊙ |
| LED lighting throughout the vehicle | | ⊙ | ⊙ |
| Leisure battery AGM, 95 Ah | | ⊙ | ⊙ |
| Plinth lighting throughout the vehicle | | ⊙ | ⊙ |
| Pre-wiring for solar | | ⊙ | ⊙ |
| Premium on-board control panel with touchscreen | | ⊙ | ⊙ |

Standard equipment

| | 17850-2 DBM | 17850-2 EB |
|--|-------------|------------|
| Roof lining with indirect lighting | ⊙ | ⊙ |
| Spotlights in the roof lining above the habitation door | ⊙ | ⊙ |
| Starter battery and leisure battery with automatic switch-over (also for fridge) | ⊙ | ⊙ |
| Two-tone sockets and switches | ⊙ | ⊙ |
| Electric block with integrated overvoltage protection and separate residual-current device | ⊙ | ⊙ |
| Indirect ambient lighting above the overhead lockers | ⊙ | ⊙ |
| Smart caravan unit | ⊙ | ⊙ |
| Water supply | | |
| Fresh water and waste water tanks installed in double floor (insulated area) | ⊙ | ⊙ |
| Pressurised water pump system | ⊙ | ⊙ |
| Switch for water pump | ⊙ | ⊙ |
| Gas supply | | |
| Automatic gas bottle switch-over incl. crash sensor and EisEx gas regulator heater | ⊙ | ⊙ |
| Gas bottle locker 2 x 11 kg with simplified access | ⊙ | ⊙ |
| Safety | | |
| Smoke detector | ⊙ | ⊙ |

PACKAGES GLOBETROTTER XLI A CLASS

| Package | GT Package Advance (12214) | GT Package Advance Fiat Series 7 (11939) |
|---|----------------------------|--|
| 10" DAB+ Naviceiver incl. wireless Apple CarPlay & Android Auto, camper navigation and steering wheel control panel (upgrade to the 7" DAB+ moniceiver) | x | |
| Digital speedometer with large, digital 7" display | x | |
| Wireless phone charger in the central console | x | |
| ORC 18-inch alloy wheels, black (for 3 axles) | x | x |
| LED low beam | x | x |
| Weight upgrade to 5.400 kg | x | x |
| SKA captain seat with air suspension | x | x |
| Convenient access (extra-wide entrance door with RFID access control, push-to-open incl. central locking on all access locker door) | x | x |
| Lateral sun shades, as a roller blind for driver and passenger | x | x |
| Panoramic skylight 70x50 cm in the bedroom | x | x |
| Interior design GT incl. extended kitchen back panel | x | x |
| Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel | | x |
| Steering wheel with control elements | | x |

| Package | Lithium Package 1 (7488) | Lithium Package 2 (7489) |
|---|--------------------------|--------------------------|
| Victron PowerAssist and PowerControl | x | x |
| High-current module | x | x |
| Electric block 111 power distribution unit | x | x |
| Victron control panel above the habitation door | x | x |
| Victron Energy MultiPlus charging/inverter combination 1600W/70A | x | |
| 153 Ah lithium battery | x | |
| 307 Ah lithium battery | | x |
| Victron Energy MultiPlus charging/inverter combination 3000W/120A | | x |

Chassis Package Advance (12119)

10" DAB+ Naviceiver incl. wireless Apple CarPlay & Android Auto, camper navigation and steering wheel control panel (upgrade to the 7" DAB+ moniceiver)

Digital speedometer with large, digital 7" display

Wireless phone charger in the central console

Optional extras

| | Included in package | Additional weight | Code | 17850-2 DBM | 17850-2 EB |
|---|---------------------|-------------------|-------|-------------|------------|
| Fiat chassis | | | | | |
| Fiat 16-inch alloy wheel, black | — | 1 | 11030 | ○ | ○ |
| Fiat Ducato Multijet 160 (2.2 l / 160 HP) heavy duty | — | 0 | 10774 | ○ | ○ |
| Fiat Ducato Multijet 180 (2.2 l / 180 HP) heavy duty | — | 0 | 8554 | ○ | ○ |
| Weight upgrade to 5.400 kg | — | 25 | 7497 | ○ | ○ |
| Fiat chassis features | | | | | |
| 9-gear torque converter for automatic transmission | — | 18 | 10736 | ○ | ○ |
| Air suspension front and rear axle (3 axles) | — | 85 | 1796 | ○ | ○ |
| Air suspension rear axle (3 axles) | — | 35 | 1658 | ○ | ○ |
| Extra seat incl. side couch instead of sideboard | — | 11 | 435 | ○ | ○ |
| Hydraulic lifting jacks with automatic levelling and weighing function | — | 72 | 9663 | ○ | ○ |
| LED low beam | — | 1 | 7152 | ○ | ○ |
| SKA captain seat with air suspension | — | 36 | 7505 | ○ | ○ |
| Seat heating and ventilation of the seat area ^{14) 15)} | — | 0 | 11147 | ○ | ○ |
| Tow bar (take note of total towing weight) | — | 35 | 273 | ○ | ○ |
| Exterior features | | | | | |
| Convenient access (extra-wide entrance door with RFID access control, push-to-open incl. central locking on all access locker door) | — | 3 | 11946 | ○ | ○ |
| Omnistor cassette awning 6.0 m (electric) | — | 64 | 519 | ○ | ○ |
| Omnistor cassette awning 6.0 m (manual) | — | 61 | 560 | ○ | ○ |
| Panoramic skylight 70x50 cm in the bedroom | — | 8 | 246 | ○ | ○ |
| Roof vent with fan (fitted in the passageway to the bathroom) | — | 1 | 7507 | ○ | ○ |
| Double floor in rear garage | — | 5 | 1890 | ○ | ○ |
| Exterior design | | | | | |
| Exterior paint on the front bonnet, GRP rear and side panels in metallic titanium silver | — | 0 | 511 | ○ | ○ |
| Interior design | | | | | |
| Collin real leather upholstery ¹⁴⁾ | — | 0 | 11952 | ○ | ○ |
| Individual genuine leather ¹⁴⁾ | — | 0 | 9785 | ○ | ○ |
| Melia upholstery | — | 0 | 11950 | ○ | ○ |
| Furniture layouts | | | | | |
| Bed convert for seating lounge transverse ²¹⁾ | — | 9 | 1944 | ○ | ○ |
| High-level single beds incl. comfortable access via steps | — | 5 | 652 | — | ○ |
| Isofix child seat bracket for third and fourth seat facing direction of travel | — | 5 | 8125 | ○ | ○ |
| Overhead lockers in the driver's cab instead of pull-down bed | — | 0 | 679 | ○ | ○ |
| Kitchen | | | | | |
| Winter cover for fridge fans | — | 1 | 282 | ○ | ○ |
| Bathroom | | | | | |
| Ceramic toilet ¹⁶⁾ | — | 25 | 7243 | ○ | ○ |
| Macerator toilet with waste-holding tank | — | 22 | 1625 | ○ | ○ |
| Toilet ventilation via the roof ¹⁶⁾ | — | 2 | 1681 | ○ | ○ |
| Multimedia | | | | | |
| Additional 22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ¹⁷⁾ | — | 4 | 7490 | ○ | ○ |
| Additional flat-screen TV bracket | — | 3 | 1809 | ○ | ○ |
| Automatic satellite system 85 Twin | — | 15 | 1637 | ○ | ○ |
| Sound Package Plus ¹²⁾ | — | 8 | 8082 | ○ | ○ |
| 32" flat-screen TV | — | 7 | 9807 | ○ | ○ |
| Top view 360° camera | — | 6 | 7173 | ○ | ○ |
| Heating | | | | | |
| Hot-water heating operated using smartphone app | — | 0 | 7512 | ○ | ○ |
| Hot-water carpet for the driver's cab | — | 10 | 6709 | ○ | ○ |
| Air Conditioning | | | | | |

Optional extras

| | Included in package | Additional weight | Code | 17850-2 DBM | 17850-2 EB |
|--|---------------------|-------------------|---------|-------------|------------|
| Roof A/C | — | 36 | 11670 | ○ | ○ |
| Electrical installation | | | | | |
| Solar power system 100 watt | — | 15 | 922 | ○ | ○ |
| Water supply | | | | | |
| Exterior shower in rear garage (hot/cold water) | — | 1 | 1574 | ○ | ○ |
| Gas supply | | | | | |
| Exterior socket for 30mbar gas pressure | — | 1 | 878 | ○ | ○ |
| Safety | | | | | |
| 2 kg fire extinguisher | — | 4 | 1878 | ○ | ○ |
| Alarm system (for door with central locking) | — | 5 | 322 | ○ | ○ |
| Safe | — | 13 | 323 | ○ | ○ |
| Packages | | | | | |
| Chassis Package Advance | — | 1.2 | 12119 | ○ | ○ |
| GT Package Advance | — | 98.2 | 12214 | ○ | ○ |
| GT Package Advance Fiat Series 7 | — | 100.5 | 11939 | ○ | ○ |
| Lithium Package 1 ⁷⁾ | — | 113 | 7488 | ○ | ○ |
| Lithium Package 2 ⁷⁾ | — | 113 | 7489 | ○ | ○ |
| Miscellaneous | | | | | |
| Registration documents | — | 0 | - | ◆ | ◆ |
| Accessories - Highlights (orderable via Dethleffs Original Accessories) | | | | | |
| Cab carpet for XLI, Alpa I and Esprit I with air heating | — | 0 | 3226508 | ○ | ○ |
| Retrofittable multifunctional rail | — | 0 | 3269437 | ○ | ○ |
| Sun protection mat for Alpa I and XLI | — | 0 | 2973511 | ○ | ○ |
| Thermal window mat set for Alpa I and XLI | — | 0 | 2973521 | ○ | ○ |
| Waste water hose 2m | — | 0 | 3214996 | ○ | ○ |
| Waste water hose 4m | — | 0 | 3214995 | ○ | ○ |