

Globetrotter XXL Coachbuilt

The big luxury! With its robust Iveco Daily chassis with rear-wheel drive, the Globetrotter XXL A is the workhorse in the Dethleffs model range. Ideal for towing trailers weighing up to 3.5 tonnes. Perfectly equipped, with plenty of space and absolutely winterproof thanks to frost-proof installation in the double floor!

Technical info*

Technically permissible total mass	6700 kg
Overall length, approx.	886 cm
Overall width, approx.	235 cm
Overall height, approx.	345 cm

* Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Samir upholstery



+ Melia upholstery *



+ Collin real leather upholstery *



+ Individual genuine leather *

Wood décor



+ Amber Oak wood décor


*optionally available

Plus factors

- + Lifetime Plus body technology with absolutely rot-proof and durable wall structure
- + Powerful 3.0 l JTD engine with 132 kW/180 hp with excellent traction due to rear-wheel drive and twin tyres
- + Winter-proof: heated double floor with frost-protected water installation and standard hot-water heater
- + Professional self-sufficiency thanks to 150 Ah battery and 230 l fresh water tank
- + Spacious living with plenty of freedom of movement



Globetrotter XXL Coachbuilt



Globetrotter XXL Coachbuilt		A 9050-2 DBM	A 9000-2 EB
Standard chassis		IVECO Daily Leiterrahmen	IVECO Daily Leiterrahmen
Emission standards		EURO VI-D	EURO VI-D
Overall length, approx.	cm	886	886
Overall width, approx.	cm	235	235
Overall height, approx.	cm	345	345
Headroom in living area, approx.	cm	211	211
Insulation floor / side walls / roof	mm	43 / 44 / 45	43 / 44 / 45
Towable load braked/unbraked	kg	3500 (750)	3500 (750)
Tyre size		225/75R 16C	225/75R 16C
Wheelbase, approx. mm	mm	4750	4750
Bed dimension alcove, L x W, approx. cm	cm	215 x 150	215 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	195 x 130 / 210 x 130 ○	195 x 130 / 210 x 130 ○
Bed dimension: Rear bed, L x W, approx.	cm	200 x 150	210 x 200 - 160 / 200 x 80 / 195 x 80
Sleeping berths standard / max.		6	6
Standard engine		3,0 I JTD	3,0 I JTD
kW (hp)		132 (180)	132 (180)
Unladen weight, approx.	kg	4620	4620
Mass in running order, approx.	kg	5061	5061
Maximum load, approx.	kg	1639	1639
Technically permissible total mass	kg	6700	6700
Permitted number of persons		6	6
Heating		Hot Water, 6 kW Gas-Electric	Hot Water, 6 kW Gas-Electric
Refrigerator volume incl. freezer, approx.	l	177 (35)	177 (35)
Waste water tank, approx.	l	222	222
Water supply incl. boiler (reduced volume) ca.	l	230 (20)	230 (20)
Measurement storage opening left	cm	105 x 120	105 x 120
Measurement storage opening right	cm	105 x 120	105 x 120
Sockets: 12 V / 230 V / USB		2 / 7 / 3	2 / 7 / 3

Standard equipment

A 9050-Z DBM

A 9000-Z EB

Iveco chassis		
Right-hand drive chassis	⊙	⊙
16" steel wheel with 225/75 R16 all-season tyres	⊙	⊙
IVECO Daily ladder frame (6.700 kg maximum authorised weight)	⊙	⊙
Iveco Daily 3.0 I JTD (180 HP)	⊙	⊙
Iveco chassis features		
Alternator 220 Ah	⊙	⊙
Anti-theft device	⊙	⊙
Breakdown kit	⊙	⊙
Central dash tray (A4 format) with 2 x USB and aux-in	⊙	⊙
Chrome wheel trims	⊙	⊙
Cruise control	⊙	⊙
Differential lock for driving axle	⊙	⊙
Driver and passenger airbags	⊙	⊙
ESP, ASR, ABS with EBD, Hill Holder and Hydraulic Brake Assist	⊙	⊙
Exterior mirrors that can be heated and adjusted electrically	⊙	⊙
Fog lights with static cornering lights	⊙	⊙
Fuel tank 90l plus 20l AdBlue	⊙	⊙
Multifunctional leather steering wheel	⊙	⊙
Rear axle mudflaps	⊙	⊙
Rear wheel drive with twin tyres	⊙	⊙
Safety Package II: 3-point seatbelt for seat facing away from driving direction	⊙	⊙
Spare wheel located under the vehicle rear	⊙	⊙
Wheel trims	⊙	⊙
Chassis in right-hand drive version	⊙	⊙
Daytime running lights integrated into headlights	⊙	⊙
Differential lock for driving axle	⊙	⊙
Drivers cab A/C (automatic)	⊙	⊙
Luxury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo	⊙	⊙
Exterior features		
70 cm wide habitation door with window and blind	⊙	⊙
Bedroom window right and left	⊙	⊙
Electric closing aid for habitation door	⊙	⊙
Flyscreen habitation door	⊙	⊙
GRP roof	⊙	⊙
High-level rear moulding with third brake light, LED tail lights with dynamic indicators	⊙	⊙
Opening window in overcab left	⊙	⊙
Opening window in overcab right	⊙	⊙
Panoramic skylight 75x105 cm in the lounge	⊙	⊙
Side panels and rear panel in smooth aluminium sheets	⊙	⊙
Skylight 40 x 40 cm above the lounge	⊙	⊙
Central locking for the drive's cab, habitation and garage door	⊙	⊙
Coupe entrance	⊙	⊙
Double floor storage, some of which can be loaded across almost the entire vehicle width	⊙	⊙
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	⊙	⊙
Lounge access via convenient electric step	⊙	⊙
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cover	⊙	⊙
Roof rail	⊙	⊙
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens (Privacy Black)	⊙	⊙
Exterior design		
Exterior body painted in white	⊙	⊙
Interior design		

Standard equipment

	A 9050-2 DBM	A 9000-2 EB
Amber Oak wood décor	⊙	⊙
Samir upholstery	⊙	⊙
Textile equipment		
Loose carpets	⊙	⊙
Fixed beds with ergonomic wooden frame and 150mm thick 7-zone premium mattresses made of heat-regulating material	⊙	⊙
Furniture layouts		
AirPlus ventilation system in the back of the overhead lockers to avoid condensation	⊙	⊙
Fold-away overcab bed	⊙	⊙
Full-length mirror	⊙	—
High-level double bed	⊙	—
No steps in living room	⊙	⊙
Option to convert single beds to double bed	—	⊙
Overhead lockers in the rear area	—	⊙
Storage bench enlargement, fold-away with storage space	⊙	⊙
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	—	⊙
Wardrobe to the left and right of the queen-size bed	⊙	—
Bed convert for seating lounge transverse	⊙	⊙
Floor-to-ceiling wooden sliding door to the bedroom	⊙	⊙
High-level single beds incl. comfortable access via steps	—	⊙
Large face-to-face seating area with mountable and extendible table incl. two integrated 3-point seatbelts	⊙	⊙
Kitchen		
Fridge (177 l), can be opened on both sides, with integrated oven	⊙	⊙
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	⊙	⊙
Kitchen overhead locker with illuminated roof lining	⊙	⊙
MultiFlex rail system	⊙	⊙
Extractor fan (extracted air) with draught stopper	⊙	⊙
Bathroom		
Additional window in bathroom	⊙	⊙
Shower grid	⊙	⊙
Shower panel and bathroom accessories in black	⊙	⊙
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	⊙	⊙
Large bathroom with separate shower and toilet with locking door to the lounge	⊙	⊙
Multimedia		
DAB+ radio antenna mounted on the roof	⊙	⊙
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel	⊙	⊙
Flat-screen TV bracket	⊙	⊙
Pre-wiring for satellite system	⊙	⊙
Radio system incl. Sound Package in the driver's cab	⊙	⊙
Reversing camera (double camera)	⊙	⊙
Heating		
Heat exchanger for hot-water heating	⊙	⊙
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area	⊙	⊙
Electrical installation		
Awning light 12 V	⊙	⊙
Leisure battery AGM, 150 Ah	⊙	⊙
Luxus on-board control panel	⊙	⊙
Pre-wiring for solar	⊙	⊙
Spotlights in the roof lining above the habitation door	⊙	⊙
Starter battery and leisure battery with automatic switch-over (also for fridge)	⊙	⊙
Electric block with integrated overvoltage protection and separate residual-current device	⊙	⊙
Indirect ambient lighting above the overhead lockers	⊙	⊙
Water supply		

Standard equipment

	A 9050-2 DBM	A 9000-2 EB
Fresh water and waste water tanks installed in double floor (insulated area)	⊙	⊙
Pressurised water pump system	⊙	⊙
Switch for water pump	⊙	⊙
Gas supply		
Gas bottle locker 2 x 11 kg with simplified access	⊙	⊙
Safety		
Smoke detector	⊙	⊙

PACKAGES GLOBETROTTER XXL COACHBUILT

Assistance Package Iveco (10768)

Electric handbrake
 Crosswind Assist
 Hill Descent Control
 Rain sensor
 High Beam Assist
 Adaptive cruise control
 Tyre pressure sensors

Electric Package 2 (7489)

Two 150 Ah leisure batteries (instead of series battery)
 Victron Energy MultiPlus charging/inverter combination 3000W/120A
 Victron PowerAssist and PowerControl
 High-current module
 Electric block 111 power distribution unit
 Victron control panel above the habitation door

Optional extras

	Included in package	Additional weight	Code	A 9050-Z DBM	A 9000-Z EB
Iveco chassis					
Iveco Daily 3.0 I JTD (210 HP) ¹⁸⁾	—	0	10617	○	○
Weight upgrade to 7.200 kg (note: total towing weight is 10.2 t)	—	0	1636	○	○
Iveco chassis features					
Air suspension for driving axle (original Iveco)	—	35	041	○	○
LED headlights (Iveco)	—	2	10626	○	○
Retarder (also available in comb. with converter; fuel tank reduced to 70l) ¹⁹⁾	—	125	1400	○	○
Tow hitch (Iveco)	—	35	273	○	○
Exterior colour chassis silver grey metallic ²⁰⁾	—	0	9457	○	○
Torque converter for automatic transmission	—	17	7706	○	○
Exterior features					
Omnistor cassette awning 6.0 m (electric)	—	64	519	○	○
Omnistor cassette awning 6.0 m (manual)	—	61	560	○	○
Panoramic skylight 75x105 cm incl. illuminated roof lining in the bedroom	—	12	442	○	○
Roof rail accessories: rungs and ladder for roof rail with high rear moulding (please note other roof superstructures)	—	16	1754	○	○
Roof vent with fan (fitted in the passageway to the bathroom)	—	1	7507	○	○
Storage access in the rear	—	17	1732	○	○
Double floor in rear garage	—	5	1890	○	○
Exterior design					
Side panels in metallic titanium silver ²⁰⁾	—	0	511	○	○
Interior design					
Collin real leather upholstery	—	0	11952	○	○
Individual genuine leather	—	0	9785	○	○
Melia upholstery	—	0	11950	○	○
Furniture layouts					
Isifix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○	○
U-shaped seating (free-standing, rigid table base with surrounding seating and backrest cushions)	—	5	1870	○	○
Kitchen					
Winter cover for fridge fans	—	1	282	○	○
Bathroom					
Ceramic toilet ¹⁶⁾	—	25	7243	○	○
Macerator toilet with waste-holding tank	—	22	1625	○	○
Toilet ventilation via the roof ¹⁶⁾	—	2	1681	○	○
Multimedia					
32" TV (incl. bracket, DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) incl. Sound Package Plus	—	15	9127	○	○
Additional 22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ¹⁷⁾	—	4	7490	○	○
Additional flat-screen TV bracket	—	3	1809	○	○
Automatic satellite system 85 Twin	—	15	1637	○	○
Sound Package Plus ¹²⁾	—	8	8082	○	○
Top view 360° camera	—	6	7173	○	○
Heating					
Electrically heated overcab bed	—	3	1740	○	○
Hot-water heating operated using smartphone app	—	0	7512	○	○
Air Conditioning					
Roof A/C	—	36	11670	○	○
Electrical installation					
Dimmable, indirect ambient lighting on the walls	—	3	9119	○	○
Second leisure battery AGM, 150 Ah	—	27	830	○	○
Solar power system 100 watt	—	15	922	○	○
Water supply					

Optional extras

	Included in package	Additional weight	Code	A 9050-2 DBM	A 9000-2 EB
Exterior shower in rear garage (hot/cold water)	—	1	1574	○	○
Gas supply					
Automatic gas bottle switch-over incl. crash sensor and EisEx gas regulator heater	—	3	1577	○	○
Exterior socket for 30mbar gas pressure	—	1	878	○	○
Safety					
2 kg fire extinguisher	—	4	1878	○	○
Alarm system (for door with central locking)	—	5	322	○	○
Safe	—	13	323	○	○
Packages					
Assistance Package Iveco	—	0	10768	○	○
Electric Package 2	—	113	7489	○	○
Miscellaneous					
Registration documents	—	0	-	◆	◆
Accessories - Highlights (orderable via Dethleffs Original Accessories)					
Bike carrier	—	0	3236639	○	○
Cab carpet for Grand Alpa Plus and XXLA with Alde-heating	—	0	3226973	○	○
Retrofittable multifunctional rail	—	0	3269437	○	○
Thermo window mat for A-models on Iveco	—	0	2944438	○	○
Waste water hose 2m	—	0	3214996	○	○
Waste water hose 4m	—	0	3214995	○	○