1/2016
GB
IRL

Motorhomes 2016

Technical Information

Dethleffs
A friend of the family

Dethleffs Added Value – Explanation of symbols

In the Dethleffs motorhomes, there are a lot of smart ideas and standard comfort features.
Here we briefly present the most important ones with the corresponding symbols which can be found on the sides of the vehicle.
More detailed information on www.dethleffs.co.uk/addedvalue

For a healthy indoor climate: Optimal rear ventilation of overhead lockers avoids condensation

Practical: Kitchen with large drawers and variable cooker cover for more working surface

Winterproof: Heated double floor with frost-protected water installation and additional storage space

Winterproof: Heated functional floor with frost-protected water installation

"SleepWell": Fixed beds with 7-zones EvoPoreHRC Premium mattresses and ergonomic wooden bed frames.

More safety: Electronic stabilizing program incl. important driving assistance systems (ASR, Hill Holder, HBA, Roll-Over Mitigation)

Safe on the road: AL-KO broad gauge low platform for secure and dynamic driving experience

Well protected: robust GRP roof for hail protection

Lightweight: 3.5 t vehicles licenced for 4 passengers and sufficient payload capacity

Ergonomic: Comfortable Pilote seats with height/ inclination adjustment, upholstered arm rests and lateral support

More power: 95 Ah battery with AGM technology for higher performance, longer life and shorter charging time

Flexible: A comfortable pull-down bed offers additional sleeping berths (partly optional)

Winterproof! Extra thick insulation and the intelligent basic construction makes these motorhomes winterproof as per EN 1646-1

Winter expert! Excellent winterisation due to the elaborate double floor construction

Inviting: 70 cm XXL entrance door

King of storage: Particularly high rear garages thanks to Dethleffs drop chassis extension

Stay cool! Extra-large fridges with at least 141 litres and freezer compartment

Family-friendly: at least 4 sleeping berths

Long-lasting: Rot-proof body construction without wood inserts and with GRP covered underfloor

Long-lasting: Rot-proof floor construction without wood inserts and with GRP covered underfloor

Index

2	Dethleffs Added Value			
3	Index			
4 – 11	Globebus Active	Low Profile	A Class	-
12 – 19	Trend	Low Profile	-	Coachbuilt
20 – 27	Advantage	Low Profile	A Class	-
28 – 35	Magic Edition	Low Profile	A Class	-
36 – 43	Esprit	Low Profile	A Class	-
44 – 49	Esprit Comfort	-	-	Coachbuilt
50	Winter Comfort Packages			
51	Lifetime Plus construction			
52	General Information			

Legend

Designated passenger 4 (6*):
4 = Standard number of belted seats.

(6*) = Maximum number of seats
For more than 4 passengers the optional safety package is necessary. Basically the authorised total weight as well as the axle load must not be exceeded.

Water boiler (red. volume) = The basis for calculation of the "mass in running order" is the reduced water tank volume.

Optional extras
Some optional extras cannot be fitted on several models. Please contact your Dethleffs dealer for advice as regards technical specification/ installation and further optional extras. Packages are only available with a binding order of a new vehicle.
All weight indications are approximate values. The fitting of optional extras will increase the vehicle's weight and reduce the maximum user payload.

Globebus Active

Low Profile | A Class

Highlights

Facts*	
Maximum authorised weight	3,499 – 4,250 kg
Length	599 – 678 cm
Width	215 cm
Height	262 cm
Chassis type	Low platform
Sleeping berths	4
Basic engine	2.3 MJET
	96 kW / 130 BHP

* Maximum values are not possible for some layouts or only available in conj. with optional extras.

A Class

Globebus Active Added Value

+ Standard with extensive Active equipment see page 8
+ Compact and agile for city tours and narrow streets
+ Unbeatable price/performance ratio

Standard UK specification which is above standard European specification*

- Right hand drive chassis
- Full UK specification incl. UK gas and UK electrics
- Truma Combi E 6 gas heating with integrated 10 l boiler
- Large fridge
- Oven with grill
- Insulated waste water tank
- Smoke detector
- Lounge to bed convert
- Bed convert single beds to double bed
- Carpets for cab and living room

* Please note: From technical point of view there are components which are not possible for some of model types and layouts.

Standard specification

Chassis / Base vehicle

- Fiat Ducato with Common-Rail-Turbo diesel technology, MultiJet direct injection and Euro 5+ engine
- Front wheel drive
- Steel wheels 16“
- ABS/ EBD
- ESP
- ASR
- Hill Holder, Hill Descent Control
- Fiat low platform
- Comfortable driving experience with axle stabilisers
- Chassis with stronger suspension springs for automotive driving comfort
- Disc brakes
- Large fuel tank (90l)
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- Wider tyres, anti-theft device and revolution counter
- Dethleffs emblem for the motorhome front
- Day-time-running lights integrated into the headlights (Low profile)
- LED day-time-running lights integrated into the bumper (A Class)
- Panoramic safety glass windscreen (A Class)
- Central locking cab with Fiat original remote control (not for A Class)
- Driver airbag
- Electrical window lift (for A Class only in conj. with the optional cab door)
- Electr.and heated mirrors (A Class)
- Break-down kit

Conversion

- Insulation with expanded Polystyrene (EPS)
- GRP roof (glass fibre reinforced plastic) for optimal protection
- Floor thickness: 41mm; sidewall/ roof thickness: 34mm
- Smooth sides in Aluminium White
- Modern rear moulding with energy saving LED rear lights
- Access locker doors with catch locks
- Opening insulating windows with blinds and flyscreens
- Clear glass Mini Heki with blind and flyscreen
- Cab blinds for best insulation and privacy protection (A Class)
- Electrical entrance step
- Flyscreen door
- Waste bin
- Dethleffs Pilote seat GIS-Liner by Aguti with height/inclination adjustment and two upholstered armrests (A Class)
- High-quality Pilote seats „Captain Chair“ with height/inclination adjustment, integrated head rest, improved lateral support, double arm rest and comfortable seat position (Low Profile)
- Swivel driver and passenger seats
- Height-adjustment for headrests for seating lounge in car optic
- Pull-down bed (A Class)
- Mud flaps rear
- Repair-friendly, two-piece A Class front with integrated LED day-time-running lights

On-board technology/Installations

- Gas bottle locker for 2 x 11kg bottles
- Powerful 95 Ah AGM leisure battery
- Starter and leisure battery with automatic switch-over (also for fridge)
- Electrical charging device for leisure and starter batteries 12V/ 18A
- CEE 230V external socket with safety device
- Powerful Truma Combi 6 gas heating with integrated 10l boiler
- Powerful submerged water pump
- Warm water supply with mixer tap
- On-board control panel with Luxury design
- Wardrobe illumination with LED light
- Awning light
- ELCB (earth leakage circuit breaker)

Kitchen

- Spacious kitchen with 3-burner hob cooker, sink with glass cover and electrical ignition
- Sink and hob in stainless steel
- Fridge with freezer compartment, convex door and auto energy selection (AES) (not for T/I1)
- Spacious drawers on smooth steel runners
- Kitchen overhead locker with illuminated plinth
- LED kitchen illumination

Bathroom

- Rotating bathroom for optimal use of space (depending on layout)
- Cassette toilet with swivel seat or a fixed toilet (depending on layout). Each with electronic flush.
- High-gloss wash bowl with frame in dark Marble optic
- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- LED illumination for the bathroom
- Different bathroom concepts depending on layout, basically available is the shower cubicle with waterproof plastic sidewalls and door.

Living area

- High-quality furniture finished in sturdy plywood and locker doors made of MDF (medium density fibreboard)
- Space saving overhead locker concept with installation channel
- Fixed beds with wooden slatted frame and 7-zones EvoPoreHRC Premium mattress with climate regulating material
- Pull-down bed with wooden slatted frame and 7-zones EvoPoreHRC Premium mattress with climate regulating material
- AirPlus ventilation system - for an optimised ventilation of the interior to reduce condensation
- Flatscreen pre-wiring
- Fabric covered wardrobe (depending on layout)

Interior

- Wood décor: Calva Apple
- Soft furnishing design: Solana or Namib

Low Profile



GLOBEBUS ACTIVE		T 1	T 2	T 4	T 11	T 15
Length	cm	599	599	678	633	633
Width	cm	215	215	215	215	215
Height	cm	262	262	262	262	262
Internal height	cm	190	190	190	190	190
Towing weight 12% braked/ unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	345	380	345	345
Beds pull-down/ overcab	cm	-	-	-	-	-
Bed mid	cm	160x90/75	160x90/75	160x90/75	160x90/75	160x90/75
Bed rear	cn	190x140/135	205x130/95	210x80 205x70	190x165/160	190x155/145
Alternative	cm	-	-	190x210/155	-	-
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)	96 (130)
Chassis type		Low platform	Low platform	Low platform	Low platform	Low platform
Weight net	kg	2499	2569	2646	2636	2661
Mass in running order (MIRO)	kg	2689*	2759*	2835*	2826*	2851*
Payload	kg	810	740	664	673	648
Maximum authorised weight	kg	3499	3499	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	90 / 8	90 / 8	100 / 9	90 / 9	160 / 30
Water tank incl. boiler (red. volume)	l	114 (20)	114 (20)	114 (20)	114 (20)	114 (20)
Waste water tank volume	l	90	90	90	90	90
Standard swivel seat for driver/ passenger		Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V	4 / 2	4 / 2	4 / 2	4 / 2	5 / 2

* including Active equipment

A Class



GLOBEBUS ACTIVE		I 1	I 2	I 4	I 11	I 15
Length	cm	600	600	675	630	630
Width	cm	215	215	215	215	215
Height	cm	262	262	262	262	262
Internal height	cm	190	190	190	190	190
Towing weight 12% braked/ unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	345	380	345	345
Beds pull-down/ overcab	cm	180x150/135	180x150/135	180x150/135	180x150/135	180x150/135
Bed mid	cm	-	-	-	-	-
Bed rear	cn	190x140/135	205x130/95	210x80 205x70	190x165/160	190x155/145
Alternative	cm	-	-	195x210/155	-	-
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)	96 (130)
Chassis type		Low platform	Low platform	Low platform	Low platform	Low platform
Weight net	kg	2556	2616	2692	2726	2748
Mass in running order (MIRO)	kg	2746*	2806*	2882*	2913*	2938*
Payload	kg	753	693	617	586	561
Maximum authorised weight	kg	3499	3499	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	90 / 8	90 / 8	100 / 9	90 / 9	160 / 30
Water tank incl. boiler (red. volume)	l	114 (20)	114 (20)	114 (20)	114 (20)	114 (20)
Waste water tank volume	l	90	90	90	90	90
Standard swivel seat for driver/ passenger		Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V	4 / 2	4 / 2	4 / 2	4 / 2	5 / 2

* including Active equipment

Packages

GLOBEBUS ACTIVE equipment	ca. 70 kg	ca. 133 kg	ca. 140 kg	ca. 77 kg	ca. 140 kg	ca. 147 kg
Package components	T 1	T 2	T 4, T 11, T 15	I 1	I 2	I 4, I 11, I 15
Engine MultiJet 2.3 JTD (130 BHP)	✓	✓	✓	✓	✓	✓
Drop chassis extension (garage)	–	✓	✓	–	✓	✓
2nd access locker door	–	–	✓	–	–	✓
LED day-time-running light	✓	✓	✓	–	–	–
Electr. & heated mirrors	✓	✓	✓	⦿	⦿	⦿
Automatic air conditioning	✓	✓	✓	✓	✓	✓
Cruise control	✓	✓	✓	✓	✓	✓
Passenger airbag	✓	✓	✓	✓	✓	✓
Driver airbag	⦿	⦿	⦿	✓	✓	✓
Wheel trims	✓	✓	✓	✓	✓	✓
Radio pre-wiring with Sound package	✓	✓	✓	✓	✓	✓
Midi Heki	✓	✓	✓	–	–	–
Heki III	–	–	–	✓	✓	✓
Cab blinds	✓	✓	✓	⦿	⦿	⦿
On-board Control Panel Luxus	✓	✓	✓	✓	✓	✓
Indirect illumination	✓	✓	✓	✓	✓	✓
Cab door N/S	–	–	–	✓	✓	✓
Window in T-hood	✓	✓	✓	–	–	–

Active Plus Package		
Package components	Low Profile	A Class
Flush fitting windows	✓	✓
Roof rails with high-level rear moulding (Please consider other roof equipment)	✓	✓
Cab entrance step	✓	–

✓ included ⦿ Standard specification – not included

Dethleffs world of colours

For the GLOBEBUS ACTIVE range you can choose from the following colour combinations (some at extra charge).

Low Profile

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	**Code**	**standard**	**option** 5338
Imperialblue	**Code**	**standard** 5426	**option** 6205

A Class

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	**Code**	**standard**	**option** 1665

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

Optional Extras

	Additional weight (kg)	Code	Low Profile	A Class
Chassis/Base vehicle				
Fiat Ducato MultiJet 150 Light (2.3 l/148 BHP)	u.r.	0	○	–
Fiat Ducato MultiJet 150 Light (2.3 l/148 BHP)	u.r.	0	–	○
Fiat Ducato MultiJet 180 Light (3.0 l/177 BHP)	50	0	–	○
Fiat Ducato MultiJet 180 Light (3.0 l/177 BHP)	50	0	○	–
Fiat Ducato MultiJet 130 Maxi (2.3 l/130 BHP)	50	0	–	○
Fiat Ducato MultiJet 150 Maxi (2.3 l/148 BHP)	50	0	–	○
Fiat Ducato MultiJet 180 Maxi (3.0 l/177 BHP)	100	0	–	○
Alloy wheels 16"	0	8045	○	○
Tow bar	35	273	○	○
Cab dash in silver/black line optics	1	1881	○	○
Weight upgrade to 3850 kg	0	808	○	○
Cab insulating mat large	13	427	○	○
Cab insulating mats for windscreen and side windows	9	934	○	○
Seat heating and lumbar support/ pump for Pilote seat	2	6461	○	–
Seat heating and lumbar support/ pump for Pilote seat	2	1659	–	○
Mud flaps front	2	298	○	○
Fog lights	1	296	–	○
Rear corner steadies	6	390	○	○
Reinforced spring for front axle	0	1889	–	○
Automated gearbox (6 gears)	17	11	○	○
Bodywork exterior				
Roof rails with high-level rear moulding (Please consider other roof equipment)	10	418	○	○
Roof ladder + cross elements for railing	16	1754	○	○
Midi Heki	8	246	–	○
Bicycle rack for 3 cycles	9	938	○	○
Bicycle rack for 4 cycles	10	815	○	○
Bicycle rack lowerable for GRP rear	10	7482	○	○
Flush fitting windows	5	415	○	○
Additional window in bathroom	5	372	○	○
XPS insulation	u.r.	1966	○	○
Awning (different lengths available). Your local dealer will assist you with more information.	u.r.	1646	○	○
Cab entrance step	4	315	○	–
Bodywork interior				
Fire extinguisher 2 kg	3.5	1878	○	○
Floor compartment	3.5	1985	○	○
Safe mounted	12.5	323	○	○
Furniture				
Wardrobe instead bench	0	271	○	○
Electrical operation for pull-down bed	5	1683	–	○
Free-standing table (lowerable) (in conj. with option 339)	8	1870	○	–
Soft furnishing				
Cuddle package	3	1590	○	○
Electrics/Installation				
2nd leisure battery 95 Ah	27	830	○	○
LED illumination package	0	1661	–	○
Solar system	15	922	○	○
Gas installation				
Exterior socket for gas 30mbar	1	878	○	○
Switch over system Duo Control CS	13	1577	○	○
Water supply/Installation				
Exterior shower (cold water)	1	793	○	○
Pressure water pump	2	736	○	○
Switch for water pump	1	397	○	○

	Additional weight (kg)	Code	Low Profile	A Class
Heating/Air conditioning				
Heating: Webasto additional heating	7	517	○	○
Floor heating (electrical)	9	763	○	○
Roof air conditioning Truma Aventa Comfort	34	609	○	○
Kitchen				
Large fridge with separated freezer compartment	25	651	–	○
Fridge vent	1	282	○	○
Extractor fan (circulating air)	2	344	○	○
Bathroom				
Shower wooden grid	1,5	1657	○	○
Multimedia systems				
Flatscreen 19"	3	1896	○	○
Flatscreen bracket	3	325	○	–
Pre-wiring (navigation to TV cabinet)	2	1945	○	○
Pre-wiring reversing cam	2	277	○	○
DVD radio Moniceiver	3	1644	○	○
RDS/ CD Pioneer	2	1639	○	○
SAT system Flatsat Easy Classic 65	13	1741	○	○
SAT system Flatsat Easy Classic 65 Twin	13	7670	○	○
SAT system Flatsat Easy 85	21	7671	○	○
SAT system Flatsat Easy 85 Twin	15	1637	○	○
Navigation module (only in conj. with moniceiver)	2	1643	○	○
Top View 360°	6	7173	○	○
Reversing cam CARATEC coloured single cam without display	2	1642	○	○
Reversing cam CARATEC coloured twin cam without display	2	1641	○	○
Coloured display for reversing cam	2	1640	○	○
Misc				
Registration documents	u.r.	0	◆	◆

– not available u.r. upon request ○ option ◆ mandatory

Trend

Low Profile | Coachbuilt

Highlights

Facts*	
Maximum authorised weight	3,499 – 3,850 kg
Length	653 – 741 cm
Width	233 cm
Height	267 – 312 cm
Chassis type	Ladder frame / Low platform
Sleeping berths	3 – 6
Basic engine	2.3 MJET
	96 kW / 130 BHP

* Maximum values are not possible for some layouts or only available in conj. with optional extras.



Trend T

option

option

LIFETIME SMART

Trend Added Value

+ Rot-free Lifetime Smart floor construction
+ Optional, electrical pull-down bed
+ Two modern interior designs
+ Large rear garages up to 115cm of height
+ 49mm floor thickness with best insulation values
+ High payload at 3.5 t
+ 70cm wide living door
+ 142l fridge

Standard UK specification which is above standard European specification*

- Right hand drive chassis
- 2.3 l MultiJet 96 (130 BHP)
- LED day-time-running light
- Cab air conditioning
- Cruise control
- Driver and passanger airbag
- Wheel trims
- Radio pre-wiring with Sound package
- Mini Heki
- Awning light
- Flyscreen door
- Cab blinds
- 2nd access locker door
- Midi Heki / Heki III
- Habitation door with window and central locking (T)
- Window in T-hood
- Insulated waste water tank
- Indirect illumination
- Full UK specification incl. UK gas and UK electrics
- TRUMA Combi 6 E heating with integrated 10 l boiler
- Smoke detector
- Oven with grill
- Lounge convert to bed
- L-shaped lounge with free-standing table
- Safety package incl. additional safety belts against driving direction (Coachbuilt)
- Carpets for cab and living room

* Please note: From technical point of view there are components which are not possible for some of model types and layouts.

Standard specification

Chassis / Base vehicle

- Fiat Ducato with Common-Rail-Turbo diesel technology, MultiJet direct injection and Euro 5+ engine
- Front wheel drive
- Steel wheels 16“
- ABS/ EBD
- ESP
- ASR
- Hill Holder, Hill Descent Control
- Fiat low platform
- Broad gauge chassis rear axle
- Comfortable driving experience with axle stabilisers
- Chassis with stronger suspension springs for automotive driving comfort
- Disc brakes
- Large fuel tank (90l)
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- Wider tyres, anti-theft device and revolution counter
- Dethleffs emblem for the motorhome front
- Day-time-running lights integrated into the headlights
- Central locking cab with Fiat original remote control
- Driver airbag
- Electrical window lift
- Break-down kit

Conversion

- Insulation with expanded Polystyrene (EPS) (for sidewalls and roof only)
- Resistant to rot LifeTime Smart conversion concept (see page 2)
- GRP roof (glass fibre reinforced plastic) for optimal protection
- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Smooth sides in Aluminium White
- Rear moulding with modern Dethleffs optic and 3rd brake light
- Rear garage with drop chassis extension
- 2nd garage door N/S
- Access locker doors with catch locks
- Opening insulating windows with blinds and flyscreens
- Window for Overcab O/S (Coachbuilt)
- Roof hood in clear glass with flyscreen (Coachbuilt)
- Clear glass Mini Heki with blind and flyscreen
- Electrcial entrance step
- Extra wide living door (70cm) with interior trim and integrated waste bin
- Swivel driver and passenger seats (not for Coachbuilt)
- Height-adjustment for headrests for seating lounge in car optic
- Folding door between bathroom and sleeping room (depending on layout)
- Mud flaps rear

On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Powerful 95 Ah AGM leisure battery
- Starter and leisure battery with automatic switch-over (also for fridge)
- Electrical charging device for leisure and starter batteries 12V/ 18A
- 230 V outlet in garage
- CEE 230V external socket with safety device
- Powerful Truma Combi 6 gas heating with integrated 10l boiler
- Powerful submerged water pump
- Warm water supply with mixer tap
- On-board control panel with analogue display
- Wardrobe illumination with LED light
- ELCB (earth leakage circuit breaker)

Kitchen

- Dethleffs Gourmet kitchen centre with variable 3-split glass lid over the sink, 3-burner hob cooker for optimal use of the working surface
- Sink and hob in stainless steel
- Large fridge with separated freezer compartment and auto energy selection (AES)
- Spacious drawers with high-quality smooth steel runners and self-closing function

Bathroom

- Rotating bathroom for optimal use of space (depending on layout)
- Cassette toilet with swivel seat and electronic flush
- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- Intelligent washroom concept with 3-D bathroom (depending on layout)

Living area

- High-quality furniture finished in sturdy plywood and locker doors made of MDF (medium density fibreboard)
- Fixed beds with wooden slatted frame and 7-zones EvoPoreHRC Premium mattress with climate regulating material
- Overcab bed with 7-zones EvoPoreHRC Premium mattress with climate regulating material
- Children’s beds and Overcab bed with fall-out protection net and ladder
- Bunk bed loading upto 100kg
- AirPlus ventilation system - for an optimised ventilation of the interior to reduce condensation
- Flatscreen pre-wiring
- Wardrobe N/S and O/S next to the Kingsize bed (depending on layout)

Interior

- Wood décor: Virginia Oak
- Soft furnishing design: Unique or Sporty

Low Profile



TREND		T 6717	T 6757	T 7057 DBM	T 7057 EB
Length	cm	696	696	741	741
Width	cm	233	233	233	233
Height	cm	287	287	287	287
Internal height	cm	213	213	213	213
Towing weight 12% braked/ unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	380	404	404	404
Beds pull-down/ overcab	cm	200x140/125*	200x100*	200x140/125*	200x140/125*
Bed mid	cm	170x105/75	160x105/75	210x125/80	210x125/80
Bed rear	cn	200x80 / 190x80	185x150	190x150	210x80 / 205x80
Alternative	cm	2150x200/185	-	-	215x210/205
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)
Chassis type		Low platform	Low platform	Low platform	Low platform
Weight net	kg	2731	2731	2806	2806
Mass in running order (MIRO)	kg	2926	2926	3001	3001
Payload	kg	573	573	498	498
Maximum authorised weight	kg	3499	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4(5)**	4(5)**
Designated passenger seats (max. weight upgrade)		4	4	5**	5**
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	120 (20)	120 (20)	120 (20)	120 (20)
Waste water tank volume	l	90	90	90	90
Standard swivel seat for driver/ passenger		Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V	5 / 2	5 / 2	5 / 2	5 / 2

* only in conj. with optional pull-down bed
** only in conj. with optional 5th seat

Coachbuilt



TREND			A 5887	A 6977
Length		cm	653	708
Width		cm	233	233
Height		cm	312	312
Internal height		cm	198	198
Towing weight 12% braked/ unbraked		kg	2000 / 750	2000 / 750
Tyres			225/75R 16C	225/75R 16C
Wheel base		cm	345	404
Beds pull-down/ overcab		cm	210x165	210x165
	Bed mid	cm	185x130	185x130
	Bed rear	cn	210x85/200x80	210x150/140
	Alternative	cm	-	-
Basic engine			2,3 MJET	2,3 MJET
kW (BHP)			96 (130)	96 (130)
Chassis type			Ladder frame	Ladder frame
Weight net		kg	2750*	2820*
Mass in running order (MIRO)		kg	2945*	3015*
Payload		kg	905	835
Maximum authorised weight		kg	3850	3850
Designated passenger seats (standard weight)			6	6
Designated passenger seats (max. weight upgrade)			6	6
Heating			Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment		l	142 / 15	142 / 15
Water tank incl. boiler (red. volume)		l	107 (20)	107 (20)
Waste water tank volume		l	90	90
Standard swivel seat for driver/ passenger			No / No	No / No
Battery/ charging device		Ah/A	95 / 18	95 / 18
Power outlets		230V/12V	4 / 2	4 / 2

Coming soon!

* estimated weight indicators. Values were not available at printing date.

Dethleffs world of colours

For the TREND range you can choose from the following colour combinations (some at extra charge).

Low Profile

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	**Code**	**standard**	**option** 5338

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

Optional Extras

	Additional weight (kg)	Code	Low Profile	Coachbuilt
Chassis/Base vehicle				
Fiat Ducato MultiJet 150 Light (2.3 l/148 BHP)	15	0	○	○
Fiat Ducato MultiJet 150 Light (2.3 l/148 BHP)	15	0	○	○
Fiat Ducato MultiJet 180 Light (3.0 l/177 BHP)	65	0	○	○
Fiat Ducato MultiJet 180 Light (3.0 l/177 BHP)	65	0	○	○
Fiat Ducato MultiJet 130 Maxi (2.3 l/130 BHP)	65	0	○	–
Fiat Ducato MultiJet 150 Maxi (2.3 l/148 BHP)	65	0	○	–
Fiat Ducato MultiJet 180 Maxi (3.0 l/177 BHP)	115	0	○	–
Alloy wheels 16"	0	8045	○	○
LED day-time-running lights	0	7479	○	○
Tow bar	35	273	○	○
Weight upgrade to 3850 kg	0	808	○	–
Additional seat	11	435	○	–
Mud flaps front	2	298	○	○
Rear corner steadies	6	390	○	○
Automated gearbox (6 gears)	17	11	○	○
Bodywork exterior				
Midi Heki	8	246	–	○
Bicycle rack for 3 cycles	9	938	○	○
Bicycle rack for 4 cycles	10	815	○	○
Bicycle rack lowerable for GRP rear	10	7482	○	○
Flush fitting windows	5	415	○	○
Additional window in bathroom	5	372	○	○
XPS insulation	u.r.	1966	○	○
Central locking	2	393	○	–
Awning (different lengths available). Your local dealer will assist you with more information.	u.r.	1646	○	○
Bodywork interior				
Fire extinguisher 2 kg	3.5	1878	○	○
Furniture				
Fold-away Overcab bed	2	281	–	○
Electrical pull-down bed in cab	u.r.	680	○	–
Flexible seat for seating lounge incl. space for storage (T 6717 only)	u.r.	1825	○	–
Bed convert for seating lounge	u.r.	1944	○	–
Isofix - child seat preparation (available from January 2016)	5	8125	○	○
Bed convert single beds to double bed	9	1883	○	–
Soft furnishing				
Cuddle package	3	1590	○	○
Electrics/Installation				
2nd leisure battery 95 Ah	27	830	○	○
LED illumination package	0	1661	○	○
Solar system	15	922	○	○
Gas installation				
Exterior socket for gas 30mbar	1	878	○	○
Switch over system Duo Control CS	13	1577	○	○
Water supply/Installation				
Exterior shower (cold water)	1	793	○	○
Pressure water pump	2	736	○	○
Switch for water pump	1	397	○	○
Heating/Air conditioning				
Heating: ALDE warm water	30 - 50	761	○	○
ALDE warm water heating for cab (only in conj. with ALDE heating - not in conj. with cab carpet)	10	6709	○	○
Additional pump 230 V for ALDE heating	1	314	○	–
ALDE heat exchanger	7	565	○	–
ALDE warm water floor heating (only in conj. with ALDE heating)	10	1603	○	–

	Additional weight (kg)	Code	Low Profile	Coachbuilt
Heating/Air conditioning				
Floor heating (electrical)	9	763	○	○
Kitchen				
Fridge vent	1	282	○	○
Extractor fan (circulating air)	2	344	○	○
Multimedia systems				
Flatscreen 19"	3	1896	○	○
Flatscreen bracket	3	325	○	○
Pre-wiring (navigation to TV cabinet)	2	1945	○	○
Pre-wiring reversing cam	2	277	○	○
DVD radio Moniceiver	3	1644	○	○
RDS/ CD Pioneer	2	1639	○	○
SAT system Flatsat Easy Classic 65	13	1741	○	○
SAT system Flatsat Easy Classic 65 Twin	13	7670	○	○
SAT system Flatsat Easy 85	21	7671	○	○
SAT system Flatsat Easy 85 Twin	15	1637	○	○
Navigation module (only in conj. with moniceiver)	2	1643	○	○
Reversing cam CARATEC coloured single cam without display	2	1642	○	○
Coloured display for reversing cam	2	1640	○	○
Misc				
Registration documents	u.r.	0	◆	◆

– not available ○ option u.r. upon request ◆ mandatory

Advantage

Low Profile | A Class

Highlights

Facts*	
Maximum authorised weight	3,499 – 4,250 kg
Length	637 – 740 cm
Width	233 cm
Height	276 cm
Chassis type	Low platform
Sleeping berths	3 – 4
Basic engine	2.3 MJET
	96 kW / 130 BHP

* Maximum values are not possible for some layouts or only available in conj. with optional extras.



depending on layout

A Class

LIFETIME PLUS

Advantage Added Value

+ Easy entrance thanks to electrical entrance step and 70 cm wide door
+ More payload thanks to lightweight construction
+ Integral rear lights with integrated LED strip
+ Kitchen with practical extension of working surface

Standard UK specification which is above standard European specification*

- Right hand drive chassis
- 2.3 l MultiJet 96 (130 BHP)
- LED day-time-running light
- Cab air conditioning
- Cruise control
- Driver and passenger airbag
- Wheel trims
- Radio pre-wiring with Sound package
- Cab door N/S for A Class
- Cab blinds
- Midi Heki/Heki III
- Habitation door with window and central locking
- Window in T-hood
- Alternative on-board control
- Insulated waste water tank
- Indirect illumination
- Full UK specification incl. UK gas and UK electrics
- TRUMA Combi 6 E heating with integrated 10 l boiler
- Smoke detector
- Oven with grill
- Illuminated plinth
- TV bracket
- Lounge convert to bed
- L-shaped lounge with free-standing table
- Bed convert single beds to double bed
- Carpets for the cab and for the living room

* Please note: From technical point of view there are components which are not possible for some of model types and layouts.

Standard specification

Chassis / Base vehicle

- Fiat Ducato with Common-Rail-Turbo diesel technology, MultiJet direct injection and Euro 5+ engine
- Front wheel drive
- Steel wheels 16“
- ABS/ EBD
- ESP
- ASR
- Hill Holder, Hill Descent Control
- Fiat low platform
- Broad gauge chassis rear axle
- Chassis with stronger suspension springs for automotive driving comfort
- Large fuel tank (90l)
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- Wider tyres, anti-theft device and revolution counter
- Day-time-running lights integrated into the headlights
- Panoramic safety glass windscreen (A Class)
- Central locking cab with Fiat original remote control (not for A Class)
- Break-down kit

Conversion

- Resistant to rot LifeTime Plus conversion construction (see page 2)
- GRP roof (glass fibre reinforced plastic) for optimal protection
- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Smooth sides in Aluminium White
- New, automotive rear lights incl. LED night driving light and multi-part body support
- 2nd garage door N/S
- Rear garage with drop chassis extension incl. fixing loops and robust GRP anti-slip cover
- Opening insulating windows with blinds and flyscreens
- Clear glass Mini Heki with blind and flyscreen
- Cab blinds for best insulation and privacy protection (A Class)
- Electrical entrance step
- Extra wide living door (70cm) with interior trim and stylistic surround of the flyscreen door and waste bin
- Dethleffs Pilote seat GIS-Liner by Aguti with height/inclination adjustment and two upholstered armrests (A Class)
- High-quality Pilote seats „Captain Chair“ with height/inclination adjustment, integrated head rest, improved lateral support, double arm rest and comfortable seat position (Low Profile)
- Swivel driver and passenger seats
- Height-adjustment for headrests for seating lounge in car optic
- Pull-down bed (A Class)
- Mud flaps rear
- Repair-friendly, one-piece A Class front

On-board technology / Installations

- Gas bottle locker with easy pull-out function for quick change of the gas bottles (2x11 kg)
- Powerful 95 Ah AGM leisure battery
- Starter and leisure battery with automatic switch-over (also for fridge)
- 230 V outlet in garage
- 2 USB ports (seating lounge and sleeping room)
- Powerful Truma Combi 6 gas heating with integrated 10l boiler
- Powerful submerged water pump
- Warm water supply with mixer tap
- LED illumination for the interior
- Illuminated plinth over the door
- Awning light
- ELCB (earth leakage circuit breaker)

Kitchen

- Innovative Dethleffs kitchen centre with variable 3-split glass lid over the cooker, 3-burner hob cooker with electrical ignition and clever drawers with integrated working surface enlargement
- Sink and hob in stainless steel
- Large fridge with separated freezer compartment and auto energy selection (AES)
- Spacious drawers with high-quality smooth steel runners and self-closing function
- LED kitchen illumination
- Height-adjustable racks for kitchen overhead lockers
- Spice rack in kitchen backwall

Bathroom

- Rotating bathroom for optimal use of space (depending on layout)
- Cassette toilet with swivel seat or a fixed toilet (depending on layout). Each with electronic flush.
- High-gloss wash bowl with frame in dark Marble optic
- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- Bathroom doors in very robust finish with homelike door handle (T/I 7051)
- Intelligent washroom concept with 3-D bathroom (depending on layout)

Living area

- New, innovative light-weight furniture technology with pleasant shapes and bi-colour décor elements
- Overhead lockers throughout with doors in the rear (depending on layout)
- Space saving overhead locker concept with installation channel and indirect illumination
- Fixed beds with wooden slatted frame and 7-zones EvoPoreHRC Premium mattress with climate regulating material
- Pull-down bed with wooden slatted frame and 7-zones EvoPoreHRC Premium mattress with climate regulating material
- AirPlus ventilation system - for an optimised ventilation of the interior to reduce condensation
- Flatscreen pre-wiring
- Fabric covered wardrobe (depending on layout)
- Wardrobe N/S and O/S next to the Kingsize bed (depending on layout)
- Seating lounge with shapely cushions; length: 125cm at least (not for T/I 5901)

Interior

- Wood décor: Noce Solista
- Soft furnishing design: Chevron or Baku

Low Profile



ADVANTAGE		T 5901	T 6601	T 6611	T 6651	T 6671	T 7051 DBM	T 7051 EB
Length	cm	640	695	695	699	695	740	740
Width	cm	233	233	233	233	233	233	233
Height	cm	276	276	276	276	276	276	276
Internal height	cm	198	198	198	198	198	198	198
Towing weight 12% braked/ unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	380	380	380	380	380	404	404
Beds pull-down/ overcab	cm	-	-	-	-	-	-	-
Bed mid	cm	170x100/75	210x120/70	175x100/75	155x100/75	210x120/70	210x120/55	210x120/55
Bed rear	cn	200x130/95	200x140/125	210x80 / 200x80	190X150	210x150	200x150	2x(210x80)
Alternative	cm	-	-	200/160x210	-	-	-	210/175x210
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)	96 (130)	96 (130)	96 (130)
Chassis type		Low platform	Low platform	Low platform	Low platform	Low platform	Low platform	Low platform
Weight net	kg	2625	2685	2694	2700	2685	2755	2764
Mass in running order (MIRO)	kg	2820	2880	2889	2895	2880	2950	2959
Payload	kg	679	619	610	604	619	549	540
Maximum authorised weight	kg	3499	3499	3499	3499	3499	3499	3499
Designated passenger seats (standard weight)		4	4(5)*	4	4	4(5)*	4	4
Designated passenger seats (max. weight upgrade)		4	5*	4	4	5*	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	125 (20)	125 (20)	125 (20)	125 (20)	125 (20)	125 (20)	125 (20)
Waste water tank volume	l	90	90	90	90	90	90	90
Standard swivel seat for driver/ passenger		Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V	6 / 3	6 / 3	7 / 3	6 / 3	7 / 3	6 / 3	6 / 3

* only in conj. with optional 5th seat

A Class



ADVANTAGE		I 5901	I 6601	I 6611	I 6651	I 6671	I 7051 DBM	I 7051 EB
Length	cm	637	692	692	696	692	737	737
Width	cm	233	233	233	233	233	233	233
Height	cm	276	276	276	276	276	276	276
Internal height	cm	198	198	198	198	198	198	198
Towing weight 12% braked/ unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	380	380	380	380	380	404	404
Beds pull-down/ overcab	cm	195x150/135	195x150/135	195x150/135	195x150/135	195x150/135	195x150/135	195x150/135
Bed mid	cm	-	-	-	-	-	-	-
Bed rear	cn	200x130/95	200x140/125	210x80 / 200x80	190x150/105	210x150	200x150	2x(210x80)
Alternative	cm	-	-	200/160x210	-	-	-	210/175x210
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)	96 (130)	96 (130)	96 (130)
Chassis type		Low platform	Low platform	Low platform	Low platform	Low platform	Low platform	Low platform
Weight net	kg	2758	2837	2781	2852	2837	2897	2906
Mass in running order (MIRO)	kg	2953	3032	3041	3047	3032	3092	3101
Payload	kg	897	818	809	803	818	758	749
Maximum authorised weight	kg	3850	3850	3850	3850	3850	3850	3850
Designated passenger seats (standard weight)		4	4(5)*	4	4	4(5)*	4	4
Designated passenger seats (max. weight upgrade)		4	5*	4	4	5*	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	125 (20)	125 (20)	125 (20)	125 (20)	125 (20)	125 (20)	125 (20)
Waste water tank volume	l	90	90	90	90	90	90	90
Standard swivel seat for driver/ passenger		Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V	6 / 3	6 / 3	7 / 3	6 / 3	7 / 3	6 / 3	6 / 3

* only in conj. with optional 5th seat

Dethleffs world of colours

For the ADVANTAGE range you can choose from the following colour combinations (some at extra charge).

Low Profile

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	**Code**	**standard**	**option** 5338
Silver	**Code**	–	**option** 8092

A Class

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	**Code**	**standard**	**option** 1665

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

THULE

Optional Extras

	Additional weight (kg)	Code	Low Profile	A Class
Chassis/Base vehicle				
Fiat Ducato MultiJet 150 Light (2.3 l/148 BHP)	15	0	○	○
Fiat Ducato MultiJet 150 Light (2.3 l/148 BHP)	15	0	○	–
Fiat Ducato MultiJet 180 Light (3.0 l/177 BHP)	65	0	○	–
Fiat Ducato MultiJet 180 Light (3.0 l/177 BHP)	65	0	○	○
Fiat Ducato MultiJet 130 Maxi (2.3 l/130 BHP)	65	0	○	○
Fiat Ducato MultiJet 150 Maxi (2.3 l/148 BHP)	65	0	○	○
Fiat Ducato MultiJet 180 Maxi (3.0 l/177 BHP)	115	0	○	○
Alloy wheels 16"	0	8045	○	○
Tow bar	35	273	○	○
Cab dash in silver/black line optics	1	1881	○	○
Weight upgrade to 3850 kg	0	808	○	–
Cab insulating mat large	13	427	○	○
Cab insulating mats for windscreen and side windows	9	934	○	○
Seat heating and lumbar support/ pump for Pilote seat	2	6461	○	–
Seat heating and lumbar support/ pump for Pilote seat	2	1659	–	○
Additional seat	11	435	○	○
Mud flaps front	2	298	○	○
Rear corner steadies	6	390	○	○
Reinforced spring for front axle	0	1889	–	○
Automated gearbox (6 gears)	17	11	○	○
Bodywork exterior				
Midi Heki	8	246	–	○
Bicycle rack for 3 cycles	9	938	○	○
Bicycle rack for 4 cycles	10	815	○	○
Bicycle rack lowerable for GRP rear	10	7482	○	○
Flush fitting windows	5	415	○	○
Additional window in bathroom	5	372	○	○
Central locking	2	393	○	–
Awning (different lengths available). Your local dealer will assist you with more information.	u.r.	1646	○	○
Bodywork interior				
Fire extinguisher 2 kg	3.5	1878	○	○
Floor compartment	3.5	1985	○	○
Safe mounted	12.5	323	○	○
Furniture				
Electrical operation for pull-down bed	5	1683	–	○
Bed convert for seating lounge	u.r.	1944	○	–
Bed convert single beds to double bed	9	1883	○	–
High-level bed	5	652	○	○
Mid-level bed	5	7757	○	○
Soft furnishing				
Alternative wood décor Lorraine Walnut	u.r.	7315	○	○
Muscat (only in conj. with Lorraine Walnut)	u.r.	7846	○	○
Namib (only in conj. with Lorraine Walnut)	u.r.	7545	○	○
Cuddle package	3	1590	○	○
7-zones EvoPoreHRC mattress with gel inlay for double bed	4	8223	○	○
7-zones EvoPoreHRC mattress with gel inlay for single bed (right)	2	8225	○	○
7-zones EvoPoreHRC mattress with gel inlay for single bed (left)	2	8224	○	○
Electrics/Installation				
2nd leisure battery 95 Ah	27	830	○	○
Solar system	15	922	○	○
Gas installation				
Exterior socket for gas 30mbar	1	878	○	○
Switch over system Duo Control CS	13	1577	○	○

	Additional weight (kg)	Code	Low Profile	A Class
Water supply/Installation				
Exterior shower (cold water)	1	793	○	○
Pressure water pump	2	736	○	○
Switch for water pump	1	397	○	○
Heating/Air conditioning				
Heating: Webasto additional heating	7	517	○	○
Heating: ALDE warm water	30 - 50	761	○	○
ALDE warm water heating for cab (only in conj. with ALDE heating - not in conj. with cab carpet)	10	6709	○	○
Additional pump 230 V for ALDE heating	1	314	○	○
ALDE heat exchanger	7	565	○	○
ALDE warm water floor heating (only in conj. with ALDE heating)	10	1603	○	○
Floor heating (electrical)	9	763	○	○
Roof air conditioning Truma Aventa Comfort	34	609	○	○
Kitchen				
Fridge vent	1	282	○	○
Extractor fan (circulating air)	2	344	○	○
Bathroom				
Shower wooden grid	1,5	1657	○	○
Multimedia systems				
Flatscreen 19"	3	1896	○	○
Pre-wiring (navigation to TV cabinet)	2	1945	○	○
Pre-wiring reversing cam	2	277	○	○
DVD radio Moniceiver	3	1644	○	○
RDS/ CD Pioneer	2	1639	○	○
SAT system Flatsat Easy Classic 65	13	1741	○	○
SAT system Flatsat Easy Classic 65 Twin	13	7670	○	○
SAT system Flatsat Easy 85	21	7671	○	○
SAT system Flatsat Easy 85 Twin	15	1637	○	○
Navigation module (only in conj. with moniceiver)	2	1643	○	○
Top View 360°	6	7173	○	○
Reversing cam CARATEC coloured single cam without display	2	1642	○	○
Reversing cam CARATEC coloured twin cam without display	2	1641	○	○
Coloured display for reversing cam	2	1640	○	○
Misc				
Registration documents	u.r.	0	◆	◆

– not available ○ option u.r. upon request ◆ mandatory

Magic Edition

Low Profile | A Class | Low Profile with pull-down bed

Highlights

Facts*	
Maximum authorised weight	3,850 – 4,250 kg
Length	735 – 768 cm
Width	233 cm
Height	272 – 285 cm
Chassis type	AL-KO low platform / Low platform
Sleeping berths	3 – 5
Basic engine	2.3 MJET
	96 kW / 130 BHP

* Maximum values are not possible for some layouts or only available in conj. with optional extras.



T 7151-4

T 7151-4 / A Class

T 7151-4 / A Class

LIFETIME PLUS

Magic Edition Added Value

+ Two attractive motorhome designs
+ Noble living door design with LED illumination and flyscreen
+ Gourmet kitchen centre with large drawers, much working surface and 190 l fridge/ freezer combination
+ High payload capacity

Standard UK specification which is above standard European specification*

- Right hand drive chassis
- Insulated waste water tank
- Full UK specification incl. UK gas and UK electrics
- TRUMA Combi 6 E heating with integrated 10 l boiler
- Smoke detector
- Oven with grill
- LED light package
- Lounge convert to bed
- L-shaped lounge with free-standing table

* Please note: From technical point of view there are components which are not possible for some of model types and layouts.

Standard specification

Chassis / Base vehicle

- Fiat Ducato with Common-Rail-Turbo diesel technology, MultiJet direct injection and Euro 5+ engine
- Front wheel drive
- Steel wheels 16“
- ABS/ EBD
- ESP
- ASR
- Hill Holder, Hill Descent Control
- AL-KO low platform (for Magic Edition 4)
- Fiat low platform
- Broad gauge chassis rear axle
- Comfortable driving experience with axle stabilisers
- Chassis with stronger suspension springs for automotive driving comfort
- Disc brakes
- Large fuel tank (90l)
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- Wider tyres, anti-theft device and revolution counter
- Day-time-running lights integrated into the headlights
- LED day-time-running lights integrated into the bumper (A Class)
- Panoramic safety glass windscreen (A Class)
- Central locking cab with Fiat original remote control (not for A Class)
- Electrical window lift
- Break-down kit

Conversion

- Resistant to rot LifeTime Plus conversion construction (see page 2)
- GRP roof (glass fibre reinforced plastic) for optimal protection
- Floor thickness: 41mm; sidewall/ roof thickness: 34mm
- Smooth sides in Aluminium White
- 2nd garage door N/S
- Access locker doors with catch locks
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens
- Window for T-hood (Low Profile)
- Clear glass Mini Heki with blind and flyscreen
- Electrical entrance step
- Rounded Coupé entrance with step
- Flyscreen door
- Waste bin
- Dethleffs Pilote seat GIS-Liner by Aguti with height/inclination adjustment and two upholstered armrests (A Class)
- High-quality Pilote seats „Captain Chair“ with height/inclination adjustment, integrated head rest, improved lateral support, double arm rest and comfortable seat position (Low Profile)
- Swivel driver and passenger seats
- Height-adjustment for headrests for seating lounge in car optic
- Pull-down bed (A Class and T-4)
- Mud flaps rear

On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Powerful 95 Ah AGM leisure battery
- Starter and leisure battery with automatic switch-over (also for fridge)
- Electrical charging device for leisure and starter batteries 12V/ 18A
- 230 V outlet in garage
- CEE 230V external socket with safety device
- Powerful Truma Combi 6 gas heating with integrated 10l boiler
- Powerful submerged water pump
- Warm water supply with mixer tap
- Wardrobe illumination with LED light
- Illuminated plinth over the door
- Awning light
- ELCB (earth leakage circuit breaker)

Kitchen

- Dethleffs Gourmet kitchen centre with variable 3-split glass lid over the sink, 3-burner hob cooker for optimal use of the working surface
- Sink and hob in stainless steel
- Spacious drawers with high-quality smooth steel runners and self-closing function
- Kitchen overhead locker with illuminated plinth
- Height-adjustable shelves for kitchen overhead lockers

Bathroom

- Rotating bathroom for optimal use of space (not for Magic Edition T 7151-4)
- Cassette toilet with swivel seat and electronic flush
- High-gloss wash bowl with frame in dark Marble optic
- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- Modern 3-D bathroom (for Magic Edition T-4 only)

Living area

- New, innovative light-weight furniture technology with pleasant shapes and bi-colour décor elements
- Space saving overhead locker concept with an installation channel and indirect illumination (not for 7151-4)
- Fixed beds with wooden slatted frame and 7-zones EvoPoreHRC Premium mattress with climate regulating material
- Pull-down bed with wooden slatted frame and 7-zones EvoPoreHRC Premium mattress with climate regulating material
- Bar with glass bracket and high-quality Plexiglass door (not in conj.with the optional TEC Tower)
- Shoe bin in entrance area
- AirPlus ventilation system - for an optimised ventilation of the interior to reduce condensation
- Flatscreen pre-wiring
- Wardrobe N/S and O/S next to the Kingsize bed (depending on layout)
- Loundry drawer fold-away for the sleeping room (only T/I 1 DBM)

Interior

- Wood décor: Noce Padano
- Soft furnishing design:
  Fortessa (Magic Edition White) or
  Zamora real leather (Magic Edition Black)

Low Profile / Low Profile with pull-down bed



MAGIC EDITION		T 1 DBM	T 1 EB	T 7151-4 DBM	T 7151-4 EB
Length	cm	738	738	768	768
Width	cm	233	233	233	233
Height	cm	272	272	285	285
Internal height	cm	198	198	205	205
Towing weight 12% braked/ unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	404	404	460	460
Beds pull-down/ overcab	cm	-	-	195x140/100	195x140/100
Bed mid	cm	210x115/75	210x115/75	210x125/100	210x125/100
Bed rear	cn	200x150	2x(213x75)	200x150	2x (200x75)
Alternative	cm	-	210x215/210	-	210x210
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)
Chassis type		Low platform	Low platform	AL-KO low platform	AL-KO low platform
Weight net	kg	2815	2815	2917	2917
Mass in running order (MIRO)	kg	3010*	3010*	3107*	3107*
Payload	kg	840	840	743	743
Maximum authorised weight	kg	3850	3850	3850	3850
Designated passenger seats (standard weight)		4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	190 / 35	190 / 35	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	l	125 (20)	125 (20)	125 (20)	125 (20)
Waste water tank volume	l	90	90	93	93
Standard swivel seat for driver/ passenger		Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V	5 / 2	5 / 2	6 / 2	6 / 2

* authorised weights include the weight of White package

A Class



MAGIC EDITION		I 1 DBM	I 1 EB
Length	cm	735	735
Width	cm	233	233
Height	cm	272	272
Internal height	cm	198	198
Towing weight 12% braked/ unbraked	kg	2000 / 750	750 / 2000
Tyres		225/75R 16C	225/75R 16C
Wheel base	cm	404	404
Beds pull-down/ overcab	cm	195x150/136	195x150/135
Bed mid	cm	-	-
Bed rear	cn	200x150	210x215/210
Alternative	cm	-	-
Basic engine		2,3 MJET	2,3 MJET
kW (BHP)		96 (130)	96 (130)
Chassis type		Low platform	Low platform
Weight net	kg	2912	2912
Mass in running order (MIRO)	kg	3107*	3107*
Payload	kg	743	743
Maximum authorised weight	kg	3850	3850
Designated passenger seats (standard weight)		4	4
Designated passenger seats (max. weight upgrade)		4	4
Heating		Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	l	125 (20)	125 (20)
Waste water tank volume	l	90	90
Standard swivel seat for driver/ passenger		Yes / Yes	Yes / Yes
Battery/ charging device	Ah/A	95 / 18	95 / 18
Power outlets	230V/12V	5 / 2	5 / 2

* authorised weights include the weight of White package

Packages

MAGIC EDITION Package						
Package components	T-BLACK	T-WHITE	T4-BLACK	T4-WHITE	I-BLACK	I-WHITE
Fiat Ducato MultiJet 130 Light (2.3 l/130 BHP)	✓	✓	✓	✓	✓	✓
Alloy wheels 16"	✓	✓	✓	✓	✓	✓
Chassis black metallic	✓	–	✓	–	–	–
Drop chassis extension (garage)	✓	✓	✓	✓	✓	✓
Cab entrance step	✓	–	✓	–	–	–
Cab carpets	✓	–	✓	–	✓	–
Loose fitting carpets	✓	–	✓	–	✓	–
Cab blinds	✓	–	✓	–	◉	◉
Conversion: Titansilver metallic	✓	–	✓	–	✓	–
Roof ladder + cross elements for railing	✓	–	✓	–	✓	–
Roof rails with high-level rear moulding (Please consider other roof equipment)	✓	–	✓	–	✓	–
Heki III incl. Plinth / Midi Heki (T)	✓	✓	✓	✓	✓	✓
Window in T-hood	✓	✓	✓	✓	–	–
Flush fitting windows	✓	–	✓	–	✓	–
Cab dash in silver/black line optics	✓	–	✓	–	✓	–
Flatscreen bracket	✓	✓	✓	✓	✓	✓
Rear corner steadies	✓	–	✓	–	✓	–
On-board control panel Luxus	✓	✓	✓	✓	✓	✓
Indirect illumination	✓	✓	✓	✓	✓	✓
Large fridge with separated freezer compartment	✓	✓	✓	✓	✓	✓
Extractor fan (circulating air)	✓	–	✓	–	✓	–
Furniture Noce Padano (black)	✓	–	✓	–	✓	–
Real leather Zamora (black)	✓	–	✓	–	✓	–
Chassis Package for Low Profile: Autom. air conditioning, electr. & heated mirrors, Cruise control, Radio pre-wiring with Sound package, Passenger airbag and LED day-time-running lights	✓	✓	✓	✓	–	–
Furniture Noce Padano (white)	–	✓	–	✓	–	✓
Chassis Package for A Class: Autom. air conditioning, Radio pre-wiring with Sound package, cruise control, driver and passenger airbag	–	–	–	–	✓	✓
Cab door N/S	–	–	–	–	✓	✓

✓ included ◉ Standard specification – not included

Large 190 l fridge/ freezer combination (thereof 35 l freezer compartment) with oven

Optional Extras

	Additional weight (kg)	Code	MED T BLACK	MED T WHITE	MED T4 BLACK	MED T4 WHITE	MED I BLACK	MED I WHITE
Chassis/Base vehicle								
Fiat Ducato MultiJet 150 Light (2.3 l/148 BHP)	u.r.	0	○	○	○	○	○	○
Fiat Ducato MultiJet 180 Light (3.0 l/177 BHP)	50	0	○	○	○	○	○	○
Fiat Ducato MultiJet 130 Maxi (2.3 l/130 BHP)	50	0	–	–	○	○	–	–
Fiat Ducato MultiJet 130 Maxi (2.3 l/130 BHP)	50	0	○	○	–	–	○	○
Fiat Ducato MultiJet 150 Maxi (2.3 l/148 BHP)	50	0	○	○	–	–	○	○
Fiat Ducato MultiJet 150 Maxi (2.3 l/148 BHP)	50	0	–	–	○	○	–	–
Fiat Ducato MultiJet 180 Maxi (3.0 l/177 BHP)	100	0	○	○	–	–	○	○
Fiat Ducato MultiJet 180 Maxi (3.0 l/177 BHP)	100	0	–	–	○	○	–	–
Cab dash in silver/black line optics	1	1881	☒	○	☒	○	☒	○
Cab insulating mat large	13	427	○	○	○	○	○	○
Cab insulating mats for windscreen and side windows	9	934	○	○	○	○	○	○
Seat heating and lumbar support/ pump for Pilote seat	2	6461	○	○	○	○	–	–
Seat heating and lumbar support/ pump for Pilote seat	2	1659	–	–	–	–	○	○
Mud flaps front	2	298	○	○	○	○	○	○
Mud flaps rear	u.r.	880	○	○	◉	◉	○	○
Static cornering light incl. fog lights	0	7138	–	–	–	–	○	○
Rear corner steadies	6	390	☒	○	☒	○	☒	○
Cab blinds	6	434	☒	○	☒	○	☒	☒
Reinforced spring for front axle	0	1889	–	–	–	–	○	○
Automated gearbox (6 gears)	17	11	○	○	○	○	○	○
Bodywork exterior								
Roof rails with high-level rear moulding (Please consider other roof equipment)	10	418	☒	○	☒	○	☒	○
Roof ladder + cross elements for railing	16	1754	☒	○	☒	○	☒	○
Midi Heki	8	246	○	○	–	–	○	○
Cab door N/S	0	0	–	–	–	–	☒	☒
Bicycle rack for 3 cycles	9	938	○	○	○	○	○	○
Bicycle rack for 4 cycles	10	815	○	○	○	○	○	○
Bicycle rack lowerable for GRP rear	10	7482	○	○	○	○	○	○
Flush fitting windows	5	415	☒	○	☒	○	☒	○
Window in T-hood	0	0	☒	☒	☒	☒	–	–
Additional window in bathroom	5	372	○	○	–	–	○	○
Awning (different lengths available). Your local dealer will assist you with more information.	u.r.	1646	○	○	○	○	○	○
Cab entrance step	4	315	☒	○	☒	○	–	–
Bodywork interior								
Fire extinguisher 2 kg	3.5	1878	○	○	○	○	○	○
Floor compartment	3.5	1985	○	○	–	–	○	○
Furniture								
Electrical operation for pull-down bed	5	1683	–	–	○	○	○	○
Soft furnishing								
Cab carpets	3	936	☒	○	☒	○	☒	○
Cuddle package	3	1590	○	○	○	○	○	○
7-zones EvoPoreHRC mattress with gel inlay for double bed	4	8223	○	○	○	○	○	○
7-zones EvoPoreHRC mattress with gel inlay for single bed (right)	2	8225	○	○	○	○	○	○
7-zones EvoPoreHRC mattress with gel inlay for single bed (left)	2	8224	○	○	○	○	○	○
Loose fitting carpets	6 - 9	851	☒	○	☒	○	☒	○
Electrics/Installation								
2nd leisure battery 95 Ah	27	830	○	○	○	○	○	○
Solar system	15	922	○	○	○	○	○	○
Gas installation								
Exterior socket for gas 30mbar	1	878	○	○	○	○	○	○
Switch over system Duo Control CS	13	1577	○	○	○	○	○	○
Water supply/Installation								
Exterior shower (cold water)	1	793	○	○	○	○	○	○

	Additional weight (kg)	Code	MED T BLACK	MED T WHITE	MED T4 BLACK	MED T4 WHITE	MED I BLACK	MED I WHITE
Water supply/Installation								
Pressure water pump	2	736	○	○	○	○	○	○
Switch for water pump	1	397	○	○	○	○	○	○
Heating/Air conditioning								
Heating: Webasto additional heating	7	517	○	○	○	○	○	○
Heating: ALDE warm water	30 - 50	761	○	○	○	○	○	○
ALDE warm water heating for cab (only in conj. with ALDE heating - not in conj. with cab carpet)	10	6709	○	○	○	○	○	○
Additional pump 230 V for ALDE heating	1	314	○	○	○	○	○	○
ALDE heat exchanger	7	565	○	○	○	○	○	○
ALDE warm water floor heating (only in conj. with ALDE heating)	10	1603	○	○	○	○	○	○
Floor heating (electrical)	9	763	○	○	○	○	○	○
Roof air conditioning Truma Aventa Comfort	34	609	○	○	○	○	○	○
Kitchen								
Large fridge with separated freezer compartment and integrated oven with grill (TecTower)	20	290	–	–	○	○	–	–
Fridge vent	1	282	○	○	○	○	○	○
Extractor fan (circulating air)	2	344	☒	○	☒	○	☒	○
Bathroom								
Shower wooden grid	1,5	1657	○	○	○	○	○	○
Multimedia systems								
Flatscreen 19"	3	1896	○	○	○	○	○	○
Pre-wiring (navigation to TV cabinet)	2	1945	○	○	○	○	○	○
Pre-wiring reversing cam	2	277	○	○	○	○	○	○
DVD radio Moniceiver	3	1644	○	○	○	○	○	○
RDS/ CD Pioneer	2	1639	○	○	○	○	○	○
SAT system Flatsat Easy Classic 65	13	1741	○	○	○	○	○	○
SAT system Flatsat Easy Classic 65 Twin	13	7670	○	○	○	○	○	○
SAT system Flatsat Easy 85	21	7671	○	○	○	○	○	○
SAT system Flatsat Easy 85 Twin	15	1637	○	○	○	○	○	○
Navigation module (only in conj. with moniceiver)	2	1643	○	○	○	○	○	○
Top View 360°	6	7173	○	○	○	○	○	○
Reversing cam CARATEC coloured single cam without display	2	1642	○	○	○	○	○	○
Reversing cam CARATEC coloured twin cam without display	2	1641	○	○	○	○	○	○
Coloured display for reversing cam	2	1640	○	○	○	○	○	○
Misc								
Registration documents	u.r.	0	◆	◆	◆	◆	◆	◆

☒ in package included – not available u.r. upon request ○ option ◉ Standard specification ◆ mandatory

Esprit

Low Profile | A Class

Highlights

Facts*	
Maximum authorised weight	3,850 – 4,500 kg
Length	729 – 763 cm
Width	233 cm
Height	298 cm
Chassis type	AL-KO low platform
Sleeping berths	4
Basic engine	2.3 MJET / 2.3 MJET MAXI
	96 kW / 130 BHP

* Maximum values are not possible for some layouts or only available in conj. with optional extras.



A Class

LIFETIME PLUS

Esprit Added Value

+ New Gourmet kitchen
+ Excellent interior design
+ Ideal driving experience: AL-KO low platform broad gauge chassis with 145mm lowering
+ Winter-proof: 125mm IsoProtectPlus function floor with frost protected installations
+ Two heights of single beds are available. Even with high bed position you will have much headroom (6810-2 and 7150-2 EB)

Standard UK specification which is above standard European specification*

- Right hand drive chassis
- 2.3 l MultiJet 96 (130 BHP)
- LED day-time-running light
- Cab air conditioning
- Cruise control
- Driver and passanger airbag
- Wheel trims
- Radio pre-wiring with Sound package
- Cab door N/S for A Class
- Cab blinds
- Midi Heki /Heki III
- Indirect illumination
- Full UK specification incl. UK gas and UK electrics
- TRUMA Combi 6 E heating with integrated 10 l boiler
- Smoke detector
- Oven with grill
- Large fridge/Tec Tower
- Illuminated plinth
- TV bracket
- Extractor fan
- Lounge to bed convert
- Carpets for the cab and living room

* Please note: From technical point of view there are components which are not possible for some of model types and layouts.

Standard specification

Chassis / Base vehicle

- Fiat Ducato with Common-Rail-Turbo diesel technology, MultiJet direct injection and Euro 5+ engine
- Front wheel drive
- Steel wheels 16“
- ABS/ EBD
- ESP
- ASR
- Hill Holder, Hill Descent Control
- AL-KO low platform
- Broad gauge chassis rear axle
- Large fuel tank (90l)
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- LED day-time-running lights integrated into the bumper (A Class)
- Halogen headlights (passing- and upper beam lights)
- Central locking cab with Fiat original remote control (not for A Class)
- Driver airbag
- Radiator grill additionally protected (A Class)
- Low vibration, electrical and heating cab mirrors in bus style (A Class)
- Break-down kit

Conversion

- Resistant to rot LifeTime Plus conversion construction (see page 2)
- Floor thickness: 43mm; intermediate floor: 30mm, sidewall/ roof thickness: 34mm
- IsoProtectPlus functional double floor, heated, to be loaded partly, height of double floor: 120 mm
- Modern rear moulding with energy saving LED rear lights
- Rear garage with reinforced drop chassis extension; loading 250kg (for transportation of Scooter & E-Bike/ depending on layout/ optionally available for some of the layouts)
- Large rear garage including fixing loops, heated and illuminated with LED strips, floor cover made of slip-resistant GRP
- Rear garage with protective trim
- 2nd garage door N/S
- Cab entrance step
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens
- Window for T-hood (Low Profile)
- Clear glass Mini Heki with blind and flyscreen
- Rounded Coupé entrance with step
- Extra wide living door (70cm) with integrated window, interior trim and flyscreen door
- Dethleffs Pilote seat GIS-Liner by Aguti with height/inclination adjustment and two upholstered armrests (A Class)
- High-quality Pilote seats „Captain Chair“ with height/inclination adjustment, integrated head rest, improved lateral support, double arm rest and comfortable seat position (Low Profile)
- Pull-down bed (A Class)
- Repair-friendly, two-piece A Class front with integrated LED day-time-running lights (A Class)

On-board technology / Installations

- Gas bottle locker with easy pull-out function for quick change of the gas bottles (2x11 kg)
- Powerful 95 Ah AGM leisure battery
- 230 V outlets in garage
- 2 USB ports (seating lounge and sleeping room)
- Powerful Truma Combi 6 gas heating with integrated 10l boiler
- Heating installed in seating lounge for optimum of warmness ventilation in living room
- Truma operation panel CP+ for easier operation of the heating
- Powerful pressure water pump
- On-board control panel with Luxury design
- LED illumination for the interior
- Wardrobe illumination with LED light strip
- Insulated fresh and waste water tank

Kitchen

- Gourmet Kitchen Centre with 3-hob cooker, splitted cooker cover, cutting board, apothekery pull out, larger drawers with central locking and waste bin
- Sink and hob in stainless steel
- Large fridge with separated freezer compartment and auto energy selection (AES)
- Spacious drawers with high-quality smooth steel runners and self-closing function
- Height-adjustable shelves for kitchen overhead lockers
- Spice rack with noble Chrome alloy
- Separated place for the coffee machine

Bathroom

- Cassette toilet with swivel seat and electronic flush
- Equipment with cupboards, large mirror, halogen illumination, toothbrush tumbler and toilet paper holder
- Bathroom doors in very robust finish with homelike door handle
- Intelligent washroom concept with 3-D bathroom, shower equipment with wellness shower head

Living area

- New, innovative light-weight furniture technology with pleasant shapes and bi-colour décor elements
- Overhead lockers throughout with doors in the rear (depending on layout)
- Space saving overhead locker concept with installation channel
- Overhead lockers reaching up into the cab for more storage possibilities (Low Profile)
- Fixed beds with wooden slatted frame and 7-zones EvoPoreHRC Premium mattress with climate regulating material
- Pull-down bed with wooden slatted frame and 7-zones EvoPoreHRC Premium mattress with climate regulating material
- Single beds with adjustable head section can be converted to a large double bed
- Living room without steps
- Multi-functional storage compartment under the bed feet area, accessible from inside and outside, illuminated, bed frame with dampers and adjustable (7150-2 EB and 6810-2 only)
- Drawers with Softclose function under the beds in feet area (for 7150-2 only)
- Storage compartment under beds in feet area, with dampers, adjustable, illuminated (for 7150-2 DBT only)
- Comfortable L-shaped seating lounge with free-standing table leg and Panoramic window

Interior

- Wood décor: Virginia Oak
- Soft furnishing design: Vogue or Glamour

Low Profile



ESPRIT		T 6810-2	T 7150-2 DBM	T 7150-2 DBT	T 7150-2 EB
Length	cm	733	763	763	763
Width	cm	233	233	233	233
Height	cm	298	298	298	298
Internal height	cm	203	203	203	203
Towing weight 12% braked/ unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	410	430	430	430
Beds pull-down/ overcab	cm	-	196x150	-	-
Bed mid	cm	180x110/80	180x110/80	180x110/80	180x110/80
Bed rear	cn	200/196x85	200x150	200x150	195x85 / 210x85
Alternative	cm	210x200/195	-	-	210x210/160
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)
Chassis type		AL-KO low platform	AL-KO low platform	AL-KO low platform	AL-KO low platform
Weight net	kg	2927	2967	2964	2964
Mass in running order (MIRO)	kg	3117	3157	3154	3154
Payload	kg	733	693	696	696
Maximum authorised weight	kg	3850	3850	3850	3850
Designated passenger seats (standard weight)		4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	190 / 35	190 / 35	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	l	170 (20)	170 (20)	170 (20)	170 (20)
Waste water tank volume	l	120	120	120	120
Standard swivel seat for driver/ passenger		Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V	7 / 2	7 / 2	7 / 2	7 / 2

A Class



ESPRIT		I 6810-2	I 7150-2 DBM	I 7150-2 DBT	I 7150-2 EB
Length	cm	729	760	760	760
Width	cm	233	233	233	233
Height	cm	298	298	298	298
Internal height	cm	203	203	203	203
Towing weight 12% braked/ unbraked	kg	1750 / 750	1750 / 750	1750 / 750	1750 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	410	430	430	430
Beds pull-down/ overcab	cm	196x150	196x150	196x150	196x150
Bed mid	cm	180x110/80	180x110/80	180x110/80	180x110/80
Bed rear	cn	200x85	200x150	200x150	195x85/210x85
Alternative	cm	212x200/196	-	-	212x210/160
Basic engine		2,3 MJET MAXI	2,3 MJET MAXI	2,3 MJET MAXI	2,3 MJET MAXI
kW (BHP)		96 (130)	96 (130)	96 (130)	96 (130)
Chassis type		AL-KO low platform	AL-KO low platform	AL-KO low platform	AL-KO low platform
Weight net	kg	3137	3187	3184	3184
Mass in running order (MIRO)	kg	3327	3377	3374	3374
Payload	kg	923	873	876	876
Maximum authorised weight	kg	4250	4250	4250	4250
Designated passenger seats (standard weight)		4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	190 / 35	190 / 35	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	l	170 (20)	170 (20)	170 (20)	170 (20)
Waste water tank volume	l	120	120	140	120
Standard swivel seat for driver/ passenger		Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V	7 / 2	7 / 2	7 / 3	7 / 2

Dethleffs world of colours

For the ESPRIT range you can choose from the following colour combinations (some at extra charge).

Low Profile

Chassis colour		Conversion colour		
		White	Titansilver Metallic	Travertin Metallic
White	**Code**	**standard**	**option** 5338	**option** 7882
Silver	**Code**	–	**option** 8092	–

A Class

Chassis colour		Conversion colour		
		White	Titansilver Metallic	Travertin Metallic
White	**Code**	**standard**	**option** 1665	**option** 7883

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

Room for everything: High rear garages with 250 kg loading capacity and accessible from both sides. An LED strip provides the necessary illumination.

Optional Extras

	Additional weight (kg)	Code	Low Profile	A Class
Chassis/Base vehicle				
Fiat Ducato MultiJet 150 Light (2.3 l/148 BHP)	u.r.	0	○	–
Fiat Ducato MultiJet 180 Light (3.0 l/177 BHP)	50	0	○	–
Fiat Ducato MultiJet 130 Maxi (2.3 l/130 BHP)	50	0	○	–
Fiat Ducato MultiJet 150 Maxi (2.3 l/148 BHP)	u.r.	0	–	○
Fiat Ducato MultiJet 150 Maxi (2.3 l/148 BHP)	50	0	○	–
Fiat Ducato MultiJet 180 Maxi (3.0 l/177 BHP)	100	0	○	–
Fiat Ducato MultiJet 180 Maxi (3.0 l/177 BHP)	50	0	–	○
Alloy wheels 16"	0	8045	○	○
Tow bar	35	273	○	○
Cab dash in silver/black line optics	1	1881	○	○
Weight upgrade to 4500 kg (only in conj. with Maxi chassis)	u.r.	1585	○	○
Cab insulating mat large	13	427	○	○
Cab insulating mats for windscreen and side windows	9	934	○	○
Air suspension rear axle (ALKO)	35	1658	○	○
Air suspension front and rear axles (ALKO)	85	1796	○	○
Seat heating and lumbar support/ pump for Pilote seat	2	6461	○	–
Seat heating and lumbar support/ pump for Pilote seat	2	1659	–	○
Mud flaps front	2	298	○	○
Static cornering light incl. fog lights	0	7138	–	○
Rear corner steadies	6	390	○	○
Reinforced spring for front axle	0	1889	–	○
Automated gearbox (6 gears)	17	11	○	○
Bodywork exterior				
Roof rails with high-level rear moulding (Please consider other roof equipment)	10	418	○	○
Roof ladder + cross elements for railing	16	1754	○	○
Heki III without illuminated plinth in the sleeping area	12	442	○	○
Skylight Omni-Vent	1	7507	○	○
Bicycle rack for 3 cycles	9	938	○	○
Bicycle rack for 4 cycles	10	815	○	○
Bicycle rack lowerable for GRP rear	10	7482	○	○
Additional window in bathroom	5	372	○	○
Central locking	8	393	○	○
Awning (different lengths available). Your local dealer will assist you with more information.	u.r.	1646	○	○
Alarm system mounted	5	322	○	○
Bodywork interior				
Fire extinguisher 2 kg	3.5	1878	○	○
Safe mounted	12.5	323	○	○
Furniture				
Alternative overhead lockers	0	1969	○	○
Electrical operation for pull-down bed	5	1683	–	○
High-level bed	5	652	○	○
Soft furnishing				
Skylight (real leather)	u.r.	8032	○	○
Cuddle package	3	1590	○	○
7-zones EvoPoreHRC mattress with gel inlay for double bed	4	8223	○	○
7-zones EvoPoreHRC mattress with gel inlay for single bed (right)	2	8225	○	○
7-zones EvoPoreHRC mattress with gel inlay for single bed (left)	2	8224	○	○
Electrics/Installation				
2nd leisure battery 95 Ah	27	830	○	○
Solar system	15	922	○	○
Gas installation				
Exterior socket for gas 30mbar	1	878	○	○
Switch over system Duo Control CS	13	1577	○	○

	Additional weight (kg)	Code	Low Profile	A Class
Water supply/Installation				
Exterior shower (cold water)	1	793	○	○
Heating/Air conditioning				
Heating: Webasto additional heating	7	517	○	○
Heating: ALDE warm water	30 - 50	761	○	○
ALDE warm water heating for cab (only in conj. with ALDE heating - not in conj. with cab carpet)	10	6709	○	○
Additional pump 230 V for ALDE heating	1	314	○	○
ALDE heat exchanger	7	565	○	○
Roof air conditioning Truma Aventa Comfort	34	609	○	○
Kitchen				
Fridge vent	1	282	○	○
Bathroom				
Ceramic toilet	25	7243	○	○
Multimedia systems				
Flatscreen 19"	3	1896	○	○
Additional TV bracket	3	1809	○	○
Pre-wiring (navigation to TV cabinet)	2	1945	○	○
Pre-wiring reversing cam	2	277	○	○
DVD radio Moniceiver	3	1644	○	○
RDS/ CD Pioneer	2	1639	○	○
SAT system Flatsat Easy Classic 65	13	1741	○	○
SAT system Flatsat Easy Classic 65 Twin	13	7670	○	○
SAT system Flatsat Easy 85	21	7671	○	○
SAT system Flatsat Easy 85 Twin	15	1637	○	○
Navigation module (only in conj. with moniceiver)	2	1643	○	○
Top View 360°	6	7173	○	○
Reversing cam CARATEC coloured single cam without display	2	1642	○	○
Reversing cam CARATEC coloured twin cam without display	2	1641	○	○
Coloured display for reversing cam	2	1640	○	○
Misc				
Registration documents	u.r.	0	◆	◆

– not available u.r. upon request ○ option ◆ mandatory

Esprit Comfort

Coachbuilt

Highlights

Facts*	
Maximum authorised weight	4,500 – 5,400 kg
Length	733 – 858 cm
Width	233 cm
Height	323 cm
Chassis type	AL-KO low platform
Sleeping berths	4 – 6
Basic engine	2.3 MJET MAXI
	96 kW / 130 BHP

* Maximum values are not possible for some layouts or only available in conj. with optional extras.



A 7870-2

LIFETIME PLUS

Esprit Comfort Added Value

+ Much storage space
+ Multi-part and repair-friendly rear moulding with long-life LED lights
+ Digital Truma operation panel with many additional functions
+ Winter-proof with 40cm high double floor and frost-protected installations

Standard UK specification which is above standard European specification*

- Right hand drive chassis
- 2.3 l MultiJet 96 (130 BHP)
- LED day-time-running light
- Cab air conditioning
- Cruise control
- Driver and passanger airbag
- Wheel trims
- Radio pre-wiring with Sound package
- 2nd access locker door
- Cab blinds
- Heki III
- Alternative on-board control
- Indirect illumination
- Full UK specification incl. UK gas and UK electrics
- TRUMA Combi 6 E heating with integrated 10 l boiler
- Smoke detector
- Oven with grill
- Large fridge/Tec Tower
- Illuminated plinth
- TV bracket
- L-shaped seating lounge with free-standing table
- Safety package incl. additional safety belts against driving direction (A)
- Carpets for the cab and living room

* Please note: From technical point of view there are components which are not possible for some of model types and layouts.

Standard specification

Chassis / Base vehicle

- Fiat Ducato with Common-Rail-Turbo diesel technology, MultiJet direct injection and Euro 5+ engine
- Front wheel drive
- Steel wheels 16“
- ABS/ EBD
- ESP
- ASR
- Hill Holder, Hill Descent Control
- AL-KO low platform
- Broad gauge chassis rear axle
- Chassis with stronger suspension springs for automotive driving comfort
- Large fuel tank (90l)
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- Wider tyres, anti-theft device and revolution counter
- Central locking cab with Fiat original remote control
- Electrical window lift (for A Class only in conj. with the optional cab door)
- Break-down kit
- Cup holder in cab

Conversion

- Resistant to rot LifeTime Plus conversion construction (see page 2)
- Floor thickness: 43mm; intermediate floor: 30mm, sidewall/ roof thickness: 34mm
- Double floor storage, to be loaded almost through the complete vehicle width (depending on layout), double floor height: 40cm
- Smooth sides in Aluminium White
- Modern rear moulding with energy saving LED rear lights
- Rear garage with reinforced drop chassis extension; loading 250kg (for transportation of Scooter & E-Bike/ depending on layout/ optionally available for some of the layouts)
- Rear garage with fixing loops
- Access locker doors with catch locks
- Opening insulating windows with blinds and flyscreens
- Window for Overcab O/S
- Roof hood in clear glass with flyscreen
- Clear glass Mini Heki with blind and flyscreen
- Electrcial entrance step
- Rounded Coupé entrance with step
- Flyscreen door
- Convex living door with shelves and waste bin
- Modern entrance aid handle
- High-quality Pilote seats „Captain Chair“ with height/inclination adjustment, integrated head rest, improved lateral support, double arm rest and comfortable seat position
- Height-adjustment for headrests for seating lounge in car optic
- Overcab bed fold-away
- Wooden sliding door between cab and living room (for A 6820-2 only)

On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Powerful 95 Ah AGM leisure battery
- Electrical charging device for leisure and starter batteries 12V/ 18A
- 230 V outlets in garage
- CEE 230V external socket with safety device
- Powerful Truma Combi 6 gas heating with integrated 10l boiler
- Powerful pressure water pump
- Switch for water pump
- Warm water supply with mixer tap
- On-board control panel with analogue display
- Wardrobe illumination with LED light
- Illuminated plinth over the living door
- Awning light
- ELCB (earth leakage circuit breaker)
- Fresh water/ waste water tank installed in double floor (insulated area)

Kitchen

- Dethleffs Gourmet kitchen centre with variable 3-split glass lid over the sink, 3-burner hob cooker for optimal use of the working surface
- Sink and hob in stainless steel
- Large fridge with separated freezer compartment and auto energy selection (AES)
- Spacious drawers with high-quality smooth steel runners and self-closing function
- Kitchen overhead locker with illuminated plinth
- Height-adjustable shelves for kitchen overhead lockers
- Spice rack with noble Chrome alloy
- Separated place for the coffee machine

Bathroom

- Cassette toilet with swivel seat and electronic flush
- High-gloss wash bowl with frame in dark Marble optic
- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- Bathroom doors in very robust finish with homelike door handle
- Fixed shower walls and water resistant plastic walls in the separated shower
- Intelligent washroom concept with 3-D bathroom (depending on layout)
- Different bathroom concepts depending on layout, basically available is the shower cubicle with waterproof plastic sidewalls and door.

Living area

- High-quality furniture finished in sturdy plywood and locker doors made of MDF (medium density fibreboard)
- Fixed beds with wooden slatted frame and 7-zones EvoPoreHRC Premium mattress with climate regulating material
- Overcab bed with 7-zones EvoPoreHRC Premium mattress with climate regulating material
- Children‘s beds and Overcab bed with fall-out protection net and ladder
- Seat chest enlargement, fold-away with storage space
- Shoe bin in entrance area (depending on layout)
- AirPlus ventilation system - for an optimised ventilation of the interior to reduce condensation
- Flatscreen pre-wiring
- Living room without steps
- High-quality, ergonomic seat cushions
- Comfortable L-shaped seating lounge with Panoramic window (not for A 7870-2)

Interior

- Wood décor: Noce Padano
- Soft furnishing: Solana or Namib

Coachbuilt



ESPRIT COMFORT		A 6820-2	A 7870-2
Length	cm	733	858
Width	cm	233	233
Height	cm	323	323
Internal height	cm	209	209
Towing weight 12% braked/ unbraked	kg	1750 / 750	1000 / 750
Tyres		225/75R 16C	225/75R 16C
Wheel base	cm	407	460/80
Beds pull-down/ overcab	cm	205x75/ 190x75	210x150
Bed mid	cm	-	190x130
Bed rear	cn	210x170/150	210x150
Alternative	cm	210x205/155	-
Basic engine		2,3 MJET MAXI	2,3 MJET MAXI
kW (BHP)		96 (130)	96 (130)
Chassis type		AL-KO low platform	AL-KO low platform
Weight net	kg	3413	3851
Mass in running order (MIRO)	kg	3623	4176
Payload	kg	877	824
Maximum authorised weight	kg	4500	5000
Designated passenger seats (standard weight)		2(4)*	4
Designated passenger seats (max. weight upgrade)		4*	6
Heating		Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	l	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	l	147 (20)	147 (20)
Waste water tank volume	l	137	137
Standard swivel seat for driver/ passenger		No / No	No / No
Battery/ charging device	Ah/A	95 / 18	95 / 18
Power outlets	230V/12V	11 / 2	6 / 2

* only in conj. with the option "additional belted seat for the rear" and weight upgrade to 4.8 t

Packages

Style package	
Package components	Coachbuilt
Flush fitting windows	✓
Roof rails with high-level rear moulding (Please consider other roof equipment)	✓
Styling package	✓

✓ included ◉ Standard specification – not included

Dethleffs world of colours

For the ESPRIT COMFORT range you can choose from the following colour combinations (some at extra charge).

Coachbuilt

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	**Code**	**standard**	**option** 5708
Imperialblue	**Code**	**option** 5426	**option** 5706

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

Optional Extras

	Additional weight (kg)	Code	A 6820-2	A 7870-2
Chassis/Base vehicle				
Fiat Ducato MultiJet 150 Maxi (2.3 l/148 BHP)	u.r.	0	○	○
Fiat Ducato MultiJet 180 Maxi (3.0 l/177 BHP)	50	0	○	○
Alloy wheels 16"	0	8045	○	–
Alloy wheels 16" (for 3 axes)	0	8045	–	○
Tow bar	35	273	○	○
Cab dash in silver/black line optics	1	1881	○	○
Weight upgrade to 4.8 t	u.r.	0	○	–
Weight upgrade to 5.4 t	25	7497	–	○
Cab insulating mat large	13	427	○	○
Cab insulating mats for windscreen and side windows	9	934	○	○
Air suspension rear axle (ALKO)	35	1658	○	–
Air suspension front and rear axles (ALKO)	85	1796	○	–
Seat heating and lumbar support/ pump for Pilote seat	2	6461	○	○
Mud flaps front	2	298	○	○
Rear corner steadies	6	390	○	○
Automated gearbox (6 gears)	17	11	○	○
Bodywork exterior				
ALPA application	0	6795	○	–
Opening window in overcab	2	622	○	○
Roof rails with high-level rear moulding (Please consider other roof equipment)	10	418	○	○
Roof ladder + cross elements for railing	16	1754	–	○
Midi Heki	8	246	○	–
Bicycle rack for 3 cycles	9	938	–	○
Bicycle rack for 4 cycles	10	815	–	○
Bicycle rack lowerable for GRP rear	10	7482	–	○
Flush fitting windows	5	415	○	○
Additional window in bathroom	5	372	○	○
Awning (different lengths available). Your local dealer will assist you with more information.	u.r.	1646	○	○
Bodywork interior				
Aluline shelving system	5	1979	–	○
Bicycle rack for Aluline shelving system	5	1930	–	○
Fire extinguisher 2 kg	3.5	1878	○	○
Safe mounted	12.5	323	○	○
Furniture				
Loundry box	3	1606	○	–
Additional single folding seat (rear/left)	41	1605	○	–
Additional single folding seat (rear/right)	41	1604	○	–
Soft furnishing				
Burano (real leather)	12	7549	○	○
Cuddle package	3	1590	○	○
7-zones EvoPoreHRC mattress with gel inlay for double bed	4	8223	–	○
7-zones EvoPoreHRC mattress with gel inlay for single bed (right)	2	8225	○	–
7-zones EvoPoreHRC mattress with gel inlay for single bed (left)	2	8224	○	–
Electrics/Installation				
2nd leisure battery 95 Ah	27	830	○	○
Saphir Vario converter 12/230 V (for air conditioning Saphir Vario/Compact)	3	1977	○	○
Solar system	15	922	○	○
Converter Waeco 1800 W	8.4	1775	○	–
Gas installation				
Exterior socket for gas 30mbar	1	878	○	○
Switch over system Duo Control CS	13	1577	○	○
Water supply/Installation				
Exterior shower (cold water)	1	793	○	○

	Additional weight (kg)	Code	A 6820-2	A 7870-2
Water supply/Installation				
Switch for water pump	1	397	○	○
Heating/Air conditioning				
Heating: Webasto additional heating	7	517	○	○
Heating: ALDE warm water	30 - 50	761	○	○
ALDE warm water heating for cab (only in conj. with ALDE heating - not in conj. with cab carpet)	10	6709	○	○
Additional pump 230 V for ALDE heating	1	314	○	○
ALDE heat exchanger	7	565	○	○
Electrical and heated Overcab bed	3	1740	–	○
Roof air conditioning Truma Aventa Comfort	34	609	○	○
Air conditioning Saphir Vario	30	1986	–	○
Air conditioning Saphir Comfort	26	1791	○	–
Kitchen				
Fridge vent	1	282	○	○
Extractor fan (circulating air)	2	344	○	○
Bathroom				
Shower wooden grid	1,5	1657	○	○
Multimedia systems				
Flatscreen 19"	3	1896	○	○
Flatscreen 22" (incl. DVB-T, DVB-S receiver, DVD)	4	1799	○	–
Pre-wiring (navigation to TV cabinet)	2	1945	○	○
Pre-wiring reversing cam	2	277	○	○
DVD radio Moniceiver	3	1644	○	○
RDS/ CD Pioneer	2	1639	○	○
SAT system Flatsat Easy Classic 65	13	1741	○	○
SAT system Flatsat Easy Classic 65 Twin	13	7670	○	○
SAT system Flatsat Easy 85	21	7671	○	○
SAT system Flatsat Easy 85 Twin	15	1637	○	○
Navigation module (only in conj. with moniceiver)	2	1643	○	○
Top View 360°	6	7173	○	○
Reversing cam CARATEC coloured single cam without display	2	1642	○	○
Reversing cam CARATEC coloured twin cam without display	2	1641	○	○
Coloured display for reversing cam	2	1640	○	○
Misc				
Registration documents	u.r.	0	◆	◆

– not available u.r. upon request ○ option ◆ mandatory

Winter Comfort Packages

Winterised and weatherproof, winterisation with Dethleffs

Winter camping is a trend and fascinating again and again. Thereby there is much depending on the right vehicle technique! Dethleffs have always been number one in producing winterised vehicles – especially in Scandinavian countries where the winterisation of a motorhome is extremely important.

For the perfect Dethleffs`comfort even during the winter time we offer you the optional winter packages Truma or Alde. Enjoy your winter holidays with the comfort by Dethleffs and the optional Truma or Alde winter packages.

Winter Comfort Package TRUMA	(ca. 25 kg)	(ca. 10 kg)
Package components	Globebus, Trend T	Advantage, Magic Edition
Truma Heating Combi 6	⦿	⦿
Electrical element 230 V for Combi	⦿	⦿
Insulated waste water tank	✓	✓
Electr. heating for waste water tank	✓	✓
Insulated under-floor pipes	✓	✓
Switch for water pump	✓	✓
Styrofoam insulation	✓	⦿

Winter Comfort Package ALDE	(ca. 57 kg)
Package components	Trend T, Advantage, Magic Edition
Alde warm water heating	✓
Insulated waste water tank	✓
Waste water tank electr. heated	✓
Insulated under-floor pipes	✓
Switch for water pump	✓
XPS Insulation	✓
Warm water heating mat for cab	✓

Winter Comfort Package LUXUS	TRUMA* (ca. 59 kg)	ALDE** (ca. 60 kg)
Package components	Globebus, Advantage, Magic Edition	Advantage, Magic Edition
Additional battery (95 AH)	✓	✓
Cab insulation mat	✓	✓
Cab carpets	✓	✓
Auxiliary heating Webasto	✓	✓
Electrical floor heating	✓	–
Alde warm water floor heating	–	✓

✓ Package
⦿ Standard
– not possible

* only in conj. with Winter Comfort Package Truma
** only in conj. with Winter Comfort Package Alde

Dethleffs – long-lasting quality

All Dethleffs motorhomes come with a 6-year water tightness warranty as standard.*

Completely new is the Dethleffs Lifetime Plus body construction on all models starting the Advantage range.

Using the latest findings, this new type of design combines an absolutely rot-proof and thus long-lasting wall construction for a healthy interior climate:



- ✓ Walls, roof and floor are constructed entirely without cold spots or wood inserts. Instead, rigid polyurethane struts ensure a high torsional stiffness.
- ✓ Strong GRP panels (glass-fiber reinforced plastic) on the roof and floor protect against damage from outside from hail, stones, salt water, etc.
- ✓ An extra thick layer of high density, hydrophobic, i.e. water-repellent XPS foam ensures excellent insulation properties.
- ✓ A 3 mm (floor 6 mm) thick plywood panel leading to the living area is both moisture-balancing and sound-absorbing.

Our range Trend Low Profile comes as standard with the clever and rot-proof floor construction. We install PU struts instead of wooden inserts and cover the floor with thick GRP plate for high protection values.

LIFETIME SMART

*provided that annual inspections are undertaken by a Dethleffs authorised workshop.

General Information

The "Mass in Running Order" according to the European Regulations 92/21 EG and EN 1646-2 includes the empty vehicle weight, the driver's weight calculated at 85 kg, a 90 % fuel capacity, filled water tank capacity (partly reduced capacity, see technical data), 1 x 11 kg gas bottle (100 % filled) and a cable reel.

The term "Maximum Authorised Weight" must not be exceeded when optional extras and personal items are taken into account. The sizes and weights are approximate values. The mass in running order applies for a standard model without any optional extras.

The fitting of optional extras will increase the vehicle's weight and reduce the maximum user payload.

The information about design, technical information, weights or dimensions is the value which is known at printing date. Please be informed that any values are approximate values with a tolerance of +/– 5 %. Subject to change, errors excepted.

The "Motorhome Technical Information 01/2016" is valid from 15.08.2015. Dethleffs reserve the right to alter technical and material specifications and standard equipment at any time as material and conditions demand.

Please note: The price of Dethleffs products in various European countries will differ. This is due to differing levels of specification in the individual countries and varying rates of VAT or luxury tax.

E 1625 / 6.000 / 08.15 / www.inallermunde.de

Dethleffs GmbH & Co. KG
Arist-Dethleffs-Straße 12 · 88316 Isny im Allgäu
Phone: +49 (0) 75 62 98 70
www.dethleffs.co.uk · info@dethleffs.co.uk

Dethleffs
A friend of the family